

Section 2 : Références

Introduction

Cette section établit une liste :

- des références utilisées dans cette publication (par ordre alphabétique),
 - des ressources disponibles auprès de l'équipe STEPS.
-

Références et sources

Armstrong T, Bonita R. Building capacity for an integrated noncommunicable disease risk factor surveillance system in developing countries. *Ethnicity and Disease*. 2003; 13(s) 2-13.

Australian Food and Nutrition Monitoring Unit. Evaluation of short dietary questions from the 1995 *Australian National Nutrition Survey*. 2001.

CINDI- Countrywide Integrated Noncommunicable Disease Intervention. (<http://www.euro.who.int/eprise/main/WHO/Progs/CINDI/Home>)

Dean AG, Arner TG, Sunki GG, Friedman R, Lantinga M, Sangam S, Zubieta JC, Sullivan KM, Brendel KA, Gao Z, Fontaine N, Shu M, Fuller G. *Epi Info™, a database and statistics program for public health professionals*. Centers for Disease Control and Prevention, Atlanta, Georgia, USA, 2002.

EHRM- European Health Risk Monitoring Project. (<http://www.ktl.fi/ehrm>)

Ezzati M, Lopez AD, Vander Hoorn S, Murray CJL. Selected major risk factors and global and regional burden of disease. *Lancet*. 2002; 360(9343):1347-1360.

Flood V, Webb K, Lazarus R, Pang G. Use of self-report to monitor overweight and obesity in populations: some issues for consideration. *Australian and New Zealand Journal of Public Health*. 2000;24:96-99.

INDEPTH- International Field Laboratory Network. (<http://www.indepth-network.org>)

IPAQ- International Physical Activity Questionnaire. (<http://www.ipaq.ki.se>)

Lauritsen JM, Bruus M, Myatt M. *EpiData - An extended tool for validated data entry and documentation of data*. The EpiData Association, Odense Denmark. 2001. Version 3.1

Suite à la page suivante

Références et sources (suite)

Last JM. *A dictionary of epidemiology. 4th ed.* New York: Oxford University Press; 2001.

Law MR, Morris JK. By how much does fruit and vegetable consumption reduce the risk of ischaemic heart disease? *European Journal of Clinical Nutrition.* 1998;52:549-56.

McQueen DV. A world behaving badly: the global challenge for behavioral surveillance. *American Journal of Public Health.* 1999;89:1312-14.

Murray CJ, Lopez AD. *Global burden of disease and injury series, Vol. 1. The global burden of disease. A comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020.* Geneva: WHO; 1996.

Ness AR, Powles JW. Fruit and vegetables, and cardiovascular disease: a review. *International Journal of Epidemiology.* 1997;26:1-13.

O'Brien E, Waeber B, Parati G, Staessen J, Myers MG. Blood pressure measuring devices: recommendations of the European Society of Hypertension. *British Medical Journal.* 2001;322:531-36.

Paffenbarger RS, Hyde RT, Wing AL, Hsieh CC. Physical activity, all-cause mortality, and longevity of college alumni. *New England Journal of Medicine.* 1986;314:605-13.

WHO. *Preventing chronic diseases: A vital investment.* Geneva, World Health Organization, 2005.

Stamler J, Stamler R, Neaton JD. Blood pressure, systolic and diastolic, and cardiovascular risks. US population data. *Archives of Internal Medicine.* 1993;153:598.

Willett W. Nutritional epidemiology: issues and challenges. *Internal Journal of Epidemiology.* 1987;16:312-17.

Wing RR, Hill JO. Successful weight loss maintenance. *Annual Review of Nutrition.* 901;21:323-41.

Wirfalt AK, Jeffery RW, Elmer PJ. Comparison of food frequency questionnaires: the reduced Block and Willett questionnaires differ in ranking on nutrient intakes. *American Journal of Epidemiology.* 1998;148:1148-56.

Suite à la page suivante

Références et sources (suite)

World Health Organization. Global strategy for the prevention and control of noncommunicable diseases. *Report by the Director General. A53/4. Fifty-third World Health Assembly*. May 2000. WHO, Geneva.

World Health Organization. *Guidelines for Controlling and Monitoring the Tobacco Epidemic*. Geneva: WHO; 1998.

World Health Organization. *International Guide for Monitoring Alcohol Consumption and Related Harm*. Geneva: WHO; 2000.

WHO. *World Health Report 2002- Reducing risks, promoting healthy life*. Geneva, World Health Organization, 2002.

The WHO MONICA Project. (<http://www.ktl.fi/monica>)

Ressources disponibles auprès de l'équipe STEPS

D'autres documents sont disponibles auprès de l'équipe STEPS :

- Epi Info guide for STEPS,
- EpiData guide for STEPS,
- Summary: Surveillance of risk factors for noncommunicable disease: The WHO STEPwise approach (2003), Rev.1,
- STEPS statistical resources guide.

Note : Vous trouverez une liste complète des ressources STEPS sur notre page Web : www.who.int.chp/steps .
