



منظمة الصحة
العالمية



2007

©

H5N1

2
5
8
10
10
14
21
25
27

.2005 / 9 7

H5N1

(1)

(2)

800

. 12

-
-

:
H5N1

1

2

	H5N1	1
		2
H5N1		3
		4
		5

1968
200
2003
H5N1
10
H5N1
2005
36
2006 / 2006 /
H5N1

2003

(SARS)

800

H5N1

H5N1

(2)

:

(1) :

:

H5N1

1

2

3

:

4

5

:

H5N1 (1)

(2)

	H5N1	1
		2
H5N1		3
		4
		5

(1)

(2)

(3)

(4)

(5)

(6)

(7)

(8)

H5N1

1

)

.

(

.

-

-

.

-

(

)

.

-

)

(

.

-

.

H5N1

(OIE)

1

¹ A global strategy for the progressive control of highly pathogenic avian influenza.
منظمة الأغذية والزراعة، والمنظمة العالمية لصحة الحيوان بالتعاون مع منظمة الصحة العالمية (تشرين الثاني /نوفمبر 2005)

2005 /

2

2000

² Olsen SJ, Laosirtaworn Y et al. Poultry-handling practices during avian influenza outbreak in Thailand. *Emerg Infect Dis* 2005; 11: 10, 1601–1603.

(COMBI)

.1

.2

.3

.4

.5

6

.2

-

-

-

-

.H5

2005 /

H5N1

)

(

48

H5N1

H5N1

H5

H5

H5N1

.(3)

(SARS)

— " " H5N1

2006 /

H5N1

.	.1
.	.2
(GOARN)	.3
.	.4
(2005)	.5
.	.6
.	.7

4 3

.2006 / 3 (" ")

³ Ferguson NM et al. Strategies for containing an emerging influenza pandemic in Southeast Asia. Nature 2005; 437: 209–214.

⁴ Longini IM et al. Containing pandemic influenza at the source. Scienceexpress/www.scienceexpress.org / 3 August 2005: 1–5.

80%

() :

()

()

()

()

2005 /

()

()

()

()

()

()

()

：
http://www.who.int/csr/disease/avian_influenza/guidelines/draftprotocol/

.1

.2

.3

)
(
(,)

1

2

3

()

-
-
-
-
-
-



2005 /

10%

420

-

90%

-

()

()

.2006

2006 /

2005 /

H5N1

.1

.2

.3

.4