

# WORLD HEALTH STATISTICS

---

## 2011



World Health  
Organization







- Children aged <5 years sleeping under insecticide-treated nets (%)
- Children aged <5 years with fever who received treatment with any antimalarial (%)
- Children aged <5 years with ARI symptoms taken to a health facility (%)
- Children aged <5 years with diarrhoea receiving ORT (ORS and/or RHF) (%)
- Unmet need for family planning (%)
- Contraceptive prevalence (%)
- Antiretroviral therapy coverage among HIV-infected pregnant women for PMTCT (%)
- Antiretroviral therapy coverage among people with advanced HIV infection (%)
- Case-detection rate for all forms of tuberculosis (%)
- Smear-positive tuberculosis treatment-success rate (%)

**Table 5 Risk factors**

103

- Population using improved drinking-water sources (%)
- Population using improved sanitation (%)
- Population using solid fuels (%)
- Low-birth-weight newborns (%)
- Infants exclusively breastfed for the first 6 months of life (%)
- Children aged <5 years stunted (%)
- Children aged <5 years underweight (%)
- Children aged <5 years overweight (%)
- Adults aged ≥20 years who are obese (%)
- Alcohol consumption among adults aged ≥15 years (litres of pure alcohol per person per year)
- Prevalence of smoking any tobacco product among adults aged ≥15 years (%)
- Prevalence of current tobacco use among adolescents aged 13–15 years (%)
- Prevalence of condom use by adults aged 15–49 years during higher-risk sex (%)
- Population aged 15–24 years with comprehensive correct knowledge of HIV/AIDS (%)

**Table 6 Health workforce, infrastructure and essential medicines**

115

**Health workforce**

- Number of physicians and density (per 10 000 population)
- Number of nursing and midwifery personnel and density (per 10 000 population)
- Number of dentistry personnel and density (per 10 000 population)
- Number of pharmaceutical personnel and density (per 10 000 population)
- Number of environment and public health workers and density (per 10 000 population)
- Number of community health workers and density (per 10 000 population)

**Infrastructure**

- Hospital beds (per 10 000 population)
- Radiotherapy units (per 1 000 000 population)

**Essential medicines**

- Median availability of selected generic medicines in public and private sectors (%)
- Median consumer price ratio of selected generic medicines in public and private sectors



## Abbreviations

AIDS	acquired immunodeficiency syndrome
AFR	WHO African Region
AMR	WHO Region of the Americas
ARI	acute respiratory infection
ART	antiretroviral therapy
DHS	Demographic and Health Survey
DTP3	3 doses of diphtheria-tetanus-pertussis vaccine
EMR	WHO Eastern Mediterranean Region
EUR	WHO European Region
GDP	gross domestic product
HepB3	3 doses of hepatitis B vaccine
Hib3	3 doses of Haemophilus influenzae type B vaccine
HIV	human immunodeficiency virus
MCV	measles-containing vaccine
MDG	Millennium Development Goal
MICS	Multiple Indicator Cluster Survey
NHA	national health account
ORS	oral rehydration salts
ORT	oral rehydration therapy
PMTCT	prevention of mother-to-child transmission
PPP	Purchasing Power Parity
RHF	recommended home fluid
SEAR	WHO South-East Asia Region
WPR	WHO Western Pacific Region
YLL	years of life lost



