

MONITORING FORM

Name of Hospital:

Address:

.....

Name of Responder:

Position:

Hospital bed and staff situation

Indicators	Total numbers	Comments
Total number of beds		
Number of paediatric beds		
Number of beds for severe malnutrition		
Total number of doctors		
Number of doctors for paediatric care, including severely malnourished children		
Total number of nurses		
Number of nurses for paediatric care		
Number of nurses for care of severely malnourished children		
Day time		
At night		
Comments /additional Information		

Demographic and nutritional indicators

Indicators	Total number of cases	Comments
Mean age in months (range).		
No. of children < 6 months		
No. of children with severe wasting and/or oedema.		
No. of children with oedema noted in record.		
No. of children with skin lesions noted in record.		
Mean weight (range) in kg.		
Mean length/height (range) in cm.		
No. of children with hypothermia on admission (temp. < 35.5 °)		
No. of children with hypoglycaemia on admission (blood glucose <54 mg/dl or <3mmol/L.)		
Comments/ additional information		

Table 3

Action in preventing hypoglycaemia, hypothermia or infection

Action	Yes/no	Comments
Do not keep waiting in queue		
Feed immediately		
Feed every 2-3 hours during the day		
Feed every 2-3 hours during the night		
Give broad spectrum antibiotic routinely		
Keep room warm, no draughts		
Keep child covered, especially at night		
Do not give iron initially		
OPD Triage What is done		
Comments /additional information		

Action for preventing cardiac failure

Actions	Yes/no	Comments
Give IV only for shock		
For IV use: 0.5 normal saline + 5% dextrose or ringers lactate + 5% dextrose		
Give potassium and magnesium		
Do not give diuretic for oedema		
Rehydrate slowly		
Monitor every 10-15 minutes during IV for pulse and respiration		
Monitor every hour for oral rehydration		
Use low sodium ORS		
Give Zn and Cu		
Give vitamin A		
Give multivitamins		
Comments/ additional information		

Table 5

Mortality and recovery before and after receiving training

	Total number	Total number	Total number	Comments
Total paediatric admissions				
Total died				
Total admission with severe malnutrition				
Number died with severe malnutrition				
Mean hospital stay (No. of days)				
Number died: <ul style="list-style-type: none"> • First 24 hours • Days 2 – 7 • Week 2 • > week 2 				
Number died with malnutrition plus: <ul style="list-style-type: none"> • pneumonia • diarrhoea • septicaemia • measles • cardiac failure • anaemia • other (specify) 				

Mortality and recovery before and after receiving training

	Total number	Total number	Total number	Comments
Number died with: <ul style="list-style-type: none"> • severe wasting • wasting plus oedema • oedema 				
Number of children: <ul style="list-style-type: none"> • < 6 mo • 6-12 mo • 13-24 mo • > 24 mo 				
Readmission (if any) <ul style="list-style-type: none"> • after how many days • after how many months of first admission 				
Mean no of days taken for recovery ¹ (range)				
Comments/ additinal information				

¹ Defined recovery

- improved clinical condition
- > 80% weight/height

Feeding and weight gain

Action		Comments
Feeding with F-75 - how often? - for how long?		
Feeding with F-100 - how often? - for how long?		
Feeding with other foods - how often?		
Weight gain/g/kg/day		
Recipes Ingredients Scales		
Comments/additional information		