

BOLIVIA (PLURINATIONAL STATE OF)																						
Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median													Notes	Ref	
							Weight/age		Height/age		Weight/height					BMI / age						
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD			+3SD
National		1981			0. -4.99	5763		12.7		48.6		1.0								Converted estimates	00156	
National	JUL-DEC	1988			0. -4.99	151481		9.8												SVEN; converted estimate	01263	
National	MAR-JUL	1989			0.25-2.99	2563	2.8	8.9	17.4	41.7	0.8	2.2	31.2	7.8	1.8	0.8	2.1	40.5	11.0	2.3	00232	
					0.25-2.99	1274	3.2	9.3	20.0	47.0	0.5	2.0	36.0	10.9	2.9	0.6	2.2	46.3	15.4	3.7	Alliplano	
					0.25-2.99	738	2.7	10.2	20.1	44.7	0.8	2.1	22.9	3.9	0.3	0.8	2.0	32.8	5.9	0.2	Llano	
					0.25-2.99	552	2.2	6.6	7.9	25.3	1.5	2.7	31.3	5.8	1.6	1.1	2.2	37.3	7.8	1.7	Valle	
					0.25-0.49	205	2.5	6.5	7.8	20.4	1.7	4.5	29.1	10.4	4.1	2.1	5.8	26.2	6.5	0.4		
					0.50-0.99	512	1.4	6.0	7.2	24.6	1.3	2.9	35.0	10.4	2.9	0.9	2.8	34.0	10.5	2.2		
					1. -1.99	1003	4.0	11.5	19.6	45.6	0.6	2.3	26.9	4.9	1.1	0.5	1.9	39.9	8.7	2.0		
					2. -2.99	844	2.5	8.3	23.3	52.5	0.6	1.1	34.6	9.0	1.5	0.6	1.2	48.5	15.2	3.0		
			URBAN		0.25-2.99	1278	1.5	6.5	11.5	34.4	0.5	1.5	30.8	6.9	1.3	0.5	1.5	38.2	9.0	1.6		
			RURAL		0.25-2.99	1285	4.1	11.4	23.4	48.9	1.1	2.9	31.6	8.6	2.4	1.0	2.7	42.7	13.0	2.9		
				M	0.25-2.99	1271	3.0	10.4	19.6	45.6	0.6	2.0	31.4	7.5	1.5	0.5	2.0	40.7	11.1	1.7		
				M	0.25-0.49	110	3.6	8.0	8.9	28.0	0.7	1.0	23.8	7.1	2.4	0.7	2.9	20.0	4.4	0.8		
				M	0.50-0.99	226	2.0	6.4	10.4	27.0	0.8	1.5	40.4	14.3	3.3	0.0	1.2	39.4	14.1	1.6		
				M	1. -1.99	520	4.4	14.5	23.1	50.5	0.8	3.3	27.1	4.4	1.2	0.8	2.9	39.2	8.6	1.4		
				M	2. -2.99	415	1.7	8.3	23.1	54.1	0.2	0.9	33.9	7.8	0.5	0.2	1.1	48.6	14.4	2.4		
				F	0.25-2.99	1292	2.6	7.5	15.2	37.8	1.1	2.4	31.0	8.1	2.2	1.1	2.2	40.2	10.9	2.8		
				F	0.25-0.49	94	1.2	4.7	6.6	11.5	2.9	8.6	35.1	14.1	6.0	3.7	9.1	33.4	9.0	0.0		
				F	0.50-0.99	285	0.8	5.7	4.7	22.7	1.7	4.1	30.8	7.3	2.6	1.6	4.0	29.8	7.7	2.7		
				F	1. -1.99	483	3.5	8.4	15.9	40.2	0.4	1.2	26.7	5.5	1.0	0.2	0.8	40.5	8.8	2.6		
				F	2. -2.99	429	3.2	8.3	23.4	50.9	1.0	1.2	35.2	10.1	2.5	1.0	1.2	48.4	16.0	3.6		
National	JUL-DEC				0. -4.99	363946		9.9												SVEN; converted estimate	01263	
National		1990			0. -4.99	490699		9.7												SVEN; converted estimate		
National		1991			0. -4.99	536952		10.2												SVEN; converted estimate		
National		1992			0. -4.99	666872		10.5												SVEN; converted estimate	01546	
National	NOV-JUN	1993-94			0.25-2.99	2730	4.1	12.6	14.4	35.2	1.9	5.3	27.1	7.1	1.4	1.8	5.0	33.8	9.8	1.9	01359	
					0.25-2.99	1219	3.4	12.1	18.8	42.0	2.2	5.4	33.4	9.5	2.0	2.0	5.4	42.1	13.7	2.7	Alliplano region	
					0.25-2.99	720	4.3	9.9	7.3	22.2	2.4	5.2	20.9	4.2	1.0	2.2	5.1	24.5	5.4	1.4	Llano region	
					0.25-2.99	792	4.8	15.8	14.0	36.6	1.0	5.2	23.1	6.0	0.9	1.3	4.4	29.5	7.8	0.9	Valle region	

BOLIVIA (PLURINATIONAL STATE OF)

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	NOV-JUN	1993-94			0.25-2.99	123	7.4	15.5	15.0	37.2	4.1	9.2	14.7	5.8	1.7	4.8	9.6	21.2	7.5	2.4	Beni y Pando Chuquisaca Cochabamba La Paz Oruro Potosi Santa Cruz Tarija	01359	
					0.25-2.99	157	7.1	21.3	18.8	42.7	4.2	12.7	24.6	8.9	1.7	5.0	12.6	32.8	12.6	1.7			
					0.25-2.99	502	4.6	16.1	14.1	37.0	0.0	3.6	19.8	4.7	0.7	0.0	2.2	25.9	5.8	0.7			
					0.25-2.99	794	2.7	10.1	18.4	41.6	1.5	3.9	38.9	10.9	1.7	1.2	3.8	48.1	16.0	2.6			
					0.25-2.99	153	3.9	12.8	17.5	48.0	1.8	3.3	27.3	7.0	0.7	2.2	2.6	39.0	10.7	2.6			
					0.25-2.99	272	5.2	17.7	20.6	39.7	4.2	10.9	20.4	6.8	3.8	4.2	11.7	26.0	8.7	3.4			
					0.25-2.99	596	3.7	8.8	5.7	19.2	2.1	4.3	22.2	3.9	0.8	1.6	4.1	25.2	4.9	1.2			
					0.25-2.99	133	3.0	8.3	7.8	28.1	1.2	2.7	33.9	7.7	0.9	1.5	3.0	39.0	10.1	0.9			
					0.25-0.49	288	2.7	13.0	5.6	13.1	4.3	7.2	29.6	13.4	3.9	4.6	8.5	26.6	10.8	2.2			
					0.50-0.99	528	3.4	12.7	7.5	21.9	1.8	8.1	23.8	6.7	1.3	2.0	8.1	23.4	7.6	1.6			
					1. -1.99	1005	4.7	13.1	18.0	41.3	1.8	4.2	24.9	5.5	1.1	1.6	3.4	33.6	8.8	1.7			
					2. -2.99	910	4.1	12.0	17.1	43.3	1.3	4.2	30.7	7.0	1.1	1.0	3.8	42.3	11.9	2.1			
					URBAN	0.25-2.99	1447	2.2	8.6	9.8	27.1	1.0	3.2	30.6	7.9	1.0	1.1	3.4	35.8	10.5			1.5
					RURAL	0.25-2.99	1283	6.2	17.1	19.5	44.4	2.9	7.6	23.1	6.1	1.9	2.7	6.8	31.4	9.0			2.3
					M	0.25-2.99	1427	4.8	15.1	15.6	37.3	2.7	7.4	26.4	7.4	1.7	2.6	6.7	32.8	10.1			2.2
					M	0.25-0.49	163	3.3	18.1	3.8	15.4	7.0	11.5	25.1	12.3	4.7	7.2	13.2	21.8	9.3			3.6
					M	0.50-0.99	291	3.1	15.1	7.3	22.3	1.7	9.6	20.5	6.0	0.9	2.2	9.6	20.6	7.0			1.1
					M	1. -1.99	505	7.0	15.6	21.4	44.2	2.6	5.9	25.9	6.2	1.4	2.3	4.6	34.1	9.4			1.6
					M	2. -2.99	468	4.1	13.5	18.6	46.7	2.0	6.1	31.0	7.7	1.5	1.5	4.9	42.8	13.0			2.9
					F	0.25-2.99	1303	3.2	9.9	13.0	32.9	1.0	3.0	27.9	6.8	1.1	1.0	3.1	34.8	9.6			1.6
F	0.25-0.49	125	1.9	6.3	7.8	10.2	0.8	1.6	35.4	14.9	2.8	1.3	2.4	32.7	12.9	0.4							
F	0.50-0.99	237	3.8	9.8	7.7	21.3	2.0	6.3	27.7	7.7	1.7	1.7	6.3	26.8	8.3	2.3							
F	1. -1.99	499	2.5	10.5	14.7	38.4	1.0	2.4	23.9	4.8	0.8	1.0	2.2	33.1	8.2	1.9							
F	2. -2.99	441	4.2	10.3	15.5	39.7	0.5	2.3	30.4	6.3	0.7	0.5	2.7	41.7	10.8	1.2							
National	MAR-SEP	1998			0. -5.00	6005	1.5	5.9	13.1	33.1	0.7	1.6	39.2	10.7	2.9	0.6	1.7	44.9	13.5	3.4	Altiplano region Llano region Valle region Beni Chuquisaca	01911	
					0. -5.00	2401	1.3	6.6	15.6	38.7	0.9	1.7	40.6	11.6	2.7	0.6	1.8	47.9	15.2	3.4			
					0. -5.00	1776	1.2	4.0	10.0	25.5	0.4	1.2	39.8	12.0	3.9	0.3	1.3	44.3	13.6	4.2			
					0. -5.00	1828	2.2	6.8	13.0	33.2	0.9	1.9	36.8	8.2	2.2	0.7	1.9	41.6	11.3	2.5			
					0. -5.00	288	2.0	6.7	11.0	30.0	1.0	3.0	29.3	6.5	1.2	0.7	2.5	34.5	7.2	1.5			
					0. -5.00	463	2.2	8.9	18.3	41.0	1.1	2.8	36.0	7.6	2.1	0.7	2.2	42.2	10.8	3.3			

BOLIVIA (PLURINATIONAL STATE OF)

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	MAR-SEP	1998			0. -5.00	1042	2.5	7.2	12.1	31.6	1.0	1.9	35.0	7.8	2.4	0.7	1.9	39.2	10.5	2.2	Cochabamba	01911	
					0. -5.00	1531	0.8	5.2	11.3	32.4	0.7	1.3	42.1	11.3	2.5	0.5	1.4	49.0	14.6	3.1	La Paz		
					0. -5.00	265	1.6	6.6	13.0	37.6	0.8	2.0	32.0	6.4	0.8	0.9	2.3	39.0	10.4	1.0	Oruro		
					0. -5.00	63	3.8	7.8	17.3	33.9	0.9	3.7	34.2	11.5	4.6	0.9	3.8	35.5	15.4	4.4	Pando		
					0. -5.00	605	2.3	10.2	27.8	55.2	1.3	2.8	40.6	14.4	4.0	0.9	2.4	49.2	18.6	5.3	Potosí		
					0. -5.00	1425	0.9	3.3	9.4	24.2	0.3	0.8	42.2	13.2	4.5	0.2	1.0	46.7	14.9	4.8	Santa Cruz		
					0. -5.00	323	1.1	2.8	8.0	27.2	0.3	0.6	43.9	10.1	1.3	0.4	1.2	48.5	14.7	2.1	Tarja		
					0. -0.49	616	2.0	6.4	7.1	15.8	2.9	4.3	39.9	19.5	8.1	1.2	4.5	36.5	15.4	6.9			
					0.50-0.99	686	2.9	6.8	7.4	20.2	1.4	4.1	33.9	11.0	3.2	1.3	4.4	33.8	11.2	3.2			
					1. -1.99	1217	2.2	7.1	16.5	37.9	0.4	1.6	34.2	9.0	2.9	0.4	1.5	45.5	14.2	3.3			
					2. -2.99	1152	1.3	6.6	16.4	39.5	0.6	1.1	42.6	9.6	1.8	0.6	1.1	52.8	16.1	3.8			
					3. -3.99	1214	0.6	4.4	13.3	37.6	0.3	0.6	42.5	9.9	1.8	0.3	0.4	49.8	14.6	2.7			
					4. -5.00	1120	1.0	4.6	12.8	34.3	0.3	0.4	40.4	9.4	2.1	0.2	0.5	42.4	9.5	2.0			
					URBAN	0. -5.00	3464	1.2	3.9	8.5	25.1	0.6	1.5	39.3	10.8	2.9	0.4	1.5	44.6	13.5	3.1		
					RURAL	0. -5.00	2541	2.0	8.6	19.4	44.2	0.9	1.9	39.1	10.4	2.9	0.8	1.9	45.4	13.6	3.7		
					M	0. -5.00	3049	1.6	6.0	15.0	34.3	0.8	1.8	38.9	11.3	3.2	0.6	1.8	45.9	14.9	4.1		
					M	0. -0.49	334	2.4	6.4	8.1	18.2	2.9	3.8	40.5	19.0	9.0	0.9	4.3	35.7	15.9	7.3		
					M	0.50-0.99	328	3.4	8.0	10.7	24.2	1.6	5.0	30.6	11.9	3.8	1.5	5.0	30.9	13.2	4.1		
					M	1. -1.99	601	2.4	7.7	20.0	40.7	0.5	1.7	31.7	7.8	2.6	0.2	1.8	44.6	13.9	3.0		
					M	2. -2.99	585	0.9	7.0	19.4	41.2	0.6	1.4	42.9	11.7	2.1	0.6	1.1	53.2	18.0	5.5		
					M	3. -3.99	600	0.5	4.2	13.1	37.1	0.4	0.7	43.8	11.2	2.2	0.5	0.6	53.7	16.5	3.8		
M	4. -5.00	601	0.9	3.7	13.8	33.0	0.4	0.5	41.0	10.3	2.6	0.3	0.6	46.0	11.6	2.4							
F	0. -5.00	2956	1.5	5.8	11.3	31.9	0.6	1.5	39.5	9.9	2.5	0.5	1.5	44.0	12.1	2.6							
F	0. -0.49	282	1.4	6.3	6.0	12.9	2.9	4.8	39.1	20.2	7.2	1.4	4.8	37.4	14.8	6.4							
F	0.50-0.99	358	2.3	5.8	4.3	16.5	1.1	3.4	36.9	10.2	2.7	1.1	3.9	36.5	9.3	2.4							
F	1. -1.99	615	2.0	6.5	13.1	35.1	0.3	1.4	36.7	10.2	3.1	0.5	1.2	46.4	14.6	3.6							
F	2. -2.99	567	1.7	6.3	13.4	37.7	0.6	0.8	42.3	7.5	1.4	0.6	1.1	52.5	14.1	2.0							
F	3. -3.99	614	0.8	4.7	13.5	38.0	0.2	0.5	41.2	8.6	1.5	0.1	0.3	45.9	12.7	1.6							
F	4. -5.00	519	1.1	5.5	11.7	35.8	0.1	0.3	39.7	8.4	1.6	0.1	0.3	38.3	7.1	1.4							
National	AUG-JAN	2003-04			0.25-5.00	9982	1.6	5.9	11.3	32.5	0.6	1.7	37.5	9.2	2.0	0.6	1.7	43.6	12.0	2.6	02666		

BOLIVIA (PLURINATIONAL STATE OF)

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	AUG-JAN	2003-04			0.25-5.00	436	3.1	8.5	12.0	37.4	2.7	4.7	36.1	12.6	4.3	2.5	4.5	42.3	14.1	4.8	Beni	02666	
					0.25-5.00	795	1.9	6.9	17.5	42.8	0.5	0.9	35.0	7.5	0.7	0.6	1.0	43.7	11.4	1.6	Chuquisaca		
					0.25-5.00	1896	2.6	7.3	12.9	34.7	0.7	1.8	36.0	8.2	1.2	0.5	1.8	42.2	10.9	2.0	Cochabamba		
					0.25-5.00	2553	1.0	5.3	12.3	34.8	0.3	0.9	40.6	9.6	2.2	0.4	0.9	47.0	13.0	2.4	La Paz		
					0.25-5.00	476	0.4	4.3	12.1	41.9	0.2	0.9	39.3	9.3	2.1	0.3	0.9	46.9	12.9	2.7	Oruro		
					0.25-5.00	67	0.9	5.4	15.9	33.0	2.2	3.1	34.2	14.5	4.2	1.7	2.3	38.1	16.5	6.5	Pando		
					0.25-5.00	907	3.4	11.2	20.0	48.5	0.4	1.0	33.2	10.1	2.4	0.5	1.2	41.3	12.2	3.4	Potosi		
					0.25-5.00	2415	0.9	3.5	3.8	17.7	0.7	2.6	36.8	8.5	2.2	0.5	2.4	40.9	10.6	2.4	Santa Cruz		
					0.25-5.00	436	0.6	3.5	7.9	23.2	1.0	2.3	43.0	11.6	2.8	1.1	2.3	47.5	15.2	4.1	Tarija		
					0.25-0.49	964	2.0	6.7	3.8	12.8	1.6	4.7	37.2	17.2	5.3	1.5	4.5	31.8	14.2	4.3			
					0.50-0.99	910	3.7	8.0	7.1	19.4	1.1	3.1	36.0	11.7	3.1	1.4	3.8	36.8	11.3	3.5			
					1. -1.99	1882	2.4	7.8	14.6	35.2	0.8	2.1	32.1	6.7	1.5	0.5	1.6	42.9	12.0	2.3			
					2. -2.99	1983	1.2	5.7	15.1	41.4	0.5	1.3	40.1	8.6	1.8	0.6	1.4	53.5	14.6	3.3			
					3. -3.99	2088	1.1	4.6	13.2	37.6	0.3	0.9	41.5	9.4	1.6	0.2	1.0	48.5	13.0	2.4			
					4. -5.00	2154	0.8	4.5	8.2	31.2	0.3	0.7	36.8	7.3	1.1	0.2	0.7	38.4	8.0	1.1			
					URBAN	0.25-5.00	5665	0.9	3.8	7.4	24.0	0.4	1.6	38.9	9.3	2.1	0.4	1.5	44.2	11.5	2.5		
					RURAL	0.25-5.00	4317	2.6	8.8	16.4	43.5	0.9	2.0	35.7	9.1	1.9	0.8	2.0	42.8	12.7	2.7		
					M	0.25-5.00	5122	1.8	6.1	11.9	33.5	0.7	1.9	38.2	9.1	2.2	0.6	1.8	44.9	12.7	2.8		
					M	0.25-0.49	468	2.2	9.6	5.1	15.0	2.5	6.8	34.1	14.6	6.0	2.2	6.3	29.1	10.8	4.6		
					M	0.50-0.99	466	3.1	8.7	8.8	23.1	0.4	3.3	33.7	9.9	3.3	0.6	3.5	34.2	8.9	3.3		
					M	1. -1.99	979	2.5	8.5	17.1	38.8	0.9	2.4	31.8	7.1	1.2	0.2	1.7	41.4	13.2	2.4		
					M	2. -2.99	1029	1.5	5.3	15.5	43.6	0.7	1.4	39.4	8.6	2.1	0.8	1.5	54.5	16.2	4.0		
					M	3. -3.99	1074	1.9	5.5	12.1	34.8	0.5	1.1	42.6	9.0	1.8	0.4	0.9	49.5	13.6	2.7		
					M	4. -5.00	1106	0.5	2.9	7.9	30.4	0.2	0.3	41.9	9.0	1.4	0.2	0.3	45.8	10.5	1.4		
					F	0.25-5.00	4860	1.5	5.7	10.7	31.4	0.6	1.5	36.8	9.3	1.9	0.6	1.6	42.2	11.3	2.3		
					F	0.25-0.49	496	1.8	4.0	2.6	10.6	0.8	2.8	40.2	19.5	4.7	0.8	2.8	34.4	17.3	4.0		
					F	0.50-0.99	444	4.4	7.2	5.2	15.6	1.8	3.0	38.4	13.6	2.9	2.3	4.1	39.5	13.8	3.7		
					F	1. -1.99	902	2.3	7.1	12.0	31.3	0.8	1.9	32.4	6.2	1.9	0.7	1.6	44.4	10.7	2.2		
F	2. -2.99	954	0.9	6.2	14.8	39.0	0.4	1.2	40.8	8.5	1.6	0.4	1.2	52.4	12.9	2.6							
F	3. -3.99	1015	0.3	3.7	14.3	40.7	0.0	0.8	40.3	9.8	1.4	0.0	1.0	47.5	12.3	2.0							

BOLIVIA (PLURINATIONAL STATE OF)

Admin. level	Months	Year	Area	Sex	Age group	Sample size	Percentage below / above median															Notes	Ref
							Weight/age		Height/age		Weight/height					BMI / age							
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD			
National	AUG-JAN	2003-04		F	4. -5.00	1048	1.0	6.3	8.5	32.0	0.5	1.2	31.4	5.4	0.8	0.3	1.1	30.6	5.4	0.8		02666	
National	FEB-JUN	2008		F	0. -5.00	8527	1.0	4.5	7.9	27.2	0.5	1.4	34.2	8.7	1.9	0.5	1.5	39.8	11.2	2.1		02948	
				F	0. -5.00	330	0.3	2.6	3.7	18.3	0.6	1.6	24.5	7.2	1.1	0.6	1.6	29.3	8.7	1.2	Beni		
				F	0. -5.00	541	1.1	6.1	12.0	35.4	0.2	1.5	38.6	8.9	2.2	0.2	1.2	44.3	14.0	2.1	Chuquisaca		
				F	0. -5.00	1583	0.8	4.8	10.0	30.4	0.2	0.8	36.9	7.9	1.4	0.4	1.1	44.1	11.0	1.5	Cochabamba		
				F	0. -5.00	2296	1.0	4.0	6.6	29.8	0.4	1.0	33.6	8.4	1.9	0.5	0.9	39.9	10.4	2.1	La Paz		
				F	0. -5.00	437	1.9	8.1	9.1	33.6	0.7	1.9	25.5	6.1	0.6	1.0	2.1	30.5	7.6	1.5	Oruro		
				F	0. -5.00	59	1.6	2.4	5.7	15.3	1.1	1.6	29.9	4.1	0.6	1.2	1.6	32.5	6.8	1.6	Pando		
				F	0. -5.00	1042	1.8	8.8	16.9	43.9	0.6	2.7	28.9	7.0	2.4	0.9	3.1	36.0	10.0	1.9	Potosí		
				F	0. -5.00	1921	0.6	1.9	2.8	12.3	0.9	1.7	36.9	10.9	2.5	0.6	1.6	40.1	13.1	2.7	Santa Cruz		
				F	0. -5.00	319	0.2	2.2	3.5	15.4	0.5	0.9	42.6	11.6	2.3	0.4	0.7	45.7	14.0	3.2	Tarija		
				F	0. -0.49	848	2.0	6.1	4.2	9.7	1.6	4.4	36.1	15.3	4.9	1.8	5.6	32.4	12.6	3.2			
				F	0.50-0.99	853	1.0	3.0	3.0	15.1	1.0	1.9	34.2	9.7	2.7	1.1	2.5	35.2	10.5	2.5			
				F	1. -1.99	1754	1.9	6.4	11.1	29.5	0.7	2.4	29.9	6.3	1.6	0.7	1.7	39.9	11.5	2.2			
				F	2. -2.99	1694	1.0	4.7	10.4	34.6	0.4	0.8	34.8	8.3	1.2	0.4	0.7	45.0	13.3	1.8			
				F	3. -3.99	1707	0.3	3.1	7.2	30.1	0.0	0.4	38.5	9.6	1.5	0.0	0.5	45.9	12.2	2.1			
				F	4. -5.00	1672	0.2	3.4	7.1	29.2	0.0	0.3	32.9	6.7	1.4	0.1	0.3	34.4	7.5	1.5			
			URBAN	F	0. -5.00	4612	0.4	2.8	4.0	17.4	0.4	1.1	34.2	8.8	2.0	0.4	1.1	38.2	10.6	2.0			
			RURAL	F	0. -5.00	3915	1.6	6.4	12.5	38.7	0.6	1.8	34.3	8.4	1.8	0.8	1.9	41.7	11.9	2.2			
				M	0. -5.00	4330	1.3	4.9	8.3	28.1	0.6	2.0	35.0	9.2	1.9	0.7	2.0	41.7	12.4	2.3			
				M	0. -0.49	429	2.5	8.0	4.5	11.1	1.6	6.1	35.0	16.0	4.6	1.7	7.8	30.3	13.7	3.2			
				M	0.50-0.99	437	1.6	4.0	4.9	19.4	1.4	2.7	32.8	10.7	2.8	1.5	3.2	34.6	11.3	2.2			
				M	1. -1.99	926	2.3	7.5	12.5	32.9	0.9	3.3	29.4	7.0	1.8	0.9	2.2	40.5	12.6	2.6			
				M	2. -2.99	851	1.6	4.3	10.4	35.3	0.4	1.2	36.3	8.6	1.0	0.5	0.9	46.9	14.0	1.9			
				M	3. -3.99	888	0.5	3.4	7.6	29.8	0.1	0.5	41.0	10.4	1.9	0.1	0.6	50.0	13.9	2.8			
				M	4. -5.00	799	0.1	3.1	6.0	26.7	0.1	0.5	34.4	6.7	1.2	0.3	0.6	38.4	8.6	1.6			
				F	0. -5.00	4198	0.6	4.0	7.5	26.2	0.4	0.8	33.5	8.1	1.9	0.4	0.9	37.8	10.0	1.8			
				F	0. -0.49	419	1.4	4.2	3.9	8.3	1.6	2.7	37.3	14.6	5.3	1.8	3.3	34.5	11.5	3.1			
				F	0.50-0.99	415	0.2	2.0	1.2	10.7	0.7	1.1	35.7	8.5	2.7	0.7	1.9	35.7	9.7	2.9			
				F	1. -1.99	828	1.4	5.2	9.5	25.6	0.5	1.5	30.4	5.5	1.4	0.4	1.1	39.1	10.2	1.7			

BOLIVIA (PLURINATIONAL STATE OF)

BOLIVIA (PLURINATIONAL STATE OF)																						
						Percentage below / above median																
Admin. level	Months	Year	Area	Sex	Age group	Sample size	Weight/age		Height/age		Weight/height					BMI / age					Notes	Ref
							-3SD	-2SD	-3SD	-2SD	-3SD	-2SD	+1SD	+2SD	+3SD	-3SD	-2SD	+1SD	+2SD	+3SD		
National	FEB-JUN	2008		F	2. -2.99	843	0.4	5.1	10.4	33.9	0.3	0.5	33.3	8.1	1.4	0.4	0.5	43.0	12.6	1.6		02948
				F	3. -3.99	819	0.2	2.8	6.7	30.4	0.0	0.2	35.7	8.8	1.1	0.0	0.4	41.4	10.3	1.3		
				F	4. -5.00	873	0.3	3.8	8.0	31.6	0.0	0.1	31.5	6.7	1.6	0.0	0.1	30.6	6.4	1.4		