

Data references :

- 00220 Arruda JM, Rutenberg N, Morris L, Anhel Ferraz E. [Pesquisa nacional sobre saude materno-infantil e planejamento familiar; PNSMIPF-Brasil, 1986]. Demographic and Health Surveys. Rio de Janeiro, Brazil, 1987 (and additional analysis).
- 00234 Monteiro CA, Benicio MH, Gouveia NC. Growth and nutritional status of the Brazilian children: findings from the 1989 National Health and Nutrition Survey. Country Studies on Nutritional Anthropometry NUT/ANTREF/1/91. Geneva: World Health Organization, 1991 (and additional analysis).
- 01680 Sociedade Civil Bem-Estar Familiar no Brasil (BEMFAM) e MACRO International Inc. Pesquisa nacional sobre demografia e saude 1996. Demographic and Health Surveys. Rio de Janeiro, Brasil: Litografia Tucano Ltda., 1997 (and additional analysis).
- 02779 Laboratório de Avaliação Nutricional de Populações, Universidade de Sao Paulo (LANPOP-USP). Pesquisa de orçamentos familiares (POF - 2002-03). Rio de Janeiro, Brazil, 2007 (<http://www.ibge.gov.br/home/estatistica/populacao/condicaodevida/pof/2003medidas/default.shtm>).
- 02870 Centro Brasileiro de Análise e Planejamento [CEBRAP]. Pesquisa nacional de demografia e saúde da criança e da mulher - PNDS 2006. Relatório da pesquisa. Sao Paulo: CEBRAP, 2008 (<http://bvsm.sau.gov.br/bvsm/pnds/index.php> and additional analysis).

Additional references :

- 00142 Institute of Nutrition, Federal University of Pernambuco. Recife, Brazil, 1974 (and additional analysis).
- 00174 Filho MB, de Lucena MAF, de Andrade Lima Coelho H. Protein-calorie malnutrition in three Brazilian state capitals: Sao Luis, Recife, and Sao Paulo. Bulletin of the Pan American Health Organization 1981;15:231-240.
- 00175 Benigna MJ, Dricot JM, d'Ans CD. [Growth and nutritional status of children from 0 to 11, State of Paraiba (Brazilian Northeast)]. Revista de Saude Publica 1987;21:480-489 (and additional analysis).
- 00182 Victoria CG, Vaughan JP, Kirkwood BR, Martines JC. Risk factors for malnutrition in Brazilian children: the role of social and environmental variables. Bulletin of the World Health Organization 1986;64:299-309 (and additional analysis).
- 00183 Stanger M. [Relatorio de estagio na unidade de treinamento germano sinval farias]. Rio de Janeiro, Brazil, 1983.
- 00184 Batista Filho M, Bazante MO, Salzano AC. [Estado nutricional de pré-escolares de comunidades rurais do nordeste brasileiro.] Revista Brasileira de Medicina 1985;42:236-240.
- 00185 Rios IE. Nutrition intervention: an anthropometric evaluation of changes in nutritional status, with reference to the National Nutrition Program in Bahia, Brazil [thesis]. London: London School Hygiene and Tropical Medicine, 1981.

BRAZIL

Additional references :

- 00186 de Lira PI, Cartagena HA, Romani S de A, Torres MA, Batista Filho M. [Nutritional status of children under 6, according to land tenure, in rural areas of the state of Pernambuco, northeast of Brazil]. *Archivos Latinoamericanos de Nutricion* 1985;35:247-257.
- 00200 Ferreira HS, Ott AMT. [Evaluation of nutritional state of children under the age of five in three localities in Rodônia, Brazil.] *Revista de Saude Publica* 1988;22:179-183.
- 00204 Monteiro CA. Saude e nutricao das criancas de Sao Paulo; diagnostico, contrastes sociais e tendências. Sao Paulo: Editora da Universidade de Sao Paulo, 1988.
- 00213 Victora CG, Barros FC, Martines JC, Beria JU, Vaughan JP. [Longitudinal study of children born in Pelotas, Brazil in 1982. Methodology and preliminary results]. *Revista de Saude Publica* 1985;19:58-68.
- 00352 Monteiro CA, Benicio MH, Iunes R, Gouveia NC, Taddei JA, Cardoso MA. Nutritional status of Brazilian children: trends from 1975 to 1989. *Bulletin of the World Health Organization* 1992;70:657-666 (and additional analysis).
- 00778 Victora CG, Barros FC, Horta BL, César JA. Saude e nutricao das criancas nordestinas; pesquisas estaduais 1987-92. UNICEF/Universidade Federal de Pelotas. Brasilia: UNICEF, 1995.
- 00779 Anjos LA. [Anthropometric indices and nutritional status of low-income school-aged children of a county of the state of Rio de Janeiro, Brazil]. *Revista de Saude Publica* 1989;23:221-229.
- 00780 Barros AA, Barros MBA, Maude GH, Ross DA, Davies PSW, Preece MA. Evaluation of the nutritional status of 1st-year school children in Campinas, Brazil. *Annals of Tropical Pediatrics* 1990;10:75-84.
- 00781 Victora CG, Barros FC, Tomasi E, Ferreira FS, MacAuliffe J, Silva AC et al. [Child health in the states of Ceara, Rio Grande do Norte and Sergipe, Brazil: description of a methodology for the diagnosis of communities]. *Revista de Saude Publica* 1991;25:218-225.
- 00782 Monteiro CA, Zuniga HP, Benicio MH, Victora CG. Better prospects for child survival. *World Health Forum* 1989;10:222-227.
- 00783 Gross R, Lima FD, Freitas CJ, Gross U. The relationships between selected anthropometric and socio-economic data in schoolchildren from different social strata in Rio de Janeiro, Brazil. *Revista de Saude Publica* 1990;24:11-19.
- 00784 Santos RV, Coimbra CE Jr. Socioeconomic transition and physical growth of Tupf-Mondê Amerindian children of the Aripuana Park, Brazilian Amazon. *Human Biology* 1991;63:795-819.
-

BRAZIL

Additional references :

- 00785 Csillag C. Better nutrition of Brazilian children. *The Lancet* 1994;343:48.
- 00786 Kloetzel K, Merluzzi TJ, Kloetzel D. Ascaris and malnutrition in a group of Brazilian children - a follow-up study. *Journal of Tropical Pediatrics* 1982;28:41-43.
- 00787 Reichenheim ME, Harpham T. [An intra-community profile of nutritional deficiency: a study of under-fives in a low-income community in Rio de Janeiro (Brazil)]. *Revista de Saude Publica* 1990;24:69-79.
- 00788 Victora CG, Vaughan JP, Kirkwood B, Martines JC, Barcelos LB. Child malnutrition and land ownership in southern Brazil. *Ecology of Food and Nutrition* 1986;18:265-275.
- 00789 Guerrant RL, Kirchhoff LV, Shields DS, Nations MK, Leslie J, de Sousa MA et al. Prospective study of diarrheal illnesses in northeastern Brazil: patterns of disease, nutritional impact, etiologies, and risk factors. *Journal of Infectious Diseases* 1983;148:986-97.
- 00790 Dorea JG, Horner MR, Bezerra VL, Pereira MG, Salomon JB. Hair zinc levels and nutritional status in urban children from Ilheus, Bahia, Brazil. *Human Nutrition: Applied Nutrition* 1982;36:63-67.
- 00791 Dricot d'Ans C, Dricot JM. [Anthropometric methodology of nutritional diagnosis: an example from the Brazilian North-East]. *Revista de Saude Publica* 1982;16:42-53.
- 00792 Victora CG, Vaughan JP, Martines JC, Barcelos LB. Is prolonged breast-feeding associated with malnutrition? *American Journal of Clinical Nutrition* 1984;39:307-314.
- 00793 Monteiro CA, dos Reis IM, Benicio MH, Gandra YR. [Anthropometric nutritional study of preschool children in low income areas of the state of Sao Paulo, Brazil]. *Revista de Saude Publica* 1984;18:1-18.
- 00794 Monteiro CA, Benicio MH, Pino Zuniga HP, Szarfarc SC. [Health conditions of children of the municipality of Sao Paulo, SP, Brazil]. *Revista de Saude Publica* 1986;20:446-453.
- 00795 de Freitas CL, Romani S, Amigo H. Breast-feeding and malnutrition in rural areas of northeast Brazil. *Bulletin of the Pan American Health Organization* 1986;20:138-146.
- 00796 Victora CG, Barros FC, Vaughan JP, Martines JC, Beria JU. Birthweight, socio-economic status and growth of Brazilian infants. *Annals of Human Biology* 1987;14:49-57.
-

BRAZIL

Additional references :

- 00797 Victora CG, Barros FC, Kirkwood BR, Vaughan JP. Pneumonia, diarrhea, and growth in the first 4 years of life: a longitudinal study of 5914 urban Brazilian children. *American Journal of Clinical Nutrition* 1990;52:391-396.
- 00798 Lei DLM, Monteiro CA, Lerner BR, Chaves SP. [The assessment of the impact of nutritional feeding programs for pre-school children: a methodological evaluation]. *Revista de Saude Publica* 1989;23:230-235.
- 00799 Guerrant RL, Schorling JB, McAuliffe JF, de Souza MA. Diarrhea as a cause and an effect of malnutrition: diarrhea prevents catch-up growth and malnutrition increases diarrhea frequency and duration. *American Journal of Tropical Medicine and Hygiene* 1992;47(suppl):28-35.
- 01176 Gross R, Schell B, Cuelho Leao MA, Strack U, Brunken B. Nutritional status of children of urban low-income communities, Brazil. *Revista de Saude Publica* 1989;23:89-97.
- 01288 Arteaga H, Dos Santos JE, Dutra de Oliveira JE. Obesity among schoolchildren of different socioeconomic levels in a developing country. *International Journal of Obesity* 1982;6:291-297.
- 01289 Eil E, Loureiro LMM, Gugelmin SA, Cruz SMR. [Nutritional diagnosis of children under five years of age assisted by the municipal health network in an urban area in the southern region of Brazil, 1988.] *Revista de Saude Publica* 1992;26:217-222.
- 01357 Bittencourt SA, Leal M do C, Rivera J. Diarrhea and growth among children under 18 months of age in Rio de Janeiro. *Bulletin of the Pan American Health Organization* 1993;27:135-44.
- 01385 Rees DG, Henry CJ, Diskett P, Shears P. Measures of nutritional status. Survey of young children in north-east Brazil. *Lancet* 1987;1:87-89.
- 01391 Martins SJ, Menezes RC. [Nutritional status of children under 5 years of age in Indian villages of the Parakana tribe in Brazil's eastern Amazonia.] *Revista de Saude Publica* 1994;28:1-8.
- 01397 Monteiro CA, Benicio MH, Gouveia NC. Secular growth trends in Brazil over three decades. *Annals of Human Biology* 1994;21:381-390.
- 01433 Monteiro CA, Mondini L, Medeiros de Souza AL, Popkin BM. The nutrition transition in Brazil. *European Journal of Clinical Nutrition* 1995;49:105-113.
- 01483 Schell B, Gross R, Leao MA, Molina MC, Strack U, Brunken B. The output and outcome of two types of formal health structures -health post and creche- for nutritional interventions for preschool children in two urban, low-income communities of Belo Horizonte. *Archivos Latinoamericanos de Nutricion* 1992;42:101-9
-

BRAZIL

Additional references :

- 01533 Prefeitura da Cidade Curitiba. Estado nutricional das crianças de 0-5 anos usuarias das unidades de saude do municipio de Curitiba - 1994. Curitiba: Boletim do SISVAN 1995;16.
- 01578 Monteiro CA, Torres AM. Trends in child growth from a single cross-sectional survey [letter]. *Lancet* 1992;339(8786):192.
- 01692 Santos LMP, Assis AMO, Baqueiro CM, Quaglia GMC, Morris SS, Barreto ML. [Nutritional status of pre-school children of the semi-arid region of Bahia (Brazil): I. Anthropometric status]. *Revista de Saude Publica* 1995;29:463-471.
- 01724 Amigo H, Leone C, Bustos P, Gallo P. [Comparison between nutritional status of school children of low socioeconomic level from Santiago, Chile and Sao Paulo, Brazil.] *Archivos Latinoamericanos de Nutricion* 1995;45:31-5.
- 01786 Monteiro CA, D'Aquino Benicio MH, Martins de Freitas IC. Changes in poverty-related health indicators in Brazil: causes and impact on regional inequities. NUPENS/USP. Serie: A Trajetoria do Desenvolvimento Social no Brasil. Numero 1/97. Sao Paulo: Universidade de Sao Paulo, 1997.
- 01824 Martins SJ, Menezes RC. A mathematical approach for estimating reference values for weight-for-age, weight-for-height and height-for-age. *Growth, Development, and Aging* 1997;61:3-10.
- 01834 Post CL, Victora CG, Barros FC, Horta BL, Guimaraes PRV. [Infant malnutrition and obesity in two population-based birth cohort studies in southern Brazil: trends and differences]. *Cadernos de Saude Publica* 1996;12(Suppl.1):49-57.
- 01868 Gomes do Monte CM, Ashworth A, Barreto Sa ML, Portela Diniz RL. Effectiveness of nutritional centers in Ceara state, northeast Brazil. *Pan American Journal of Public Health* 1998;4(6):375-381.
- 01905 Ferrari AA, Solymos GM, Castillo RM, Sigulem DM. Risk factors for protein-energy malnutrition in pre-school shantytown children in Sao Paulo, Brazil. *Revista Paulista de Medicina* 1998;116(2):1654-1660.
- 01932 Correa AM, Goncalves NN, Goncalves A, Leite GP, Padovani CR. [The evolving relationship between weight-for-height and weight-for-age in children between 3 months and 6 years old receiving preschool nutritional assistance, Sorocaba, Sao Paulo, Brazil.] *Pan American Journal of Public Health* 1999;6:26-33.
- 01945 Mattos A, Morais MB, Rodrigues DA, Baruzzi RG. Nutritional status and dietary habits of Indian children from Alto Xingu (Central Brazil) according to age. *Journal of the American College of Nutrition* 1999;18:88-94.
- 01967 Correa AM, da Silva e Goncalves NN, Goncalves A, Leite GP, Padovani CR. [Evolution of the weight-height and weight-age relationship in children 3-6 years of age receiving preschool care in Sorocaba, Brazil.] *Revista Panamericana de Salud Publica* 1999;6:26-33.
-

BRAZIL

Additional references :

- 01970 Terra de Souza AC, Peterson KE, Cufino E, Gardner J, Craveiro MVA, Ascherio A. Relationship between health services, socioeconomic variables and inadequate weight gain among Brazilian children. *Bulletin of the World Health Organization* 1999;77:895-905.
- 01985 Neumann NA, Victora CG, Halpern R, Guimaraes PR, Cesar JA. [Assessment of the performance of Pastoral de Crianca, a health support group, in promoting child survival and health education in Criciuma, a city in southern Brazil]. *Revista Panamericana de Salud Publica* 1999;5:400-410.
- 02057 de Siqueira AA, de Andrade J, de Almeida PA. [Weight, height and cephalic perimeter of Brazilian children of an upper social class]. *Revista Paulista de Medicina* 1981;97:58-61.
- 02058 Costa E, Romani S de A, Batista Filho M, da Rocha AN. [Recent, chronic and past malnutrition in 4 districts of the State of Pernambuco, Brazil]. *Revista de Saude Publica* 1981;15:211-220.
- 02059 Batista Filho M, de Lucena MA, Coelho H de A. [Protein-calorie malnutrition in 3 Brazilian cities: Sao Luis, Recife and Sao Paolo]. *Boletin de la Oficina Sanitaria Panamericana* 1981;15:211-220.
- 02060 Benicio MH, Monteiro CA, Pontieri MJ, Gandra YR, de Lima FD. [Nutritional status of preschool children entering our Preschool Education and Nutrition Centers]. *Revista de Saude Publica* 1981;15(Suppl):33-39.
- 02061 Yokoo EM, Guimaraes LV, da Silva RA, Spinelli MA, Albuquerque MC. [Nutritional status indicators in the Polonoeste area. II. Anthropometric study - 1983]. *Revista do Instituto de Medicina Tropical de Sao Paulo* 1988;30:174-178.
- 02062 da Silva MH, da Veiga GV, Amicucci MS. [Nutritional status indicators in the Polonoeste area. VII. A prevalence study of malnutrition and diarrhea, 1985]. *Revista do Instituto de Medicina Tropical de Sao Paulo* 1988;30:202-207.
- 02063 Molina MC, Gross R, Schell B, Cuelho Leao MA, Strack U, Brunken B. Nutritional status of children of urban low-income communities, Brazil (1986). *Revista de Saude Publica* 1989;23:89-97.
- 02064 Schorling JB, McAuliffe JF, de Souza MA, Guerrant RL. Malnutrition is associated with increased diarrhoea incidence and duration among children in an urban Brazilian slum. *International Journal of Epidemiology* 1990;19:728-735.
- 02065 Carvalho NM, Giugliani ER, Seffrin CF, Hartmann RM. [Follow-up of children with moderate or severe malnutrition in the peripheral population]. *Revista de Saude Publica* 1992;26:223-228.
- 02066 Cesar JA, Victora CG, Morris SS, Post CA. Abdominal circumference contributes to absence of wasting in Brazilian children. *Journal of Nutrition* 1996;126:2752-2756.
-

BRAZIL

Additional references :

- 02067 Ashworth A, Morris SS, Lira PI. Postnatal growth patterns of full-term low birth weight infants in Northeast Brazil are related to socioeconomic status. *Journal of Nutrition* 1997;127:1950-1956.
- 02068 Victora CG, Morris SS, Barros FC, Horta BL, Weiderpass E, Tomasi E. Breast-feeding and growth in Brazilian infants. *American Journal of Clinical Nutrition* 1998;67:452-458.
- 02069 Gutierrez MR, Bettiol H, Barbieri MA. [Evaluation of a supplementary nutrition program]. *Revista Panamericana de Salud Publica* 1998;4:32-39.
- 02070 Lei DL, Chaves SP, Paes AT, Escuder MM, Ribeiro AB, Freire RD et al. Risk of linear growth retardation during the first two years of life: a new approach. *European Journal of Clinical Nutrition* 1999;53:456-460.
- 02071 Engstrom EM, Anjos LA. [Stunting in Brazilian children: relationship with social-environmental conditions and maternal nutritional status]. *Cadernos de Saude Publica* 1999;15:559-567.
- 02072 Guimaraes LV, Latorre MD, Barros MB. [Risk factors in the occurrence of short stature of preschool children]. *Cadernos de Saude Publica* 1999;15:605-615.
- 02154 de Souza AC, Peterson KE, Cufino E, Gardner J, Craveiro MV, Ascherio A: Relationship between health services, socioeconomic variables and inadequate weight gain among Brazilian children. *Bulletin of the World Health Organization* 1999;77:895-905.
- 02233 Ribas DL, Sganzerla A, Zorzatto JR, Philippi ST. [Child health and nutrition in a Terena indigenous community, Mato Grosso do Sul, Brazil]. *Cadernos de Saude Publica* 2001;17:323-31.
- 02241 Monteiro CA, Conde WL. [Secular trends in postnatal growth in the city of Sao Paulo, Brazil (1974-1996)]. *Revista de Saude Publica* 2000;34(6 Suppl):41-51.
- 02242 Monteiro CA, Conde WL. [Secular trends in malnutrition and obesity among children in the city of Sao Paulo, Brazil (1974-1996)]. *Revista de Saude Publica* 2000;34(6 Suppl):52-61.
- 02297 Florencio TM, Ferreira HS, de Franca AP, Cavalcante JC, Sawaya AL. Obesity and undernutrition in a very-low-income population in the city of Maceio, northeastern Brazil. *British Journal of Nutrition* 2001;86:277-83.
- 02338 Veiga GV, Burlandy L. Socioeconomic and demographic indicators and nutritional status of children in a rural land settlement in Rio de Janeiro. *Cadernos de Saude Publica* 2001;17:1465-72.
-

BRAZIL

Additional references :

- 02389 Muniz PT, Ferreira MU, Ferreira CS, Conde WL, Monteiro CA. Intestinal parasitic infections in young children in Sao Paulo, Brazil: prevalences, temporal trends and associations with physical growth. *Annals of Tropical Medicine and Parasitology* 2002;96:503-12.
- 02450 Marins VM, Almeida RM. Undernutrition prevalence and social determinants in children aged 0-59 months, Niteroi, Brazil. *Annals of Human Biology* 2002;29:609-18.
- 02495 de Moraes MB, Fagundes Neto U, de Mattos NP, Baruzzi RG. [Nutritional status of indigenous children from the Alto Xingu in 1980 and 1992 and follow-up of weight and height from the first through the fourth years of life]. *Cadernos de Saude Publica* 2003;19:543-50.
- 02496 Strufaldi MW, Puccini RF, Pedroso GC, da Silva EM, da Silva NN. [Prevalence of malnutrition among children in Embu, Sao Paulo State, Brazil, 1996-1997]. *Cadernos de Saude Publica* 2003;19:421-8.
- 02544 Batista Filho M, Rissin A. [Nutritional transition in Brazil: geographic and temporal trends]. *Cadernos de Saude Publica* 2003;19(Suppl 1):S181-91.
- 02545 Drachler Mde L, Macluf SP, Leite JC, Aerts DR, Giugliani ER, Horta BL. [Risk factors for overweight in children from Southern Brazil]. *Cadernos de Saude Publica* 2003;19:1073-81.
- 02595 De Castro TG, Campos FM, Priore SE, Coelho FMG, Campos MTFD, Franceschini SDCC et al. Health and nutrition of children, 0 to 60 month old, in an agrarian-reform settlement, Vale do Rio Doce, MG, Brazil. *Revista de Nutricao* 2004; 17:167-76.
- 02612 Assis AM, Prado MS, Barreto ML, Reis MG, Conceicao Pinheiro SM, Parraga IM et al. Childhood stunting in Northeast Brazil: the role of *Schistosoma mansoni* infection and inadequate dietary intake. *European Journal of Clinical Nutrition* 2004;58:1022-9.
- 02694 Oliveira AM, Oliveira AC, Almeida MS, Almeida FS, Ferreira JB, Silva CE, et al. [Environmental and anthropometric factors associated with childhood arterial hypertension]. *Arquivos Brasileiros de Endocrinologia e Metabologia* 2004;48:849-54.
- 02815 Fagundes U, Kopelman B, Oliva CA, Baruzzi RG, Fagundes-Neto U. [Nutritional status and body composition of two South American native populations -- Alto Xingu and Ikpeng]. *Journal de Pediatria (Rio J)* 2004;80:483-9.
- 02905 Orellana JDY, Santos RV, Coimbra Jr. CEA, Leite MS. Anthropometric evaluation of indigenous Brazilian children under 60 months of age using NCHS/1977 and WHO/2005 growth curves. *Jornal de Pediatria* 2009;85:117-21.
- 02985 Monteiro CA, Benicio MH, Conde WL et al. Narrowing socioeconomic inequality in child stunting: the Brazilian experience, 1974-2007. *Bulletin of the World Health Organization* 2010;88:305-11.
-

BRAZIL

Additional references :

- 03043 Pereira ADS, Vieira CBL, Barbosa RMS, Soares EA, Lanzillotti HS. [Comparative analysis of nutritional status of preschool children.] Revista Paulista de Pediatria 2010;28:176-80.
- 03060 Ferreira Hda S, Luciano SC. Prevalence of extreme anthropometric measurements in children from Alagoas, Northeastern Brazil. Revista Saude Publica 2010;44:377-80.
- 03103 Egito de Menezes RC, Israel Cabral de Lira P, Souza Oliveira J, Sá Leal V, da Silva Santana SC, Lucena Sousa de Andrade SL et al. Prevalence and determinants of overweight in preschool children. Jornal de Pediatria (Rio J) 2011;87:231-7.
-