

## REFERENCES

1. *Declaration of Alma-Ata*. in *International Conference on Primary Health Care*. 1978. Alma-Ata, USSR: World Health Organization.
2. Starfield B, *Primary Care: Balancing Health Needs, Services and Technology*. 1998, New York: Oxford University Press.
3. Michel P, *Strengths and weaknesses of available methods for assessing the nature and scale of harm caused by the health system: literature review*. 2006, WHO: Geneva.
4. Jeffs L, Law M, Baker G. Patient safety measures in acute care settings. In preparation.
5. Michel P, Wilson R. Adverse events in developing countries. In preparation.
6. Runciman W, Baker G, Michel P, Dovey S, et al. Patient safety: tracing the ontology. In preparation 2008.
7. Runciman W, Thomson R, Hibbert P, Baker G, et al. The epistemology of patient safety research. In Preparation 2008.
8. Runciman W, Baker R, Michel P. Patient Safety Research - Scope. In Preparation 2000.
9. Kohn L, Corrigan J, Donaldson M, eds. *To Err Is Human: Building a Safer Health System*. 1999, National Academy Press: Washington DC.
10. *An organisation with a memory: Report of an expert group on learning from adverse events in the NHS chaired by the Chief Medical Officer*. 2000, London: The Stationery Office.
11. Green L, Fryer G, Yawn B, Lanier D, Dovey S. The ecology of medical care revisited. *N Engl J Med* 2001; 344(26): 2021-5.
12. Woods D, Thomas E, Holl J, Weiss K, Brennan T. Ambulatory care adverse events and preventable adverse events leading to a hospital admission. *Qual Saf Health Care* 2007; 16(2): 127-31.
13. Davis P, Lay-Yee R, Briant R, Ali W, et al. Adverse events in New Zealand public hospitals II: preventability and clinical context. *NZ Med J* 2003 116(1183): U624.

14. Davis P, Lay-Yee R, Briant R, Scott A. Preventable in-hospital medical injury under the "no fault" system in New Zealand. *NZ Med J* 2003; 12(4): 251-256.
15. Runciman W, Edmonds M, Pradhan M. Setting priorities for patient safety. *Qual Saf Health Care* 2002; 11(3): 224-9.
16. *The future of general practice: a statement by the Royal College of General Practitioners*. 2004, Royal College of General Practitioners: London.
17. Haaijer-Ruskamp F, deJong-vandenBerg L. Drug utilization studies and drug monitoring in The Netherlands. *Annali Dell'Istituto Superiore di Sanita* 1991; 27(2): 217-23.
18. Hall G, Luscombe D, Walker S. Post marketing surveillance using a computerised general practice data base. *Pharmaceut Med* 1988; 2: 345-51.
19. Inman W. Postmarketing surveillance of adverse drug reactions in general practice. I: search for new methods. *Br Med J (Clin Res Ed)* 1981; 282(6270): 1131-2.
20. Kelleher H, Carmichael A. Yellow card reporting. *Br J Gen Pract* 1993; 43(366): 35.
21. Lawson D. Postmarketing surveillance versus clinical trials: which benefits the patient? *Cardiol* 1994; 85 (Suppl 1): 18-23.
22. Perrio M, Wilton L, Shakir S. A modified prescription-event monitoring study to assess the introduction of Seretide Evohaler in England: an example of studying risk monitoring in pharmacovigilance. *Drug Saf* 2007; 30(8): 681-95.
23. Schadlich P. [Quality of event data in detection of unwanted drug side-effects in general practice of established physicians]. *Gesundheitswesen* 1993; 55(Suppl 1): 8-12.
24. TorelloLserte J, Ferrando JC, Lainez M, Morillas MG, Gonzalez AA. [Adverse reactions to drugs reported by the primary care physicians of Andalusia. Analysis of underreporting]. *Atencion Primaria* 1994; 13(6): 307-11.

25. Wood L, Martinez C. The general practice research database: role in pharmacovigilance. *Drug Saf* 2004; 27(12): 871-81.
26. Baker R, Sullivan E, Camosso-Stepinovic R, Rashid A, et al. Making use of mortality data to improve quality and safety in general practice: a review of current approaches. *Qual Saf Health Care* 2007; 16(2): 84-9.
27. Bowie P, McCoy S, McKay J, Lough M. Learning issues raised by the educational peer review of significant event analyses in general practice. *Qual Prim Care* ; 13(2): 75-83. *Qual Prim Care* 2005; 13(2): 75-83.
28. Cox S, Holden J. A retrospective review of significant events reported in one district in 2004-2005. *Br J Gen Pract* 2007; 57(542): 732-6.
29. Elder N, Dovey S. Classification of medical errors and preventable adverse events in primary care: A synthesis of the literature. *J Fam Pract* 2002; 51(11): 927-32.
30. Fischer G, Fetters M, Munro A, Goldman E. Adverse events in primary care identified from a risk-management database. *J Fam Pract* 1997; 45(1): 40-6.
31. Murie J, McGhee C. Assessing risk by analysing significant events in primary care. *Qual Prim Care* 2003; 11(3): 205-10.
32. Phillips R, Bartholomew L, Dovey S, Fryer G, et al. Learning from malpractice claims about negligent, adverse events in primary care in the United States. *Qual Saf Health Care* 2004; 13(2): 121-6.
33. Sandars J, Esmail A. The frequency and nature of medical error in primary care: understanding the diversity across studies. *Fam Pract* 2003; 20(3): 231-6.
34. Varga T, Szabo A, Dosa A, Bartha F. Criminal liability of physicians and other health care professionals in Hungary (review of case law between 1996-2000). *Med Law* 2006; 25(4): 593-9.
35. Avery A, Savelyich B, Sheikh A, Morris C, et al. Improving general practice computer systems for patient safety: Qualitative study of key stakeholders. *Qual Saf Health Care* 2007; 16: 28-33.
36. Bhasale A, Miller G, Britt H. Analysing potential harm in Australian general practice. *Med J Aust* 1998; 169(2): 73-6.

37. Britt H, Miller G, Steven I, Howarth G, et al. Collecting data on potentially harmful events: a method for monitoring incidents in general practice. *Fam Pract* 1997; 14(2): 101-6.
38. Diamond M, Kamien M, Sim M, Davis J. A critical incident study of general practice trainees in their basic general practice term. *Med J Aust* 1995; 162(6): 321-4.
39. Dovey S, Meyers D, Phillips R, Green L, et al. A preliminary taxonomy of medical errors in family practice. *Qual Saf Health Care* 2002; 11(3): 233-8.
40. Dovey S, Phillips R, Green L, Fryer G. Family physicians' solutions to common medical errors. *Am Fam Physician* 2003; 67(6): 1168.
41. Dovey S, Phillips R, Green L, Fryer G. Types of medical errors commonly reported by family physicians. *Am Fam Physician* 2003; 67(4): 697.
42. Dovey S, Phillips R, Green L, Fryer G. Consequences of medical errors observed by family physicians. *Am Fam Physician* 2003; 67(5): 915.
43. Dowell D, Baier-Manwell L, Maguire A, An P, et al. Urban outpatient views on quality and safety in primary care. *Healthcare Quart* 2005; 8(2): 2-8.
44. Ely J, Levinson W, Elder N, Mainous A, Vinson D. Perceived causes of family physicians' errors. *J Fam Pract* 1995; 40(4): 337-44.
45. Fernald D, Pace W, Harris D, West D, et al. Event reporting to a primary care patient safety reporting system: A report from the ASIPS collaborative. *Ann Fam Med* 2004; 2(4): 327-32.
46. Holden J, O'Donnell S, Brindley J, Miles L. Analysis of 1263 deaths in four general practices. *Br J Gen Pract. Br J Gen Pract* 1998; 48(432): 1409-12.
47. Hutchinson A, Cooper K, Dean J, McIntosh A, et al. Use of a safety climate questionnaire in UK health care: factor structure, reliability and usability. *Qual Saf Health Care* 2006; 15(5): 347-53.
48. Jacobs S, O'Beirne M, Derflinger L-P, Vlach L, et al. Errors and adverse events in family medicine: Developing and validating a Canadian taxonomy of errors. *Can Fam Physician* 2007; 53: 270-6.
49. Kostopoulo O. From cognition to the system: Developing a multilevel taxonomy of patient safety in general practice. *Ergonomics* 2006; 49(5-6): 486-502.

50. Kostopoulo O, Delaney B. Confidential reporting of patient safety events in primary care: Results from a multilevel classification of cognitive and system factors. *Qual Saf Health Care* 2007; 16(2): 95-100.
51. Kuzel A, Woolf S, Gilchrist V, Engel J, et al. Patient reports of preventable problems and harms in primary care. *Ann Fam Med* 2004; 2(4): 333-40.
52. MacPherson H, Thomas K, Walters S, Fitter M. A prospective survey of adverse events and treatment reactions following 34,000 consultations with professional acupuncturists. *Acupuncture Med* 2001; 19(2): 93-102. *Acupuncture Med* 2001; 19(2): 93-102.
53. Makeham M, Dovey S, County M, Kidd M. An international taxonomy for reporting general practice error in Australia and five other countries. *Med J Aust* 2002; 177: 68-72.
54. Makeham M, Kidd M, Saltman D, Mira M, et al. The Threats to Australian Patient Safety (TAPS) study: Incidence of reported errors in general practice. *Med J Aust* 2006; 185(2): 95-8.
55. Mazor K, Fischer M, Haley H, Hatem D, Quirk M. Teaching and medical errors: Primary care preceptors' views. *Med Ed* 2005; 39(10): 982-90.
56. McKay J, Bowie P, Murray L, Lough M. Attitudes to the identification and reporting of significant events in general practice. *Clin Govern* 2004; 9(2): 96-100.
57. Parnes B, Fernald D, Quintela J, Araya-Guerra R, et al. Stopping the error cascade: A report on ameliorators from the ASIPS collaborative. *Qual Saf Health Care* 2007; 16: 12-16.
58. Phillips R, Dovey S, Graham D, Elder N, Hickner J. Learning from different lenses: Reports of medical errors in primary care by clinicians, staff, and patients. *J Patient Saf* 2006; 2(3): 140-6.
59. Rosser W, Dovey S, Bordman R, White D, et al. Medical errors in primary care: Results of an international study of family practice. *Can Fam Physician* 2005; 51: 386-12.
60. Rubin G, George A, Chin D, Richardson C. Errors in general practice: Development of an error classification and pilot study of a method for detecting errors. *Qual Saf Health Care* 2003; 12(6): 443-7.

61. Shaw R, Drever F, Hughes H, Osborn S, Williams S. Adverse events and near miss reporting in the NHS. *Qual Saf Health Care* 2005; 14(4): 279-83.
62. Singh R, Singh A, Taylor J, Resenthal T. Building learning practices with self-empowered teams for improving patient safety. *J Health Manage ;* 8(1): 91-118. *J Health Manag* 2006; 8(1): 91-118.
63. Steele C, Rubin G, Fraser S. Error classification in community optometric practice - a pilot project. *Ophthal Physiol Opt* 2006; 26: 106-10.
64. Tilyard M, Dovey S, Hall K. Avoiding and fixing medical errors in general practice: Prevention strategies reported in the Linnaeus Collaboration's Primary Care International Study of Medical Errors. *NZ Med J* 2005; 118(1208).
65. Westfall J, Fernald D, Stanton E, VanVorst R, et al. Applied strategies for improving patient safety: A comprehensive process to improve care in rural and frontier communities. *J Rur Health* 2004; 20(4): 355-62.
66. Wilf-Miron R, Lewenhoff I, Benyamini Z, Aviram A. From aviation to medicine: Applying concepts of aviation safety to risk management in ambulatory care. *Qual Saf Health Care* 2003; 12(1): 35-9.
67. Williams E, Maxwell L, Konrad T, Linzer M. The relationship of organizational culture, stress, satisfaction, and burnout with physician-reported error and suboptimal patient care: Results from the MEMO study. *Health Care Manag Rev ;* 32(3): 203-12. *Health Care Manag Rev* 2007; 32(3): 203-12.
68. Woolf S, Kuzel A, Dovey S, Phillips R. A string of mistakes: the importance of cascade analysis in describing, counting, and preventing medical errors. *Ann Fam Med* 2004; 2(4): 317-26.
69. Dean D, Hutchison A, Escoto K, Lawson R. Using a multi-method, user-centred, prospective hazard analysis to assess care quality and patient safety in a care pathway. *BMC Health Serv Res* 2007; 7: 89.
70. Elder N, Palleria H, Regan S. What do family physicians consider an error? A comparison of definitions and physician perception. *BMC Fam Pract* 2006; 7: 73.

71. Elder N, VonderMeulen M, Cassedy A. The identification of medical errors by family physicians during outpatient visits. *Ann Fam Med* 2004; 2(2): 125-9.
72. Kaldjian L, Jones E, Rosenthal G, Tripp-Reimer T, Hillis S. An empirically derived taxonomy of factors affecting physicians' willingness to disclose medical errors. *J Gen Int Med* 2006; 21(9): 942-8.
73. Kirk S, Parker D, Claridge T, Esmail A, Marshall M. Patient safety culture in primary care: developing a theoretical framework for practical use. *Qual Saf Health Care* 2007; 16: 313-320.
74. Wallace L, Boxall M, Spurgeon P, Barwell F. Organizational interventions to promote risk management in primary care: the experience in Warwickshire, England. *Health Serv Manag Res* 2007; 20(2): 84-93.
75. *Report of the Harvard Medical Practice Study to the State of New York. Patients, doctors, and lawyers: medical injury, malpractice litigation, and patient compensation in New York.* 1990, Harvard University Press: Cambridge, Mass.
76. DiCicco-Bloom B, Crabtree B. The qualitative research interview. *Med Ed* 2006; 40(4): 314-321.
77. Pace W, Staton E, Higgins G, Main D, et al. Database design to ensure anonymous study of medical errors: A Report from the ASIPS collaborative. *Am Med Inform Assoc* 2003; 10(6): 531-40.
78. Ashcroft D, Morecroft C, Parker D, Noyce P. Safety culture assessment in community pharmacy: development, face validity, and feasibility of the Manchester Patient Safety Assessment Framework. *Qual Saf Health Care* 2005; 14(6): 417-21.
79. DeRosier J, Stalhandske E, Bagian J, Nudell T. Using health care Failure Mode and Effect Analysis: the VA National Center for Patient Safety's prospective risk analysis system. *Jt Comm J Qual Improv* 2002 28(5): 248-67.
80. Beyer M, Dovey S, Gerlach F. Fehler in der Allgemeinpraxis - Ergebnisse der internationalen PCISME- Studie in Deutschland [Errors in general practice - results of the international PCISME study in Germany]. *Z Allg Med* 2003; 79: 1-5.

81. Barnes J. Pharmacovigilance of herbal medicines. *Drug Saf* 2003; 26(12): 829-51.
82. Gough S. Post-marketing surveillance: a UK/European perspective. *Curr Med Res Opin* 2005; 21(4): 565-70.
83. Runciman WB, Roughead EE, Semple SJ, Adams RJ. Adverse drug events and medication errors in Australia. *Int J Qual Health Care* 2003; 15(suppl\_1): i49-59.
84. Brennan T, Leape L, Laird N, Hebert L, et al. Incidence of adverse events and negligence in hospitalized patients. Results of the Harvard Medical Practice Study I. *N Engl J Med* 1991; 324(6): 370-6.
85. Wilson R, Runciman W, Gibberd R, Harrison B, et al. The Quality in Australian Health Care Study. *Med J Aust* 1995; 163(9): 458-71.
86. Burton E, Troxclair DA, Newman III W. Autopsy diagnoses of malignant neoplasms: How often are clinical diagnoses incorrect? *JAMA* 1998; 280(14): 1245-1248.
87. Burton J, Underwood J. Necropsy practice after the "organ retention scandal": requests, performance, and tissue retention. *J Clin Pathol* 2003 56(7): 537-41.
88. Working PTRCoPoAA. The decline of the hospital autopsy: a safety and quality issue for healthcare in Australia. *Med J Aust* 2004; 180(6): 281-5.
89. Dovey S, Hickner J, Phillips R, *Developing and using taxonomies of errors*, in *Patient Safety: Research into Practice*, Walshe K, Boaden R, Editors. 2006, Open University Press, McGraw-Hill Education: Manchester. p. 93-107.
90. Mazor K, Fischer M, HL H, D H. Factors influencing preceptors' responses to medical errors: A factorial survey. *Acad Med* 2005; 80(Suppl 10): S88-S92.
91. (2007) *International Classification for Patient Safety. Version 1.0 for Use in Field Testing 2007-2008*.
92. Runciman W, Williamson J, Deakin A, Benveniste K, et al. An integrated framework for safety, quality and risk management: an information and incident management system based on a universal patient safety classification. *Qual Saf Health Care* 2006; 15(Suppl 1): i82-i90.