

11. REFERENCES

- ABLE K.P. & ABLE M.A. (1993) Daytime calibration of magnetic orientation in a migratory bird requires a view of skylight polarization. *Nature*, **364** 523-525.
- ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (2001) Documentation of the Threshold Limit Values and Biological Exposure Indices, 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ADAIR R.K. (1991) Constraints on biological effects of weak extremely-low-frequency electromagnetic fields. *Phys Rev A*, **43**(2): 1039-1048.
- ADAIR R.K. (2000) Static and low-frequency magnetic field effects: health risks and therapies. *Rep Prog Phys*, **63** 415-454.
- AGNIR - ADVISORY GROUP ON NON-IONISING RADIATION (1994) Health Effects related to the use of Visual Display Units. Report of and Advisory Group on Non-Ionising Radiation. *Doc NRPB*, **5**(2).
- AGNIR - ADVISORY GROUP ON NON-IONISING RADIATION (2001) ELF electromagnetic fields and the risk of cancer. *Doc NRPB*, **12**(1).
- ALDINUCCI C., GARCIA J.B., PALMI M., SGARAGLI G., BENOCCI A., MEINI A., PESSINA F., ROSSI C., BONECHI C. & PESSINA G.P. (2003a) The effect of exposure to high flux density static and pulsed magnetic fields on lymphocyte function. *Bioelectromagnetics*, **24**(6): 373-379.
- ALDINUCCI C., GARCIA J.B., PALMI M., SGARAGLI G., BENOCCI A., MEINI A., PESSINA F., ROSSI C., BONECHI C. & PESSINA G.P. (2003b) The effect of strong static magnetic field on lymphocytes. *Bioelectromagnetics*, **24**(2): 109-117.
- ALFANO A.P., TAYLOR A.G., FORESMAN P.A., DUNKL P.R., MCCONNELL G.G., CONAWAY M.R. & GILLIES G.T. (2001) Static magnetic fields for treatment of fibromyalgia: a randomized controlled trial. *J Altern Complement Med*, **7**(1): 53-64.
- ALPEN E.L. (1979) Magnetic field exposure guidelines. In: *Magnetic field effects on biological systems* (ed. Tenforde, T. S.), pp. 25-32. New York, London: Plenum Press.

ANDERSEN A., DAHLBERG B.E., MAGNUS K. & WANNAG A. (1982) Risk of cancer in the Norwegian aluminium industry. *Int J Cancer*, **29**(3): 295-298.

AOKI H., YAMAZAKI H., YOSHINO T. & AKAGI T. (1990) Effects of static magnetic fields on membrane permeability of a cultured cell line. *Res Commun Chem Pathol Pharmacol*, **69**(1): 103-106.

ASASHIMA M., SHIMADA K. & PFEIFFER C.J. (1991) Magnetic shielding induces early developmental abnormalities in the newt, *Cynops pyrrhogaster*. *Bioelectromagnetics*, **12**(4): 215-224.

ASTM - AMERICAN SOCIETY FOR TESTING AND MATERIALS (2003a) Standard test method for measurement of magnetically induced displacement force on medical devices in the magnetic resonance environment. West Conshohocken, PA: ASTM International (F2052-02).

ASTM - AMERICAN SOCIETY FOR TESTING AND MATERIALS (2003b) Standard test method for measurement of magnetically induced torque on passive implants in the magnetic resonance environment. West Conshohocken, PA: ASTM International (F2213-04).

ATEF M.M., ABD EL-BASET M.S., EL KAREEM A., AIDA S. & FADEL M.A. (1995) Effects of a static magnetic field on haemoglobin structure and function. *Int J Biol Macromol*, **17**(2): 105-111.

AYRAPETYAN S.N., GRIGORIAN K.V., AVANESIAN A.S. & STAMBOLTSIAN K.V. (1994) Magnetic fields alter electrical properties of solutions and their physiological effects. *Bioelectromagnetics*, **15**(2): 133-142.

AZANZA M.J. (1989) Steady magnetic fields mimic the effect of caffeine on neurons. *Brain Res*, **489**(1): 195-198.

AZANZA M.J. & DEL MORAL A. (1994) Cell membrane biochemistry and neurobiological approach to biomagnetism. *Prog Neurobiol*, **44**(6): 517-601.

BAILEY W.H. & CHARRY J.M. (1986) Behavioral monitoring of rats during exposure to air ions and DC electric fields. *Bioelectromagnetics*, **7**(3): 329-339.

BAKER P.N., JOHNSON I.R., HARVEY P.R., GOWLAND P.A. & MANSFIELD P. (1994) A three-year follow-up of children imaged in utero with echo-planar magnetic resonance. *Am J Obstet Gynecol*, **170**(1 Pt 1): 32-33.

- BALABAN P.M., BRAVARENKO N.I. & KUZNETZOV A.N. (1990) Influence of a stationary magnetic field on bioelectric properties of snail neurons. *Bioelectromagnetics*, **11**(1): 13-25.
- BARKER A.T. & CAIN M.W. (1985) The claimed vasodilatory effect of a commercial permanent magnet foil: results of a double-blind trial. *Clin Phys Physiol Meas*, **6**(3): 261-263.
- BARNOTHY M.F. & BARNOTHY J.M. (1970) Magnetic fields and the number of blood platelets. *Nature*, **225**(238): 1146-1147.
- BARNOTHY M.F. & SUMEGI I. (1969) Abnormalities in organs of mice induced by a magnetic field. *Nature*, **221**(177): 270-271.
- BARREGÅRD L., JARVHOLM B. & UNGETHUM E. (1985) Cancer among workers exposed to strong static magnetic fields. *Lancet*, **2**(8460): 892.
- BARREGÅRD L., SALLSTEN G. & JARVHOLM B. (1990) Mortality and cancer incidence in chloralkali workers exposed to inorganic mercury. *Br J Ind Med*, **47**(2): 99-104.
- BATTOCLETTI J.H., SALLES-CUNHA S., HALBACH R.E., NELSON J., SANCES A., JR. & ANTONICH F.J. (1981) Exposure of rhesus monkeys to 20 000 G steady magnetic field: effect on blood parameters. *Med Phys*, **8**(1): 115-118.
- BAUM J.W. & NAUMAN C.H. (1984) Influence of strong magnetic fields on genetic endpoints in *Tradescantia* tetrads and stamen hairs. *Environ Mutagen*, **6**(1): 49-58.
- BEASON R. & SEMM P. (1996) Does the avian ophthalmic nerve carry magnetic navigational information? *J Exp Biol*, **199**(Pt 5): 1241-1244.
- BEASON R.C., WILTSCHKO R. & WILTSCHKO W. (1997) Pigeon homing: effects of magnetic pulses on initial orientation. *Auk*, **114**: 405-415.
- BEAUGNON E. & TOURNIER R. (1991) Levitation of water and organic substances in high static magnetic fields. *J Phys III*, **1**: 1423-1428.
- BEERS G.J., PHILLIPS J.L., PRATO F.S. & NAIR I. (1998) Biologic effects of low-level electromagnetic fields: current issues and controversies. *Magn Reson Imaging Clin N Am*, **6**(4): 749-774.

BEHARI J. & MATHUR R. (1997) Exposure effects of static magnetic field on some physiological parameters of developing rats. *Indian J Exp Biol*, **35**(8): 894-897.

BEHR K.P., TIFFE H.W., HINZ K.H., LUDERS H., FRIEDERICHS M., RYLL M. & HUNDESHAGEN H. (1991) [The effect of magnetic resonance treatment on chicken embryos]. *Dtsch Tierarztl Wochenschr*, **98**(4): 149-152.

BEISCHER D.E. (1969) Vectorcardiogram and aortic blood flow of squirrel monkeys (*Sciamiri sciureus*) in a strong superconducting electromagnet. In: *Biological effects of magnetic fields. Volume 2* (ed. Barnothy, M. F.), pp. 241. New York: Plenum Press.

BEISCHER D.E. & KNEPTON J.C., JR. (1964) Influence of strong magnetic fields on the electrocardiogram of squirrel monkeys (*Saimiri sciureus*). *Aerosp Med*, **35** 939-944.

BELLOSSI A. (1983) No-effect of a static uniform magnetic field on mouse trypanosomiasis. *Radiat Environ Biophys*, **22**(4): 311-313.

BELLOSSI A. (1984) The effect of a static uniform magnetic field on mice: a study of methylcholanthren carcinogenesis. *Radiat Environ Biophys*, **23**(2): 107-109.

BELLOSSI A. (1986a) Effect of static magnetic fields on survival of leukaemia-prone AKR mice. *Radiat Environ Biophys*, **25**(1): 75-80.

BELLOSSI A. (1986b) Lack of an effect of static magnetic field on calcium efflux from isolated chick brains. *Bioelectromagnetics*, **7**(4): 381-386.

BELLOSSI A. (1986c) The effect of a static non-uniform magnetic field on mice. A study of Lewis tumour graft. *Radiat Environ Biophys*, **25**(3): 231-234.

BELLOSSI A., BELLOSSI G. & DE CERTAINES J. (1981) The effect of a constant and uniform magnetic field on mouse brain: a study by magnetic nuclear resonance. *Aviat Space Environ Med*, **52**(9): 537-539.

BELLOSSI A., SUTTER-DUB M.T. & SUTTER B.C. (1984) Effects of constant magnetic fields on rats and mice: a study of weight. *Aviat Space Environ Med*, **55**(8): 725-730.

- BELLOSSI A. & TOUJAS L. (1982) The effect of a static uniform magnetic field on mice. A study of a Lewis tumour graft. *Radiat Environ Biophys*, **20**(2): 153-157.
- BELOUSOVA L.E. (1965) Possible braking or arrest of blood by a magnetic field. *Biophysics*, **10** 404-405.
- BELYAEV I.Y., ALIPOV Y.D. & HARMS-RINGDAHL M. (1997) Effects of zero magnetic field on the conformation of chromatin in human cells. *Biochim Biophys Acta*, **1336**(3): 465-473.
- BENSON D.E., GRISSOM C.B., BURNS G.L. & MOHAMMAD S.F. (1994) Magnetic field enhancement of antibiotic activity in biofilm forming *Pseudomonas aeruginosa*. *ASAIO J*, **40**(3): M371-M376.
- BERNHOLD M. & BONDEMARK L. (1998) A magnetic appliance for treatment of snoring patients with and without obstructive sleep apnea. *Am J Orthod Dentofacial Orthop*, **113**(2): 144-155.
- BESSON J.A., FOREMAN E.I., EASTWOOD L.M., SMITH F.W. & ASHCROFT G.W. (1984) Cognitive evaluation following NMR imaging of the brain. *J Neurol Neurosurg Psychiatry*, **47**(3): 314-316.
- BHATIA A.L. (1999) Static magnetic field as biological modifier: a study on temperature dependent influence. *Indian J Biochem Biophys*, **36**(5): 361-364.
- BINHI V.N. (2002) *Magnetobiology: underlying physical problems*. Academic Press.
- BINHI V.N., ALIPOV Y.D. & BELYAEV I.Y. (2001) Effect of static magnetic field on *E. coli* cells and individual rotations of ion-protein complexes. *Bioelectromagnetics*, **22**(2): 79-86.
- BINHI V.N. & SAVIN A.V. (2003) Effects of weak magnetic fields on biological systems: physical aspects. *Physics Uspekhi*, **46**(3): 259-291.
- BLAKEMORE R. (1975) Magnetotactic bacteria. *Science*, **190**(4212): 377-379.
- BLANK M. & SOO L. (1992) Threshold for inhibition of Na, K-ATPase by ELF alternating currents. *Bioelectromagnetics*, **13**(4): 329-333.
- BLANK M. & SOO L. (1996) The threshold for Na,K-ATPase stimulation by electromagnetic fields. *Bioelectrochem Bioenerg*, **40** 63-65.

BLONDIN J.P., NGUYEN D.H., SBEGHEN J., GOULET D., CARDINAL C., MARUVADA P.S., PLANTE M. & BAILEY W.H. (1996) Human perception of electric fields and ion currents associated with high-voltage DC transmission lines. *Bioelectromagnetics*, **17**(3): 230-241.

BONDEMARK L., KUROL J. & LARSSON A. (1998) Long-term effects of orthodontic magnets on human buccal mucosa--a clinical, histological and immunohistochemical study. *Eur J Orthod*, **20**(3): 211-218.

BONDEMARK L., KUROL J. & WISTEN A. (1995) Extent and flux density of static magnetic fields generated by orthodontic samarium-cobalt magnets. *Am J Orthod Dentofacial Orthop*, **107**(5): 488-496.

BOURLAND J.D., NYENHUIS J.A. & SCHAEFER D.J. (1999) Physiologic effects of intense MR imaging gradient fields. *Neuroimaging Clin N Am*, **9**(2): 363-377.

BOWMAN J.D. & METHNER M.M. (2000) Hazard surveillance for industrial magnetic fields: II. Field characteristics from waveform measurements. *Ann Occup Hyg*, **44**(8): 615-633.

BRACKEN T.D. (1979) The HVDC transmission line environment. In: *Proceedings of the Workshop on Electrical and Biological Effects Related to HVDC Transmission PNL-3121*. Springfield, VA: National Technical Information Service.

BRAGANZA L.F., BLOTT B.H., COE T.J. & MELVILLE D. (1984) The superdiamagnetic effect of magnetic fields on one and two component multilamellar liposomes. *Biochim Biophys Acta*, **801**(1): 66-75.

BRANDT T. (2003) *Vertigo: its multisensory syndromes*. London, New York: Springer.

BRAS W., DIAKUN G.P., DIAZ J.F., MARET G., KRAMER H., BORDAS J. & MEDRANO F.J. (1998) The susceptibility of pure tubulin to high magnetic fields: a magnetic birefringence and x-ray fiber diffraction study. *Biophys J*, **74**(3): 1509-1521.

BRASSART J., KIRSCHVINK J.L., PHILLIPS J.B. & BORLAND S.C. (1999) Ferromagnetic material in the eastern red-spotted newt *Notophthalmus viridescens*. *J Exp Biol*, **202** Pt 22 3155-3160.

BREWER H.B. (1979) Some preliminary studies of the effects of a static magnetic field on the life cycle of the *Lebistes reticulatus* (guppy). *Biophys J*, **28**(2): 305-314.

BROCKLEHURST B. & MCLAUCHLAN K.A. (1996) Free radical mechanism for the effects of environmental electromagnetic fields on biological systems. *Int J Radiat Biol*, **69**(1): 3-24.

BROCKWAY J.P. & BREAM P.R., JR. (1992) Does memory loss occur after MR imaging? *J Magn Reson Imaging*, **2**(6): 721-728.

BRODY A.S., SORETTE M.P., GOODING C.A., LISTERUD J., CLARK M.R., MENTZER W.C., BRASCH R.C. & JAMES T.L. (1985) AUR memorial Award. Induced alignment of flowing sickle erythrocytes in a magnetic field. A preliminary report. *Invest Radiol*, **20**(6): 560-566.

BRUCE G.K., HOWLETT C.R. & HUCKSTEP R.L. (1987) Effect of a static magnetic field on fracture healing in a rabbit radius. Preliminary results. *Clin Orthop*,(222): 300-306.

BUEMI M., MARINO D., DI PASQUALE G., FLOCCARI F., SENATORE M., ALOISI C., GRASSO F., MONDIO G., PERILLO P., FRISINA N. & CORICA F. (2001) Cell proliferation/cell death balance in renal cell cultures after exposure to a static magnetic field. *Nephron*, **87**(3): 269-273.

BULL A.W., CHERNG S. & JENROW K.A. (1993) Weak magnetostatic field alter calmodulin-dependent cyclic nucleotide phosphodiesterase activity. In: *Electricity and Magnetism in Biology and Medicine* (ed. Blank, M.), pp. 319-322. San Francisco: San Francisco Press.

BULLARD E.C. (1948) On the secular change of the earth's magnetic field. *Mont Not R A S geophys Suppl*, **5** 248.

CAMILLERI S. & MCDONALD F. (1993) Static magnetic field effects on the sagittal suture in *Rattus norvegicus*. *Am J Orthod Dentofacial Orthop*, **103**(3): 240-246.

CARNES K.I. & MAGIN R.L. (1996) Effects of in utero exposure to 4.7 T MR imaging conditions on fetal growth and testicular development in the mouse. *Magn Reson Imaging*, **14**(3): 263-274.

CARSON J.J., PRATO F.S., DROST D.J., DIESBOURG L.D. & DIXON S.J. (1990) Time-varying magnetic fields increase cytosolic free Ca²⁺ in HL-60 cells. *Am J Physiol*, **259**(4 Pt 1): C687-C692.

CARTER R., ASPY C.B. & MOLD J. (2002) The effectiveness of magnet therapy for treatment of wrist pain attributed to carpal tunnel syndrome. *J Fam Pract*, **51**(1): 38-40.

CASELLI M.A., CLARK N., LAZARUS S., VELEZ Z. & VENEGAS L. (1997) Evaluation of magnetic foil and PPT Insoles in the treatment of heel pain. *J Am Podiatr Med Assoc*, **87**(1): 11-16.

CAVOPOL A.V., WAMIL A.W., HOLCOMB R.R. & MCLEAN M.J. (1995) Measurement and analysis of static magnetic fields that block action potentials in cultured neurons. *Bioelectromagnetics*, **16**(3): 197-206.

CHADWICK P. & LOWES F. (1998) Magnetic fields on British trains. *Ann Occup Hyg*, **42**(5): 331-335.

CHAKERES D.W., BORNSTEIN R. & KANGARLU A. (2003a) Randomized comparison of cognitive function in humans at 0 and 8 Tesla. *J Magn Reson Imaging*, **18**(3): 342-345.

CHAKERES D.W. & DE VOCHT F. (2005) Static magnetic field effects on human subjects related to magnetic resonance imaging systems. *Prog Biophys Mol Biol*, **87**(2-3): 255-265.

CHAKERES D.W., KANGARLU A., BOUDOULAS H. & YOUNG D.C. (2003b) Effect of static magnetic field exposure of up to 8 Tesla on sequential human vital sign measurements. *J Magn Reson Imaging*, **18**(3): 346-352.

CHEN I.I.H. & SAHA S. (1985) Analysis of an intensive magnetic field on blood flow: part 2. *J Bioelectr*, **4**(1): 55-61.

CHEW S., AHMADI A., GOH P.S. & FOONG L.C. (2001) The effects of 1.5 T magnetic resonance imaging on early murine in-vitro embryo development. *J Magn Reson Imaging*, **13**(3): 417-420.

CHIGNELL C.F. & SIK R.H. (1995a) Magnetic field effects on the photohaemolysis of human erythrocytes by ketoprofen and protoporphyrin IX. *Photochem Photobiol*, **62**(1): 205-207.

CHIGNELL C.F. & SIK R.H. (1995b) Magnetic field effects on the photohemolysisphotohaemolysis of human erythrocytes by ketoprofen and protoporphyrin IX. *Photochem Photobiol*, **62**(1): 205-207.

CHIGNELL C.F. & SIK R.H. (1995c) Magnetic field effects on the photohemolysisphotohaemolysis of human erythrocytes by ketoprofen and protoporphyrin IX. *Photochem Photobiol*, **62**(1): 205-207.

CHIGNELL C.F. & SIK R.H. (1995d) Magnetic field effects on the photohemolysisphotohaemolysis of human erythrocytes by ketoprofen and protoporphyrin IX. *Photochem Photobiol*, **62**(1): 205-207.

CHIGNELL C.F. & SIK R.H. (1998a) The effect of static magnetic fields on the photohaemolysis of human erythrocytes by ketoprofen. *Photochem Photobiol*, **67**(5): 591-595.

CHIGNELL C.F. & SIK R.H. (1998b) The effect of static magnetic fields on the photohemolysisphotohaemolysis of human erythrocytes by ketoprofen. *Photochem Photobiol*, **67**(5): 591-595.

CHIGNELL C.F. & SIK R.H. (1998c) The effect of static magnetic fields on the photohemolysisphotohaemolysis of human erythrocytes by ketoprofen. *Photochem Photobiol*, **67**(5): 591-595.

CHILES C., HAWROT E., GORE J. & BYCK R. (1989) Magnetic field modulation of receptor binding. *Magn Reson Med*, **10**(2): 241-245.

CHOLERIS E., DEL SEPIA C., THOMAS A.W., LUSCHI P., GHIONE G., MORAN G.R. & PRATO F.S. (2002) Shielding, but not zeroing of the ambient magnetic field reduces stress-induced analgesia in mice. *Proc R Soc Lond B Biol Sci*, **269**(1487): 193-201.

CLAIRMONT B.A., JOHNSON G.B., ZAFFANELLA L.E. & ZELINGHER S. (1989) The effects of HVAC-HVDC line separation in a hybrid corridor. *IEEE Trans Power Deliv*, **4** 1338-1.

CLEMENTS H., DUNCAN K.R., FIELDING K., GOWLAND P.A., JOHNSON I.R. & BAKER P.N. (2000) Infants exposed to MRI in utero have a normal paediatric assessment at 9 months of age. *Br J Radiol*, **73**(866): 190-194.

COHLY H.H., ABRAHAM G.E., III, NDEBELE K., JENKINS J.J., THOMPSON J. & ANGEL M.F. (2003) Effects of static electromagnetic fields on characteristics of MG-63 osteoblasts grown in culture. *Biomed Sci Instrum*, **39** 454-459.

COLLACOTT E.A., ZIMMERMAN J.T., WHITE D.W. & RINDONE J.P. (2000) Bipolar permanent magnets for the treatment of chronic low back pain: a pilot study. *JAMA*, **283**(10): 1322-1325.

COOKE P. & MORRIS P.G. (1981) The effects of NMR exposure on living organisms. II. A genetic study of human lymphocytes. *Br J Radiol*, **54**(643): 622-625.

CORDEIRO P.G., SECKEL B.R., MILLER C.D., GROSS P.T. & WISE R.E. (1989) Effect of a high-intensity static magnetic field on sciatic nerve regeneration in the rat. *Plast Reconstr Surg*, **83**(2): 301-308.

COULTON L.A., BARKER A.T., VAN LIEROP J.E. & WALSH M.P. (2000) The effect of static magnetic fields on the rate of calcium/calmodulin- dependent phosphorylation of myosin light chain. *Bioelectromagnetics*, **21**(3): 189-196.

COZENS F.L. & SCAIANO J.C. (1993) A comparative study of magnetic field effects on the dynamics of germinate and random radical pair processes in micelles. *J Am Chem Soc*, **115**(5204): 5211.

CREIM J.A., LOVELY R.H., WEIGEL R.J., FORSYTHE W.C. & ANDERSON L.E. (1993) Rats avoid exposure to HVdc electric fields: a dose response study. *Bioelectromagnetics*, **14**(4): 341-352.

CREIM J.A., LOVELY R.H., WEIGEL R.J., FORSYTHE W.C. & ANDERSON L.E. (1995) Failure to produce taste-aversion learning in rats exposed to static electric fields and air ions. *Bioelectromagnetics*, **16**(5): 301-306.

CROZIER S. & DODDRELL D.M. (1997) Compact MRI magnet design by stochastic optimization. *J Magn Reson*, **127**(2): 233-237.

CROZIER S. & LIU F. (2005) Numerical evaluation of the fields induced by body motion in or near high-field MRI scanners. *Prog Biophys Mol Biol*, **87**(2-3): 267-278.

DANIELYAN A.A. & AYRAPETYAN S.N. (1999) Changes of hydration of rats' tissues after in vivo exposure to 0.2 Tesla steady magnetic field. *Bioelectromagnetics*, **20**(2): 123-128.

DANIELYAN A.A., MIRAKYAN M.M., GRIGORYAN G.Y. & AYRAPETYAN S.N. (1999) The static magnetic field effects on ouabain H3 binding by cancer tissue. *Physiol Chem Phys Med NMR*, **31**(2): 139-144.

DARENDELILER M.A., DARENDELILER A. & SINCLAIR P.M. (1997) Effects of static magnetic and pulsed electromagnetic fields on bone healing. *Int J Adult Orthodon Orthognath Surg*, **12**(1): 43-53.

DARENDELILER M.A., SINCLAIR P.M. & KUSY R.P. (1995) The effects of samarium-cobalt magnets and pulsed electromagnetic fields on tooth movement. *Am J Orthod Dentofacial Orthop*, **107**(6): 578-588.

DAVIS H.P., MIZUMORI S.J., ALLEN H., ROSENZWEIG M.R., BENNETT E.L. & TENFORDE T.S. (1984) Behavioral studies with mice exposed to DC and 60-Hz magnetic fields. *Bioelectromagnetics*, **5**(2): 147-164.

DAVIS R.L. & MILHAM S. (1990) Altered immune status in aluminum reduction plant workers. *Am J Ind Med*, **18**(1): 79-85.

DAWSON T.W. & STUCHLY M.A. (1998) High resolution organ dosimetry for human exposure to low frequency magnetic fields. *IEEE Trans Magnet*, **34** 1-11.

DE LATOUR C. (1973) Magnetic separation in water pollution control. *IEEE Trans Magnet*, **9**(3): 314-316.

DE VOCHT F., WENDEL DE JOODE B., ENGELS H. & KROMHOUT H. (2003) Neurobehavioral effects among subjects exposed to high static and gradient magnetic fields from a 1.5 Tesla magnetic resonance imaging system--a case-crossover pilot study. *Magn Reson Med*, **50**(4): 670-674.

DEL MORAL A. & AZANZA M.J. (1992) Model for the effects of static magnetic fields on isolated neurons. *J Magnetism Magn Mat*, **114**(3): 240-242.

DEL SEPPIA C., LUSCHI P., GHIONE S., CROSIO E., CHOLERIS E. & PAPI F. (2000) Exposure to a hypogeomagnetic field or to oscillating magnetic fields similarly reduce stress-induced analgesia in C57 male mice. *Life Sci*, **66**(14): 1299-1306.

DENEGRE J.M., VALLES J.M., JR., LIN K., JORDAN W.B. & MOWRY K.L. (1998) Cleavage planes in frog eggs are altered by strong magnetic fields. *Proc Natl Acad Sci U S A*, **95**(25): 14729-14732.

DEUTSCHLANDER M.E., BORLAND S.C. & PHILLIPS J.B. (1999a) Extraocular magnetic compass in newts. *Nature*, **400**(6742): 324-325.

DEUTSCHLANDER M.E., PHILLIPS J.B. & BORLAND S.C. (1999b) The case for light-dependent magnetic orientation in animals. *J Exp Biol*, **202** (Pt 8) 891-908.

DEXTER D., JR. (1997) Magnetic therapy is ineffective for the treatment of snoring and obstructive sleep apnea syndrome. *Wis Med J*, **96**(3): 35-37.

DIETRICH, F. M. and JACOBS, W. L. (1999) Survey and assessment of electric and magnetic field public exposure in the transportation environment. US Department of Transportation, Federal Railroad Administration (Report nr PB99-130908).

DOBSON J., ST PIERRE T., WIESER H.G. & FULLER M. (2000a) Changes in paroxysmal brainwave patterns of epileptics by weak-field magnetic stimulation. *Bioelectromagnetics*, **21**(2): 94-99.

DOBSON J., ST PIERRE T.G., SCHULTHEISS-GRASSI P.P., WIESER H.G. & KUSTER N. (2000b) Analysis of EEG data from weak-field magnetic stimulation of mesial temporal lobe epilepsy patients. *Brain Res*, **868**(2): 386-391.

DOLEZALEK H. (1979) Atmospheric electricity. In: *Handbook of chemistry and physics*. Cleveland, OH: Chemical Rubber Publishing Co.

DUDA D., GRZESIK J. & PAWLICKI K. (1991) Changes in liver and kidney concentration of copper, manganese, cobalt and iron in rats exposed to static and low-frequency (50 Hz) magnetic fields. *J Trace Elem Electrolytes Health Dis*, **5**(3): 181-186.

EC - EUROPEAN COMMISSION (1996) *Non-ionizing radiation - Sources, exposure and health effects*. Luxemburg: Office for Official Publications of the European Communities.

EDMONDS D.T. (1996) A sensitive optically detected magnetic compass for animals. *Proc R Soc Lond B Biol Sci*, **263**(1368): 295-298.

EDWARDS M.J., SAUNDERS R.D. & SHIOTA K. (2003) Effects of heat on embryos and foetuses. *Int J Hyperthermia*, **19**(3): 295-324.

EGUCHI Y., OGIUE-IKEDA M. & UENO S. (2003) Control of orientation of rat Schwann cells using an 8-T static magnetic field. *Neurosci Lett*, **351**(2): 130-132.

EICHWALD C. & WALLECZEK J. (1996) Activation-dependent and biphasic electromagnetic field effects: model based on cooperative enzyme kinetics in cellular signaling. *Bioelectromagnetics*, **17**(6): 427-435.

EICHWALD C. & WALLECZEK J. (1998) Magnetic field perturbations as a tool for controlling enzyme-regulated and oscillatory biochemical reactions. *Biophysical Chemistry*, **74** 209-224.

ELLINGSEN D.G., ANDERSEN A., NORDHAGEN H.P., EFSKIND J. & KJUUS H. (1993) Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry. *Br J Ind Med*, **50**(10): 875-880.

EMURA R., ASHIDA N., HIGASHI T. & TAKEUCHI T. (2001) Orientation of bull sperms in static magnetic fields. *Bioelectromagnetics*, **22**(1): 60-65.

ENGSTRÖM S. (1997) What is the time scale of magnetic field interaction in biological systems? *Bioelectromagnetics*, **18**(3): 244-249.

ENGSTRÖM S. & FITZSIMMONS R. (1999) Five hypotheses to examine the nature of magnetic field transduction in biological systems. *Bioelectromagnetics*, **20**(7): 423-430.

ENGSTRÖM S., MARKOV M.S., MCLEAN M.J., HOLCOMB R.R. & MARKOV J.M. (2002) Effects of non-uniform static magnetic fields on the rate of myosin phosphorylation. *Bioelectromagnetics*, **23**(6): 475-479.

ESFORMES I., KUMMER F.J. & LIVELLI T.J. (1981) Biological effects of magnetic fields generated with CoSm magnets. *Bull Hosp Jt Dis Orthop Inst*, **41** 81-87.

ESPINAR A., PIERA V., CARMONA A. & GUERRERO J.M. (1997) Histological changes during development of the cerebellum in the chick embryo exposed to a static magnetic field. *Bioelectromagnetics*, **18**(1): 36-46.

EVANS J.A., SAVITZ D.A., KANAL E. & GILLEN J. (1993) Infertility and pregnancy outcome among magnetic resonance imaging workers. *J Occup Med*, **35**(12): 1191-1195.

EVESON R.W., TIMMEL C.R., BROCKLEHURST B., HORE P.J. & MCLAUCHLAN K.A. (2000) The effects of weak magnetic fields on radical recombination reactions in micelles. *Int J Radiat Biol*, **76**(11): 1509-1522.

FAM W.Z. (1981) Prolonged exposure of mice to 350 kV/m electrostatic field. *IEEE Trans Biomed Eng*, **28**(6): 453-459.

FANELLI C., COPPOLA S., BARONE R., COLUSSI C., GUALANDI G., VOLPE P. & GHIBELLI L. (1999) Magnetic fields increase cell

survival by inhibiting apoptosis via modulation of Ca²⁺ influx. *FASEB J*, **13**(1): 95-102.

FEINENDEGEN L.E. & MUHLENSIEPEN H. (1987) In vivo enzyme control through a strong stationary magnetic field--the case of thymidine kinase in mouse bone marrow cells. *Int J Radiat Biol Relat Stud Phys Chem Med*, **52**(3): 469-479.

FISCHER J.H., FREAKE M.J., BORLAND S.C. & PHILLIPS J.B. (2001) Evidence for the use of magnetic map information by an amphibian. *Anim Behav*, **62** 1-10.

FLIPO D., FOURNIER M., BENQUET C., ROUX P., LE BOULAIRE C., PINSKY C., LABELLA F.S. & KRZYSTYNIAK K. (1998) Increased apoptosis, changes in intracellular Ca²⁺, and functional alterations in lymphocytes and macrophages after in vitro exposure to static magnetic field. *J Toxicol Environ Health A*, **54**(1): 63-76.

FORBES L.K., CROZIER S. & DODDRELL D.M. (1997) Rapid computation of static fields produced by thick circular solenoids. *IEEE Trans Magnet*, **33** 4405-4410.

FRANKEL R.B. & LIBURDY R.P. (1996) Biological effects of static magnetic fields. In: *Handbook of Biological Effects of Electromagnetic Fields* (eds. Polk, C. & Postow, E.), pp. 149-183. Boca Raton, FL: CRC Press.

FUJITA N. & TENFORDE T.S. (1982) Portable magnetic field dosimeter with data acquisition capabilities. *Rev Sci Inst*, **53** 326-331.

FULLER M., DOBSON J., WIESER H.G. & MOSER S. (1995) On the sensitivity of the human brain to magnetic fields: evocation of epileptiform activity. *Brain Res Bull*, **36**(2): 155-159.

GAFFEY, C. T. and TENFORDE, T. S. (1979) Changes in the electrocardiograms of rats and dogs exposed to DC magnetic fields. Berkeley, CA: University of California, Lawrence Berkeley Laboratory (report nr LBL-9085).

GAFFEY C.T. & TENFORDE T.S. (1981) Alterations in the rat electrocardiogram induced by stationary magnetic fields. *Bioelectromagnetics*, **2**(4): 357-370.

GAFFEY C.T. & TENFORDE T.S. (1983) Bioelectric properties of frog sciatic nerves during exposure to stationary magnetic fields. *Radiat Environ Biophys*, **22**(1): 61-73.

GAFFEY C.T., TENFORDE T.S. & DEAN E.E. (1980) Alterations in the electrocardiograms of baboons exposed to DC magnetic fields. *Bioelectromagnetics*, **1** 209.

GAFFNEY B.J. & MCCONNELL H.M. (1974) Effect of a magnetic field on phospholipid membranes. *Chem Phys Lett*, **24** 310-313.

GAUSS C.F. (1839) *Allgemeine Theorie des Erdmagnetismus*. Leipzig.

GEARD C.R., OSMAK R.S., HALL E.J., SIMON H.E., MAUDSLEY A.A. & HILAL S.K. (1984) Magnetic resonance and ionizing radiation: a comparative evaluation in vitro of oncogenic and genotoxic potential. *Radiology*, **152**(1): 199-202.

GMITROV J. & OHKUBO C. (2002a) Artificial static and geomagnetic field interrelated impact on cardiovascular regulation. *Bioelectromagnetics*, **23**(5): 329-338.

GMITROV J. & OHKUBO C. (2002b) Verapamil protective effect on natural and artificial magnetic field cardiovascular impact. *Bioelectromagnetics*, **23**(7): 531-541.

GMITROV J., OHKUBO C. & OKANO H. (2002) Effect of 0.25 T static magnetic field on microcirculation in rabbits. *Bioelectromagnetics*, **23**(3): 224-229.

GOODMAN E.M., GREENEBAUM B. & MARRON M.T. (1995) Effects of electromagnetic fields on molecules and cells. *Int Rev Cytol*, **158** 279-338.

GORCZYNSKA E. (1986) The effect of static magnetic field on fibrinogen degradation products level in rabbits with thrombosis. *J Hyg Epidemiol Microbiol Immunol*, **30**(3): 269-273.

GORCZYNSKA E. (1987a) Liver and spleen morphology, ceruloplasmin activity and iron content in serum of guinea pigs exposed to the magnetic field. *J Hyg Epidemiol Microbiol Immunol*, **31**(4): 357-363.

GORCZYNSKA E. (1987b) The process of myelopoiesis in guinea pigs under conditions of a static magnetic field. *Acta Physiol Pol*, **38**(5): 425-432.

GORCZYNSKA E. (1988) Fibrinolytical processes in rabbits activated by the magnetic field. *J Hyg Epidemiol Microbiol Immunol*, **32**(4): 391-396.

- GORCZYNSKA E., GALKA G., WEGRZYNOWICZ R. & MIKOSZA H. (1986) Effect of magnetic field on the process of cell respiration in mitochondria of rats. *Physiol Chem Phys Med NMR*, **18**(1): 61-69.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1983) The effect of magnetic fields on platelets, blood coagulation and fibrinolysis in guinea pigs. *Physiol Chem Phys Med NMR*, **15**(6): 459-468.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1984) The effect of static magnetic field on protein concentration in serum of guinea-pigs. *J Hyg Epidemiol Microbiol Immunol*, **28**(3): 257-260.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1985) Activity of acid and alkali phosphatase in guinea pigs exposed to the static magnetic fields. *J Hyg Epidemiol Microbiol Immunol*, **29**(2): 135-139.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1986a) Effect of chronic exposure to static magnetic field upon the K⁺, Na⁺ and chlorides concentrations in the serum of guinea pigs. *J Hyg Epidemiol Microbiol Immunol*, **30**(2): 121-126.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1986b) Effect of chronic exposure to static magnetic field upon the serum glutamic pyruvic transaminase activity GPT and morphology of the cardiac muscle, skeletal muscles, kidneys, cerebellum and lung tissue in guinea pigs. *J Hyg Epidemiol Microbiol Immunol*, **30**(3): 275-281.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1989) Effect of static magnetic field on some enzymes activities in rats. *J Hyg Epidemiol Microbiol Immunol*, **33**(2): 149-155.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1991a) Glucose homeostasis in rats exposed to magnetic fields. *Invest Radiol*, **26**(12): 1095-1100.
- GORCZYNSKA E. & WEGRZYNOWICZ R. (1991b) Structural and functional changes in organelles of liver cells in rats exposed to magnetic fields. *Environ Res*, **55**(2): 188-198.
- GOWLAND P.A. (2005) Present and future magnetic resonance sources of exposure to static fields. *Prog Biophys Mol Biol*, **87**(2-3): 175-183.
- GRANDOLFO M. (1989) Magnetic field strengths in the high speed train ETR450. In: *Proceedings of the 26th National Congress of the Italian Radiation Protection Association (AIRP)*.

GRAY J.R., FRITH C.H. & PARKER J.D. (2000) In vivo enhancement of chemotherapy with static electric or magnetic fields. *Bioelectromagnetics*, **21**(8): 575-583.

GRISSOM C.B. (1995) Magnetic field effects in biology: survey of possible mechanisms with emphasis on radical-pair recombination. *Chem Rev*, **95** 3-24.

GRZESIK J., BORTEL M., DUDA D., KUSKA R., LUDYGA K., MICHNIK J., SMOLKA B., SOWA B., TRZECIAK H. & ZIELINSKI G. (1988) Influence of a static magnetic field on the reproductive function, certain biochemical indices and behaviour of rats. *Pol J Occup Med*, **1**(4): 329-339.

GUISASOLA C., DESCO M., MILLAN O., VILLANUEVA F.J. & GARCIA-BARRENO P. (2002a) Biological dosimetry of magnetic resonance imaging. *J Magn Reson Imaging*, **15**(5): 584-590.

GUISASOLA C., DESCO M., MILLAN O., VILLANUEVA F.J. & GARCIA-BARRENO P. (2002b) Biological dosimetry of magnetic resonance imaging This work has not been presented at any ISMRM meeting nor has it been accepted for presentation at a future meeting. *J Magn Reson Imaging*, **15**(5): 584-590.

HANZLIK M., HEUNEMANN C., HOLTKAMP-ROTZLER E., WINKLHOFFER M., PETERSEN N. & FLEISSNER G. (2000) Superparamagnetic magnetite in the upper beak tissue of homing pigeons. *Biomaterials*, **13** 325-331.

HARKINS T.T. & GRISSOM C.B. (1994) Magnetic field effects on B12 ethanolamine ammonia lyase: evidence for a radical mechanism. *Science*, **263**(5149): 958-960.

HARKINS T.T. & GRISSOM C.B. (1995) The magnetic field dependent step in B12 ethanolamine ammonia-lyase is radical pair recombination. *J Am Chem Soc*, **117**(1): 566-567.

HASSENZAHL, W., MAHAFFY, M., and WEINROFEN, J. (1978) Evaluation of environmental control technologies for magnetic fields. Springfield, Virginia: US Department of Energy, National Technical Information Service (NTIS report DOE/EV-0029).

HASSENZAHL, W., MAHAFFY, M., and WEINROFEN, J. (2004) Evaluation of environmental control technologies for magnetic fields. Springfield, VA: National Technical Information Service (NTIS report DOE/EV-0029).

HAUGSDAL B., TYNES T., ROTNES J.S. & GRIFFITHS D. (2001) A single nocturnal exposure to 2-7 millitesla static magnetic fields does not inhibit the excretion of 6-sulfatoxymelatonin in healthy young men. *Bioelectromagnetics*, **22**(1): 1-6.

HEINE J., SCHEINICHEN D., JAEGER K., HERZOG T., SUMPELMANN R. & LEUWER M. (1999) Effect of magnetic resonance imaging on human respiratory burst of neutrophils. *FEBS Lett*, **446**(1): 15-17.

HEINRICHS W.L., FONG P., FLANNERY M., HEINRICHS S.C., CROOKS L.E., SPINDLE A. & PEDERSEN R.A. (1988) Midgestational exposure of pregnant BALB/c mice to magnetic resonance imaging conditions. *Magn Reson Imaging*, **6**(3): 305-313.

HELFRICH W. (1973) Lipid bilayer spheres - deformation and birefringence in magnetic fields. *Phys Lett A*, **43**(5): 409-410.

HIGASHI T., SAGAWA S., ASHIDA N. & TAKEUCHI T. (1996) Orientation of glutaraldehyde-fixed erythrocytes in strong static magnetic fields. *Bioelectromagnetics*, **17**(4): 335-338.

HIGASHI T., YAMAGISHI A., TAKEUCHI T. & DATE M. (1995) Effects of static magnetic fields on erythrocyte rheology. *Bioelectrochem Bioenerg*, **36** 101-108.

HIGASHI T., YAMAGISHI A., TAKEUCHI T., KAWAGUCHI N., SAGAWA S., ONISHI S. & DATE M. (1993) Orientation of erythrocytes in a strong static magnetic field. *Blood*, **82**(4): 1328-1334.

HIGH W.B., SIKORA J., UGURBIL K. & GARWOOD M. (2000) Subchronic in vivo effects of a high static magnetic field (9.4 T) in rats. *J Magn Reson Imaging*, **12**(1): 122-139.

HINMAN M.R. (2002) Comparative effect of positive and negative static magnetic fields on heart rate and blood pressure in healthy adults. *Clin Rehabil*, **16**(6): 669-674.

HINMAN M.R., FORD J. & HEYL H. (2002) Effects of static magnets on chronic knee pain and physical function: a double-blind study. *Altern Ther Health Med*, **8**(4): 50-55.

HIRAI T., NAKAMICHI N. & YONEDA Y. (2002) Activator protein-1 complex expressed by magnetism in cultured rat hippocampal neurons. *Biochem Biophys Res Commun*, **292**(1): 200-207.

HIRAOKA M., MIYAKOSHI J., LI Y.P., SHUNG B., TAKEBE H. & ABE M. (1992) Induction of c-fos gene expression by exposure to a static magnetic field in HeLaS3 cells. *Cancer Res*, **52**(23): 6522-6524.

HIROSE H., NAKAHARA T. & MIYAKOSHI J. (2003a) Orientation of human glioblastoma cells embedded in type I collagen, caused by exposure to a 10 T static magnetic field. *Neurosci Lett*, **338**(1): 88-90.

HIROSE H., NAKAHARA T., ZHANG Q.M., YONEI S. & MIYAKOSHI J. (2003b) Static magnetic field with a strong magnetic field gradient (41.7 T/m) induces c-Jun expression in HL-60 cells. *In Vitro Cell Dev Biol Anim*, **39**(8-9): 348-352.

HO M.W., STONE T.A., JERMAN I., BOLTON J., BOLTON H., GOODWIN B.C., SAUNDERS P.T. & ROBERTSON F. (1992) Brief exposures to weak static magnetic field during early embryogenesis cause cuticular pattern abnormalities in *Drosophila* larvae. *Phys Med Biol*, **37**(5): 1171-1179.

HÖJEVIK P., SANDBLOM J., GALT S. & HAMNERIUS Y. (1995) Ca²⁺ ion transport through patch-clamped cells exposed to magnetic fields. *Bioelectromagnetics*, **16**(1): 33-40.

HOLCOMB R.R., WORTHINGTON W.B., MCCULLOUGH B.A. & MCLEAN M.J. (2000) Static magnetic field therapy for pain in the abdomen and genitals. *Pediatr Neurol*, **23**(3): 261-264.

HOLDEN A.V. (2005) The sensitivity of the heart to static magnetic fields. *Prog Biophys Mol Biol*, **87**(2-3): 289-320.

HONG C.Z. (1987) Static magnetic field influence on human nerve function. *Arch Phys Med Rehabil*, **68**(3): 162-164.

HONG C.Z., HARMON D. & YU J. (1986) Static magnetic field influence on rat tail nerve function. *Arch Phys Med Rehabil*, **67**(10): 746-749.

HONG C.Z., HUESTIS P., THOMPSON R. & YU J. (1988) Learning ability of young rats is unaffected by repeated exposure to a static electromagnetic field in early life. *Bioelectromagnetics*, **9**(3): 269-273.

HONG C.Z., LIN J.C., BENDER L.F., SCHAEFFER J.N., MELTZER R.J. & CAUSIN P. (1982) Magnetic necklace: its therapeutic effectiveness on neck and shoulder pain. *Arch Phys Med Rehabil*, **63**(10): 462-466.

HONG C.Z. & SHELLOCK F.G. (1990) Short-term exposure to a 1.5 tesla static magnetic field does not affect somato-sensory-evoked potentials in man. *Magn Reson Imaging*, **8**(1): 65-69.

HONG F.T., MAUZERALL D. & MAURO A. (1971) Magnetic anisotropy and the orientation of retinal rods in a homogeneous magnetic field. *Proc Natl Acad Sci USA*, **68**(6): 1283-1285.

HORE P.J. (2005) Rapporteur's report: sources and interaction mechanisms. *Prog Biophys Mol Biol*, **87**(2-3): 205-212.

HORIUCHI S., ISHIZAKI Y., OKUNO K., ANO T. & SHODA M. (2001) Drastic high magnetic field effect on suppression of *Escherichia coli* death. *Bioelectrochemistry*, **53**(2): 149-153.

HORIUCHI S., ISHIZAKI Y., OKUNO K., ANO T. & SHODA M. (2002) Change in broth culture is associated with significant suppression of *Escherichia coli* death under high magnetic field. *Bioelectrochemistry*, **57**(2): 139.

HOTZ M.A., MULLER S., ALLUM J.H. & PFALTZ C.R. (1992) Human auditory-evoked potentials before and after magnetic resonance imaging. *Eur Arch Otorhinolaryngol*, **249**(2): 85-86.

HOUP T.A., PITTMAN D.W., BARRANCO J.M., BROOKS E.H. & SMITH J.C. (2003) Behavioral effects of high-strength static magnetic fields on rats. *J Neurosci*, **23**(4): 1498-1505.

IARC WORKING GROUP ON THE EVALUATION OF CARCINOGENIC RISKS TO HUMANS (2002) Non-ionizing radiation, Part 1: static and extremely low-frequency (ELF) electric and magnetic fields. *IARC Monogr Eval Carcinog Risks Hum*, **80** 1-395.

ICHIOKA S., IWASAKA M., SHIBATA M., HARI K., KAMIYA A. & UENO S. (1998) Biological effects of static magnetic fields on the microcirculatory blood flow in vivo: a preliminary report. *Med Biol Eng Comput*, **36**(1): 91-95.

ICHIOKA S., MINEGISHI M., IWASAKA M., SHIBATA M., NAKATSUKA T., ANDO J. & UENO S. (2003) Skin temperature changes induced by strong static magnetic field exposure. *Bioelectromagnetics*, **24**(6): 380-386.

ICHIOKA S., MINEGISHI M., IWASAKA M., SHIBATA M., NAKATSUKA T., HARI K., KAMIYA A. & UENO S. (2000) High-intensity static magnetic fields modulate skin microcirculation and temperature in vivo. *Bioelectromagnetics*, **21**(3): 183-188.

ICNIRP - INTERNATIONAL COMMISSION ON NON-IONIZING RADIATION PROTECTION (1994) Guidelines on limits of exposure to static magnetic fields. *Health Phys*, **66** 100-106.

ICNIRP - INTERNATIONAL COMMISSION ON NON-IONIZING RADIATION PROTECTION (1996) Non-ionizing radiation. Proceedings of the Third International Non-ionizing Radiation Workshop, Baden, Austria. Oberschleissheim: International Commission on Non-ionizing Radiation Protection.

ICNIRP - INTERNATIONAL COMMISSION ON NON-IONIZING RADIATION PROTECTION (1998) Guidelines on limits of exposure to time-varying electric, magnetic and electromagnetic fields (1 Hz - 300 GHz). *Health Phys*, **74**(4): 494-522.

ICNIRP - INTERNATIONAL COMMISSION ON NON-IONIZING RADIATION PROTECTION (2003) Exposure to static and low frequency electromagnetic fields, biological effects and health consequences (0 - 100 kHz). Oberschleissheim: International Commission on Non-ionizing Radiation Protection (publication ICNIRP 13/2003).

IEEJ - INSTITUTE OF ELECTRICAL ENGINEERS OF JAPAN (1998) The evaluation of health effects by exposure to electric and magnetic fields and determined future studies. (in Japanese). Tokyo: Denki Gakkai (The Institute of Electrical Engineers of Japan).

IINO M. (1997) Effects of a homogeneous magnetic field on erythrocyte sedimentation and aggregation. *Bioelectromagnetics*, **18**(3): 215-222.

IINO M. & OKUDA Y. (2001) Osmolality dependence of erythrocyte sedimentation and aggregation in a strong magnetic field. *Bioelectromagnetics*, **22**(1): 46-52.

IKEHATA M., KOANA T., SUZUKI Y., SHIMIZU H. & NAKAGAWA M. (1999) Mutagenicity and co-mutagenicity of static magnetic fields detected by bacterial mutation assay. *Mutat Res*, **427**(2): 147-156.

IMAJO Y., HIRATSUKA J., MATSUMIYA A., YAMAMOTO M. & NISHISHITA S. (1989) [The effect of a static magnetic field on hamsters bearing melanoma-- cell cycle analysis by flow cytometry]. *Nippon Gan Chiryo Gakkai Shi*, **24**(6): 1261-1265.

INNIS N.K., OSSENKOPP K.P., PRATO F.S. & SESTINI E. (1986) Behavioral effects of exposure to nuclear magnetic resonance imaging: II. Spatial memory tests. *Magn Reson Imaging*, **4**(4): 281-284.

IRGENS A., KRUGER K., SKORVE A.H. & IRGENS L.M. (1997) Male proportion in offspring of parents exposed to strong static and extremely

low-frequency electromagnetic fields in Norway. *Am J Ind Med*, **32**(5): 557-561.

ISHIZAKI Y., HORIUCHI S., OKUNO K., ANO T. & SHODA M. (2001) Twelve hours exposure to inhomogeneous high magnetic field after logarithmic growth phase is sufficient for drastic suppression of *Escherichia coli* death. *Bioelectrochemistry*, **54**(2): 101-105.

ITEGIN M., GUNAY I., LOGOGLU G. & ISBIR T. (1995) Effects of static magnetic field on specific adenosine-5'- triphosphatase activities and bioelectrical and biomechanical properties in the rat diaphragm muscle. *Bioelectromagnetics*, **16**(3): 147-151.

IVANOV S.G., SMIRNOV V.V., SOLOV'eva F.V., LIASHEVSKAIA S.P. & SELEZNEVA L.I. (1990) [The magnetotherapy of hypertension patients]. *Ter Arkh*, **62**(9): 71-74.

IWASAKA M., MIYAKOSHI J. & UENO S. (2003) Magnetic field effects on assembly pattern of smooth muscle cells. *In Vitro Cell Dev Biol Anim*, **39**(3-4): 120-123.

IWASAKA M. & UENO S. (2003) Detection of intracellular macromolecule behavior under strong magnetic fields by linearly polarized light. *Bioelectromagnetics*, **24**(8): 564-570.

IWASAKA M., UENO S. & TSUDA H. (1994) Enzymatic activity of plasmin in strong magnetic fields. *IEEE Trans Magnet*, **30**(6): 4701-4703.

JACKSON J.D. (1999) *Classical Electrodynamics*, 3rd ed. New York: Wiley.

JAJTE J., GRZEGORCZYK J., ZMYSLONY M. & RAJKOWSKA E. (2002) Effect of 7 mT static magnetic field and iron ions on rat lymphocytes: apoptosis, necrosis and free radical processes. *Bioelectrochemistry*, **57**(2): 107-111.

JAJTE J., ZMYSLONY M. & RAJKOWSKA E. (2003) [Protective effect of melatonin and vitamin E against prooxidative action of iron ions and static magnetic field]. *Med Pr*, **54**(1): 23-28.

JANKOVIC B.D., JOVANOVA-NESIC K., NIKOLIC V. & NIKOLIC P. (1993) Brain-applied magnetic fields and immune response: role of the pineal gland. *Int J Neurosci*, **70**(1-2): 127-134.

JANKOVIC B.D., MARIC D., RANIN J. & VELJIC J. (1991) Magnetic fields, brain and immunity: effect on humoral and cell- mediated immune responses. *Int J Neurosci*, **59**(1-3): 25-43.

JANKOVIC B.D., NIKOLIC P., CUPIC V. & HLADNI K. (1994) Potentiation of immune responsiveness in aging by static magnetic fields applied to the brain. Role of the pineal gland. *Ann N Y Acad Sci*, **719** 410-418.

JEHENSON P., DUBOC D., LAVERGNE T., GUIZE L., GUERIN F., DEGEORGES M. & SYROTA A. (1988) Change in human cardiac rhythm induced by a 2-T static magnetic field. *Radiology*, **166**(1 Pt 1): 227-230.

JOVÉ M., TORRENTE M., GILABERT R., ESPINAR A., COBOS P. & PIERA V. (1999) Effects of static electromagnetic fields on chick embryo pineal gland development. *Cells Tissues Organs*, **165**(2): 74-80.

KALE P.G. & BAUM J.W. (1979) Genetic effects of strong magnetic fields in *Drosophila melanogaster*: I. Homogeneous fields ranging from 13,000 to 37,000 Gauss. *Environ Mutagen*, **1**(4): 371-374.

KALE P.G. & BAUM J.W. (1980) Genetic effects of strong magnetic fields in *Drosophila melanogaster*: II. lack of interaction between homogeneous fields and fission neutron- plus-gamma radiation. *Environ Mutagen*, **2**(2): 179-186.

KANAL E., BORGSTEDE J.P., BARKOVICH A.J., BELL C., BRADLEY W.G., FELMLEE J.P., FROELICH J.W., KAMINSKI E.M., KEELER E.K., LESTER J.W., SCOUMIS E.A., ZAREMBA L.A. & ZINNINGER M.D. (2002) American College of Radiology White Paper on MR Safety. *Am J Roentgenol*, **178**(6): 1335-1347.

KANAL E., GILLEN J., EVANS J.A., SAVITZ D.A. & SHELLOCK F.G. (1993) Survey of reproductive health among female MR workers. *Radiology*, **187**(2): 395-399.

KANGARLU A., BURGESS R.E., ZHU H., NAKAYAMA T., HAMLIN R.L., ABDULJALIL A.M. & ROBITAILLE P.M. (1999) Cognitive, cardiac, and physiological safety studies in ultra high field magnetic resonance imaging. *Magn Reson Imaging*, **17**(10): 1407-1416.

KANGARLU A. & ROBITAILLE P.M.L. (2000) Biological effects and health implications in magnetic resonance imaging. *Concepts Magn Reson*, **12** 321-359.

KAY H.H., HERFKENS R.J. & KAY B.K. (1988) Effect of magnetic resonance imaging on *Xenopus laevis* embryogenesis. *Magn Reson Imaging*, **6**(5): 501-506.

KELTNER J.R., ROOS M.S., BRAKEMAN P.R. & BUDINGER T.F. (1990) Magneto-hydrodynamics of blood flow. *Magn Reson Med*, **16**(1): 139-149.

KHAR'KOVA N.A., KAZANIN V.I., VOLKOVA Z.S. & RED'KO A.F. (1976) [Effect of a steady magnetic field on several properties of a pathogenic staphylococcus]. *Zh Mikrobiol Epidemiol Immunobiol*,(1): 145-146.

KHEIFETS L.I., AFIFI A.A., BUFFLER P.A. & ZHANG Z.W. (1995) Occupational electric and magnetic field exposure and brain cancer: a meta-analysis. *J Occup Environ Med*, **37**(12): 1327-1341.

KHEIFETS L.I., AFIFI A.A., BUFFLER P.A., ZHANG Z.W. & MATKIN C.C. (1997) Occupational electric and magnetic field exposure and leukemia. A meta-analysis. *J Occup Environ Med*, **39** 1074-1091.

KHOORY R. (1987) Compensation of the natural magnetic field does not alter N-acetyltransferase activity and melatonin content of rat pineal gland. *Neurosci Lett*, **76**(2): 215-220.

KIMCHI T. & TERKEL J. (2001) Magnetic compass orientation in the blind mole rat *Spalax ehrenbergi*. *J Exp Biol*, **204**(Pt 4): 751-758.

KINOUCI Y., YAMAGUCHI H. & TENFORDE T.S. (1996) Theoretical analysis of magnetic field interactions with aortic blood flow. *Bioelectromagnetics*, **17**(1): 21-32.

KIRSCHVINK J.L., KOBAYASHI-KIRSCHVINK A., DIAZ-RICCI J.C. & KIRSCHVINK S.J. (1992) Magnetite in human tissues: a mechanism for the biological effects of weak ELF magnetic fields. *Bioelectromagnetics*, **Suppl 1** 101-113.

KIRSCHVINK J.L., WALKER M.M. & DIEBEL C.E. (2001) Magnetite-based magnetoreception. *Curr Opin Neurobiol*, **11**(4): 462-467.

KLIMOVSKAIA L.D. & SMIRNOVA N.P. (1975) [Autonomic reactions in rabbits exposed to a constant magnetic field]. *Kosm Biol Aviakosm Med*, **9**(3): 18-22.

- KLIMOVSKAIA L.D. & SMIRNOVA N.P. (1976) [Change in the evoked potentials of the brain exposed to a constant magnetic field]. *Biull Eksp Biol Med*, **82**(8): 907-910.
- KLOIBER O., OKADA Y. & HOSSMANN K.A. (1990) [A 4.7 T static magnetic field has no effect on the electric activity of the brain in cats]. *EEG EMG Z Elektroenzephalogr Elektromyogr Verwandte Geb*, **21**(4): 229-232.
- KOANA T., IKEHATA M. & NAKAGAWA M. (1995) Estimation of genetic effects of a static magnetic field by a somatic cell test using mutagen-sensitive mutants of *Drosophila melanogaster*. *Bioelectrochem Bioenerg*, **36** 95-100.
- KOANA T., OKADA M.O., IKEHATA M. & NAKAGAWA M. (1997) Increase in the mitotic recombination frequency in *Drosophila melanogaster* by magnetic field exposure and its suppression by vitamin E supplement. *Mutat Res*, **373**(1): 55-60.
- KOLIN A. (1945) An alternating field induction flow meter of high sensitivity. *Rev Sci Inst*, **16** 109-116.
- KOLIN A. (1952) Improved apparatus and technique for electromagnetic determination of blood flow. *Rev Sci Inst*, **23** 235-242.
- KONERMANN G. & MONIG H. (1986) [Effect of static magnetic fields on the prenatal development of the mouse]. *Radiologe*, **26**(10): 490-497.
- KÖNIG H.L., KRUEGER A.P., LANG S. & SÖNNIG W. (1981) *Biological effects of environmental magnetism*. New York, NY: Springer Verlag New York, Inc.
- KOTANI H., IWASAKA M., UENO S. & CURTIS A. (2000) Magnetic orientation of collagen and bone mixture. *J Appl Phys*, **87**(9): 6191-6193.
- KOTANI H., KAWAGUCHI H., SHIMOAKA T., IWASAKA M., UENO S., OZAWA H., NAKAMURA K. & HOSHI K. (2002) Strong static magnetic field stimulates bone formation to a definite orientation in vitro and in vivo. *J Bone Miner Res*, **17**(10): 1814-1821.
- KOWALCZUK C.I., SIENKIEWICZ Z.J. & SAUNDERS R.D. (1991) *Biological effects of exposure to non-ionising electromagnetic fields and radiation*. Chilton, Didcot: National Radiological Protection Board (publication nr NRPB-R238).

- KROEKER G., PARKINSON D., VRIEND J. & PEELING J. (1996) Neurochemical effects of static magnetic field exposure. *Surg Neurol*, **45**(1): 62-66.
- KUMAR V. (1978) Exact analysis for calculating hemodynamic parameters in unsteady blood flow in arteries in the presence of a static magnetic field. *Stud Biophys*, **72** 43-50.
- KURINOBU S. & UCHIYAMA S. (1982) Recovery of plankton from red tide by HGMS. *IEEE Trans Magnet*, **18** 1526-1528.
- KWONG-HING A., SANDHU H.S., PRATO F.S., FRAPPIER J.R. & KAVALIERS M. (1989) Effects of magnetic resonance imaging (MRI) on the formation of mouse dentin and bone. *J Exp Zool*, **252**(1): 53-59.
- LEASK M.J.M. (1977) Physicochemical mechanism for magnetic field detection by migratory birds and homing pigeons. *Nature*, **267** 144-145.
- LERCHL A., NONAKA K.O. & REITER R.J. (1991) Pineal gland "magneto-sensitivity" to static magnetic fields is a consequence of induced electric currents (eddy currents). *J Pineal Res*, **10**(3): 109-116.
- LERCHL A., NONAKA K.O., STOKKAN K.A. & REITER R.J. (1990) Marked rapid alterations in nocturnal pineal serotonin metabolism in mice and rats exposed to weak intermittent magnetic fields. *Biochem Biophys Res Commun*, **169**(1): 102-108.
- LEVIN M. & ERNST S.G. (1997) Applied DC magnetic fields cause alterations in the time of cell divisions and developmental abnormalities in early sea urchin embryos. *Bioelectromagnetics*, **18**(3): 255-263.
- LEVINE R.L. & BLUNI T.D. (1994) Magnetic field effects on spatial discrimination learning in mice. *Physiol Behav*, **55**(3): 465-467.
- LEVINE R.L., DOOLEY J.K. & BLUNI T.D. (1995) Magnetic field effects on spatial discrimination and melatonin levels in mice. *Physiol Behav*, **58**(3): 535-537.
- LIBOFF A.R., CHERNG S., JENROW K.A. & BULL A. (2003) Calmodulin-dependent cyclic nucleotide phosphodiesterase activity is altered by 20 microT magnetostatic fields. *Bioelectromagnetics*, **24**(1): 32-38.
- LIBURDY R.P., TENFORDE T.S. & MAGIN R.L. (1986) Magnetic field-induced drug permeability in liposome vesicles. *Radiat Res*, **108**(1): 102-111.

LIN J.C., SINGLETON G.W., SCHAEFFER J.N., HONG C.Z. & MELTZER R.J. (1985) Geophysical variables and behavior: XXVII. Magnetic necklace: its therapeutic effectiveness on neck and shoulder pain: 2. Psychological assessment. *Psychol Rep*, **56**(2): 639-649.

LINDER-ARONSON A., FORSBERG C.M., RYGH P. & LINDSKOG S. (1996) Tissue response to space closure in monkeys: a comparison of orthodontic magnets and superelastic coil springs. *Eur J Orthod*, **18**(6): 581-588.

LINDER-ARONSON A. & LINDSKOG S. (1995) Effects of static magnetic fields on human periodontal fibroblasts in vitro. *Swed Dent J*, **19**(4): 131-137.

LINDER-ARONSON A., LINDSKOG S. & RYGH P. (1992) Orthodontic magnets: effects on gingival epithelium and alveolar bone in monkeys. *Eur J Orthod*, **14**(4): 255-263.

LINDER-ARONSON A., RYGH P. & LINDSKOG S. (1995) Effects of orthodontic magnets on cutaneous epithelial thickness and tibial bone growth in rats. *Acta Odontol Scand*, **53**(4): 259-263.

LINDER-ARONSON S. & LINDSKOG S. (1991) A morphometric study of bone surfaces and skin reactions after stimulation with static magnetic fields in rats. *Am J Orthod Dentofacial Orthop*, **99**(1): 44-48.

LIU F. & CROZIER S. (2004) Electromagnetic fields inside a lossy, multilayered spherical head phantom excited by MRI coils: models and methods. *Phys Med Biol*, **49**(10): 1835-1851.

LIU F., EDGE R., HENBEST K., TIMMEL C.R., HORE P.J. & GAST P. (2005) Magnetic field effect on singlet oxygen production in a biochemical system. *Chem Commun*, **2** 174-176.

LIU F., ZHAO H. & CROZIER S. (2003a) Calculation of electric fields induced by body and head motion in high-field MRI. *J Magn Reson*, **161**(1): 99-107.

LIU F., ZHAO H. & CROZIER S. (2003b) On the induced electric field gradients in the human body for magnetic stimulation by gradient coils in MRI. *IEEE Trans Biomed Eng*, **50**(7): 804-815.

LOCKWOOD D.R., KWON B., SMITH J.C. & HOUP T.A. (2003) Behavioral effects of static high magnetic fields on unrestrained and restrained mice. *Physiol Behav*, **78**(4-5): 635-640.

- LOHMANN K.J., CAIN S.D., DODGE S.A. & LOHMANN C.M. (2001) Regional magnetic fields as navigational markers for sea turtles. *Science*, **294**(5541): 364-366.
- LOHMANN K.J. & JOHNSEN S. (2000) The neurobiology of magnetoreception in vertebrate animals. *Trends Neurosci*, **23**(4): 153-159.
- LOHMANN K.J., WILLOWS A.O. & PINTER R.B. (1991) An identifiable molluscan neuron responds to changes in earth-strength magnetic fields. *J Exp Biol*, **161** 1-24.
- LUD G.V. & DEMECKIY A.M. (1990) Use of permanent magnetic field in reconstructive surgery of the main arteries (experimental study). *Acta Chir Plast*, **32**(1): 28-34.
- MAGIN R.L., LEE J.K., KLINTSOVA A., CARNES K.I. & DUNN F. (2000) Biological effects of long-duration, high-field (4 T) MRI on growth and development in the mouse. *J Magn Reson Imaging*, **12**(1): 140-149.
- MAHDI A., GOWLAND P.A., MANSFIELD P., COUPLAND R.E. & LLOYD R.G. (1994) The effects of static 3.0 T and 0.5 T magnetic fields and the echo-planar imaging experiment at 0.5 T on *E. coli*. *Br J Radiol*, **67**(802): 983-987.
- MALININ G.I., GREGORY W.D., MORELLI L., SHARMA V.K. & HOUCK J.C. (1976) Evidence of morphological and physiological transformation of mammalian cells by strong magnetic fields. *Science*, **194**(4267): 844-846.
- MALKO J.A., CONSTANTINIDIS I., DILLEHAY D. & FAJMAN W.A. (1994) Search for influence of 1.5 Tesla magnetic field on growth of yeast cells. *Bioelectromagnetics*, **15**(6): 495-501.
- MAN D., MAN B. & PLOSKER H. (1999) The influence of permanent magnetic field therapy on wound healing in suction lipectomy patients: a double-blind study. *Plast Reconstr Surg*, **104**(7): 2261-2266.
- MARET G. & DRANSFELD K. (1977) Macromolecules and membranes in high magnetic fields. *Physica B*, **86-88**: 1077-1083.
- MARET G., SCHICKFUS M.V., MAYER A. & DRANSFELD K. (1975) Orientation of nucleic acids in high magnetic fields. *Phys Rev Lett*, **35** 397-400.
- MARIANI F., CAPPELLI G., EREMENKO T. & VOLPE P. (2001) Influence of static magnetic fields on cell viability, necrosis and apoptosis. *Boll Soc Ital Biol Sper*, **77**(4-6): 71-84.

MARKOV M.S., RYABY J.T. & WANG S. (1992) Extremely weak AC and DC magnetic fields significantly affect myosin phosphorylation. In: Charge and Field Effects in Biosystems, Vol. 3 (eds. Allen, M. J. & Cleary, S. F.), pp. 225-230. Boston, MA: Birkhauser Press.

MARKOV M.S., WANG S. & PILLA A.A. (1993) Effects of weak low frequency sinusoidal and DC magnetic fields on myosin phosphorylation in a cell-free preparation. *Bioelectrochem Bioenerg*, **30** 119-125.

MARSH J.L., ARMSTRONG T.J., JACOBSON A.P. & SMITH R.G. (1982) Health effect of occupational exposure to steady magnetic fields. *Am Ind Hyg Assoc J*, **43**(6): 387-394.

MARTEL G.F., ANDREWS S.C. & ROSEBOOM C.G. (2002) Comparison of static and placebo magnets on resting forearm blood flow in young, healthy men. *J Orthop Sports Phys Ther*, **32**(10): 518-524.

MATRONCHIK A.I., ALIPOV E.D. & BELIAEV I.I. (1996) [A model of phase modulation of high frequency nucleoid oscillations in reactions of *E. coli* cells to weak static and low-frequency magnetic fields]. *Biofizika*, **41**(3): 642-649.

MAYROVITZ H.N., GROSECLOSE E.E., MARKOV M. & PILLA A.A. (2001) Effects of permanent magnets on resting skin blood perfusion in healthy persons assessed by laser Doppler flowmetry and imaging. *Bioelectromagnetics*, **22**(7): 494-502.

MCDONALD F. (1993) Effect of static magnetic fields on osteoblasts and fibroblasts in vitro. *Bioelectromagnetics*, **14**(3): 187-196.

MCLAUCHLAN K.A. (1989) Magnetokinetics, mechanistics and synthesis. *Chem Br*, **25**: 895-898.

MCLAUCHLAN K.A. & STEINER U.E. (1991) The spin-correlated radical pair as a reaction intermediate. *Molecular Physics*, **73** 241-263.

MCLEAN M.J., HOLCOMB R.R., WAMIL A.W., PICKETT J.D. & CAVOPOL A.V. (1995) Blockade of sensory neuron action potentials by a static magnetic field in the 10 mT range. *Bioelectromagnetics*, **16**(1): 20-32.

MELVILLE D. (1975) Direct magnetic separation of red cells from whole blood. *Nature*, **255**(5511): 706.

- MESSMER J.M., PORTER J.H., FATOUROS P., PRASAD U. & WEISBERG M. (1987) Exposure to magnetic resonance imaging does not produce taste aversion in rats. *Physiol Behav*, **40**(2): 259-261.
- MESZAROS K. (1991) Magnetic field elicits hypotension mediated by platelet activating factor in rats injected with iron beads. *Biochem Biophys Res Commun*, **180**(1): 315-322.
- MEVISSSEN M., BUNTENKOTTER S. & LOSCHER W. (1994) Effects of static and time-varying (50-Hz) magnetic fields on reproduction and fetal development in rats. *Teratology*, **50**(3): 229-237.
- MEVISSSEN M., STAMM A., BUNTENKOTTER S., ZWINGELBERG R., WAHNSCHAFFE U. & LOSCHER W. (1993) Effects of magnetic fields on mammary tumor development induced by 7,12-dimethylbenz(a)anthracene in rats. *Bioelectromagnetics*, **14**(2): 131-143.
- MILD K.H., SANDSTRÖM M. & LOVTRUP S. (1981) Development of *Xenopus laevis* embryos in a static magnetic field. *Bioelectromagnetics*, **2**(2): 199-201.
- MILHAM S. (1982) Mortality from leukemia in workers exposed to electrical and magnetic fields. *N Engl J Med*, **307**(4): 249.
- MILHAM S. (1985) Mortality in workers exposed to electromagnetic fields. *Environ Health Perspect*, **62** 297-300.
- MILHAM S., HATFIELD J.B. & TELL R. (1999) Magnetic fields from steel-belted radial tires: implications for epidemiologic studies. *Bioelectromagnetics*, **20**(7): 440-445.
- MILLER G. (1987) Exposure guidelines for magnetic fields. *Am Ind Hyg Assoc J*, **48**(12): 957-968.
- MIYAMOTO H., YAMAGUCHI H., IKEHARA T. & KINOUCI Y. (1996) Effects of electromagnetic fields on K⁺ (Rb⁺) uptake by HeLa cells. In: *Biological Effects of Magnetic and Electromagnetic Fields* (ed. Ueno, S.), pp. 101-119. New York: Plenum Press.
- MNAIMNEH S., BIZRI M. & VEYRET B. (1996) No effect of exposure to static and sinusoidal magnetic fields on nitric oxide production by macrophages. *Bioelectromagnetics*, **17**(6): 519-521.
- MOEN B.E., DRABLOS P.A., PEDERSEN S., SJOEN M. & THOMMESEN G. (1995) Symptoms of the musculoskeletal system and

exposure to magnetic fields in an aluminium plant. *Occup Environ Med*, **52**(8): 524-527.

MOEN B.E., DRABLOS P.A., PEDERSEN S., SJOEN M. & THOMMESEN G. (1996) Absence of relation between sick leave caused by musculoskeletal disorders and exposure to magnetic fields in an aluminum plant. *Bioelectromagnetics*, **17**(1): 37-43.

MOHTAT N., COZENS F.L., HANCOCK-CHEN T., SCAIANO J.C., MCLEAN J. & KIM J. (1998) Magnetic field effects on the behavior of radicals in protein and DNA environments. *Photochem Photobiol*, **67**(1): 111-118.

MÖSE J.R. & FISCHER G. (1970) [Effect of electrostatic fields: results of further animal experiments]. *Arch Hyg Bakteriol*, **154**(4): 378-386.

MOURITSEN H., JANSSEN-BIENHOLD U., LIEDVOGEL M., FEENDERS G., STALLEICKEN J., DIRKS P. & WEILER R. (2004) Cryptochromes and neuronal-activity markers colocalize in the retina of migratory birds during magnetic orientation. *Proc Natl Acad Sci USA*, **101**(39): 14294-14299.

MÜLLER S. & HOTZ M. (1990) Human brainstem auditory evoked potentials (BAEP) before and after MR examinations. *Magn Reson Med*, **16**(3): 476-480.

MUNRO U., MUNRO J.A., PHILLIPS J.B., WILTSCHKO R. & WILTSCHKO W. (1997) Evidence for a magnetite-based navigational "map" in birds. *Naturwissenschaften*, **84** 26-28.

MUR J.M., MOULIN J.J., MEYER-BISCH C., MASSIN N., COULON J.P. & LOULERGUE J. (1987) Mortality of aluminium reduction plant workers in France. *Int J Epidemiol*, **16**(2): 257-264.

MUR J.M., WILD P., RAPP R., VAUTRIN J.P. & COULON J.P. (1998) Demographic evaluation of the fertility of aluminium industry workers: influence of exposure to heat and static magnetic fields. *Hum Reprod*, **13**(7): 2016-2019.

MURAKAMI J., TORII Y. & MASUDA K. (1992) Fetal development of mice following intrauterine exposure to a static magnetic field of 6.3 T. *Magn Reson Imaging*, **10**(3): 433-437.

MURAYAMA M. (1965) Orientation of sickled erythrocytes in a magnetic field. *Nature*, **206**(982): 420-422.

- MYERS C., DUNCAN K.R., GOWLAND P.A., JOHNSON I.R. & BAKER P.N. (1998) Failure to detect intrauterine growth restriction following in utero exposure to MRI. *Br J Radiol*, **71**(845): 549-551.
- NAKAGAWA M. (1978) [Changes of the cardiovascular system of rabbits subjected to static magnetic field of 600 Oe (author's transl)]. *Sangyo Igaku*, **20**(2): 112-113.
- NAKAGAWA M. (1984) Detection of electrophysiological responses in rabbits affected by short-term exposure to static magnetic field. *Nippon Eiseigaku Zasshi*, **38**(6): 899-908.
- NAKAGAWA M. & MATSUDA Y. (1988) A strong static-magnetic field alters operant responding by rats. *Bioelectromagnetics*, **9**(1): 25-37.
- NAKAHARA T., YAGUCHI H., YOSHIDA M. & MIYAKOSHI J. (2002) Effects of exposure of CHO-K1 cells to a 10-T static magnetic field. *Radiology*, **224**(3): 817-822.
- NAKAOKA Y., TAKEDA R. & SHIMIZU K. (2002) Orientation of Paramecium swimming in a DC magnetic field. *Bioelectromagnetics*, **23**(8): 607-613.
- NARRA V.R., HOWELL R.W., GODDU S.M. & RAO D.V. (1996) Effects of a 1.5-Tesla static magnetic field on spermatogenesis and embryogenesis in mice. *Invest Radiol*, **31**(9): 586-590.
- NEURATH P.W. (1968) High gradient magnetic field inhibits embryonic development of frogs. *Nature*, **219**(161): 1358-1359.
- NGO F.Q., BLUE J.W. & ROBERTS W.K. (1987) The effects of a static magnetic field on DNA synthesis and survival of mammalian cells irradiated with fast neutrons. *Magn Reson Med*, **5**(4): 307-317.
- NIKOL'SKAIA K.A., ESHCHENKO O.V. & SHPIN'KOVA V.N. (2000) [Magnetic field and alcohol addiction]. *Biofizika*, **45**(5): 941-946.
- NIKOLSKAIA K. & ECHENKO O. (2002) Alcohol addiction as the result of cognitive activity in altered natural magnetic field. *Electromagnetic Biol Med*, **21**(1): 1-18.
- NIKOLSKAIA K.A., YESHCHENKO O.V. & PRATUSEVICH V. (1999) The opioid system and magnetic field perception. *Electro Magnetobiol*, **18**(3): 277-290.

NOBLE, D., MCKINLAY, A., REPACHOLI, M., & eds. (2005) Effects of static magnetic fields relevant to human health. *Prog Biophys Mol Biol*, **87**(2-3).

NOLTE C.M., PITTMAN D.W., KALEVITCH B., HENDERSON R. & SMITH J.C. (1998) Magnetic field conditioned taste aversion in rats. *Physiol Behav*, **63**(4): 683-688.

NORIMURA T., IMADA H., KUNUGITA N., YOSHIDA N. & NIKAIDO M. (1993) Effects of strong magnetic fields on cell growth and radiation response of human T-lymphocytes in culture. *J UOEH*, **15**(2): 103-112.

NOSSOL B., BUSE G. & SILNY J. (1993) Influence of weak static and 50 Hz magnetic fields on the redox activity of cytochrome-C oxidase. *Bioelectromagnetics*, **14**(4): 361-372.

NRPB - NATIONAL RADIOLOGICAL PROTECTION BOARD (1993) Restrictions on human exposure to static and time varying electromagnetic fields and radiation: scientific basis and recommendations for the implementation of the Board's Statement. *Docs NRPB*, **4**(5).

OHKUBO C. & XU S. (1997) Acute effects of static magnetic fields on cutaneous microcirculation in rabbits. *In Vivo*, **11**(3): 221-225.

OKANO H., GMITROV J. & OHKUBO C. (1999) Biphasic effects of static magnetic fields on cutaneous microcirculation in rabbits. *Bioelectromagnetics*, **20**(3): 161-171.

OKANO H., MASUDA H. & OHKUBO C. (2005a) Decreased plasma levels of nitric oxide metabolites, angiotensin II, and aldosterone in spontaneously hypertensive rats exposed to 5 mT static magnetic field. *Bioelectromagnetics*, **26**(3): 161-172.

OKANO H., MASUDA H. & OHKUBO C. (2005b) Effects of 25 mT static magnetic field on blood pressure in reserpine-induced hypotensive Wistar-Kyoto rats. *Bioelectromagnetics*, **26**(1): 36-48.

OKANO H. & OHKUBO C. (2001) Modulatory effects of static magnetic fields on blood pressure in rabbits. *Bioelectromagnetics*, **22**(6): 408-418.

OKANO H. & OHKUBO C. (2003a) Anti-pressor effects of whole-body exposure to static magnetic field on pharmacologically induced hypertension in conscious rabbits. *Bioelectromagnetics*, **24** 139-147.

OKANO H. & OHKUBO C. (2003b) Effects of static magnetic fields on plasma levels of angiotensin II and aldosterone associated with arterial blood pressure in genetically hypertensive rats. *Bioelectromagnetics*, **24**(6): 403-412.

OKAZAKI M., KON K., MAEDA N. & SHIGA T. (1988) Distribution of erythrocyte in a model vessel exposed to inhomogeneous magnetic fields. *Physiol Chem Phys Med NMR*, **20**(1): 3-14.

OKAZAKI M., SEIYAMA A., KON K., MAEDA N. & SHIGA T. (1991) Boycott effect with vertical cylinder for paramagnetic red blood cells under the inhomogeneous magnetic field. *J Coll Interface Sci*, **146**(2): 590-593.

OKAZAKI R., OOTSUYAMA A., UCHIDA S. & NORIMURA T. (2001) Effects of a 4.7 T static magnetic field on fetal development in ICR mice. *J Radiat Res (Tokyo)*, **42**(3): 273-283.

OKONOGI H., NAKAGAWA M. & TSUJI Y. (1996) The effects of a 4.7 tesla static magnetic field on the frequency of micronucleated cells induced by mitomycin C. *Tohoku J Exp Med*, **180**(3): 209-215.

OKUNO K., FUJINAMI R., ANO T. & SHODA M. (2001) Disappearance of growth advantage in stationary phase (GASP) phenomenon under a high magnetic field. *Bioelectrochemistry*, **53**(2): 165-169.

OLCESE J. & HURLBUT E. (1989) Comparative studies on the retinal dopamine response to altered magnetic fields in rodents. *Brain Res*, **498**(1): 145-148.

OLCESE J. & REUSS S. (1986) Magnetic field effects on pineal gland melatonin synthesis: comparative studies on albino and pigmented rodents. *Brain Res*, **369**(1-2): 365-368.

OLCESE J., REUSS S., STEHLE J., STEINLECHNER S. & VOLLRATH L. (1988) Responses of the mammalian retina to experimental alteration of the ambient magnetic field. *Brain Res*, **448**(2): 325-330.

OLCESE J., REUSS S. & VOLLRATH L. (1985) Evidence for the involvement of the visual system in mediating magnetic field effects on pineal melatonin synthesis in the rat. *Brain Res*, **333**(2): 382-384.

ONODERA H., JIN Z., CHIDA S., SUZUKI Y., TAGO H. & ITOYAMA Y. (2003) Effects of 10-T static magnetic field on human peripheral blood immune cells. *Radiat Res*, **159**(6): 775-779.

OSBAKKEN M., GRIFFITH J. & TACZANOWSKY P. (1986) A gross morphologic, histologic, hematologic, and blood chemistry study of adult and neonatal mice chronically exposed to high magnetic fields. *Magn Reson Med*, **3**(4): 502-517.

OSSENKOPP K.P., INNIS N.K., PRATO F.S. & SESTINI E. (1986) Behavioral effects of exposure to nuclear magnetic resonance imaging: I. Open-field behavior and passive avoidance learning in rats. *Magn Reson Imaging*, **4**(4): 275-280.

OSSENKOPP K.P., KAVALIERS M., PRATO F.S., TESKEY G.C., SESTINI E. & HIRST M. (1985) Exposure to nuclear magnetic resonance imaging procedure attenuates morphine-induced analgesia in mice. *Life Sci*, **37**(16): 1507-1514.

OSUGA T. & TATSUOKA H. (1999) Effect of 1.5 T steady magnetic field on neuroconduction of a bullfrog sciatic nerve in a partially active state within several hours after extraction. *Magn Reson Imaging*, **17**(5): 791-794.

PACINI S., ATERINI S., PACINI P., RUGGIERO C., GULISANO M. & RUGGIERO M. (1999a) Influence of static magnetic field on the antiproliferative effects of vitamin D on human breast cancer cells. *Oncol Res*, **11**(6): 265-271.

PACINI S., VANNELLI G.B., BARNI T., RUGGIERO M., SARDI I., PACINI P. & GULISANO M. (1999b) Effect of 0.2 T static magnetic field on human neurons: remodeling and inhibition of signal transduction without genome instability. *Neurosci Lett*, **267**(3): 185-188.

PAPADOPULOS M.A., HORLER I., GERBER H., RAHN B.A. & RAKOSI T. (1992) [The effect of static magnetic fields on osteoblast activity: an in- vitro study]. *Fortschr Kieferorthop*, **53**(4): 218-222.

PAPATHEOFANIS F.J. (1990) Use of calcium channel antagonists as magnetoprotective agents. *Radiat Res*, **122**(1): 24-28.

PAPATHEOFANIS F.J. & Papatheofanis B.J. (1989a) Acid and alkaline phosphatase activity in bone following intense magnetic field irradiation of short duration. *Int J Radiat Biol*, **55**(6): 1033-1035.

PAPATHEOFANIS F.J. & PAPATHEOFANIS B.J. (1989b) Short-term effect of exposure to intense magnetic fields on hematologic indices of bone metabolism. *Invest Radiol*, **24**(3): 221-223.

PARAFINIUK M., GORCZYNSKA E., GUTSCH A. & PARAFINIUK W. (1992) Effect of constant magnetic field on the liver of guinea pig. Electron microscopic studies. *Folia Histochem Cytobiol*, **30**(3): 119-123.

PARK L. (2000) *Voodoo science: the road from foolishness to fraud*. New York, NY: Oxford University Press.

PATE K., BENGHUZZI H., TUCCI M., PUCKETT A. & CASON Z. (2003) Morphological evaluation of MRC-5 fibroblasts after stimulation with static magnetic field and pulsating electromagnetic field. *Biomed Sci Instrum*, **39** 460-465.

PAUL F., ROATH S. & MELVILLE D. (1978) Differential blood cell separation using a high gradient magnetic field. *Br J Haematol*, **38**(2): 273-280.

PETERSON H.P., VON WANGENHEIM K.H. & FEINENDEGEN L.E. (1992) Magnetic field exposure of marrow donor mice can increase the number of spleen colonies (CFU-S 7d) in marrow recipient mice. *Radiat Environ Biophys*, **31**(1): 31-38.

PHILLIPS J.B. (1996) Magnetic navigation. *J Theor Biol*, **180** 309-319.

PHILLIPS J.B., DEUTSCHLANDER M.E., FREAKE M.J. & BORLAND S.C. (2001) The role of extraocular photoreceptors in newt magnetic compass orientation: parallels between light-dependent magnetoreception and polarized light detection in vertebrates. *J Exp Biol*, **204**(Pt 14): 2543-2552.

PHILLIPS J.B., FREAKE M.J., FISCHER J.H. & BORLAND C. (2002) Behavioral titration of a magnetic map coordinate. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol*, **188**(2): 157-160.

PIATTI E., CRISTINA A.M., BAFFONE W., FRATERNALE D., CITTERIO B., PIERA P.M., DACHA M., VETRANO F. & ACCORSI A. (2002) Antibacterial effect of a magnetic field on *Serratia marcescens* and related virulence to *Hordeum vulgare* and *Rubus fruticosus* callus cells. *Comp Biochem Physiol B Biochem Mol Biol*, **132**(2): 359-365.

POLK C., POSTOW E. & EDS. (1996) *Biological effects of electromagnetic fields*. Boca Raton, FL: CRC Press.

POYNTON C.H., DICKE K.A., CULBERT S., FRANKEL L.S., JAGANNATH S. & READING C.L. (1983) Immunomagnetic removal of CALLA positive cells from human bone marrow. *Lancet*, **1**(8323): 524.

PRASAD N., BUSHONG S.C., THORNBY J.I., BRYAN R.N., HAZLEWOOD C.F. & HARRELL J.E. (1984) Effect of nuclear magnetic resonance on chromosomes of mouse bone marrow cells. *Magn Reson Imaging*, **2**(1): 37-39.

PRASAD N., WRIGHT D.A., FORD J.J. & THORNBY J.I. (1990) Safety of 4-T MR imaging: study of effects on developing frog embryos. *Radiology*, **174**(1): 251-253.

PRASAD N., WRIGHT D.A. & FORSTER J.D. (1982) Effect of nuclear magnetic resonance on early stages of amphibian development. *Magn Reson Imaging*, **1**(1): 35-38.

PRATO F.S., FRAPPIER J.R., SHIVERS R.R., KAVALIERS M., ZABEL P., DROST D. & LEE T.Y. (1990) Magnetic resonance imaging increases the blood-brain barrier permeability to 153-gadolinium diethylenetriaminepentaacetic acid in rats. *Brain Res*, **523**(2): 301-304.

PRATO F.S., KAVALIERS M., CULLEN A.P. & THOMAS A.W. (1997) Light-dependent and -independent behavioral effects of extremely low frequency magnetic fields in a land snail are consistent with a parametric resonance mechanism. *Bioelectromagnetics*, **18**(3): 284-291.

PRATO F.S., WILLS J.M., ROGER J., FRAPPIER H., DROST D.J., LEE T.Y., SHIVERS R.R. & ZABEL P. (1994) Blood-brain barrier permeability in rats is altered by exposure to magnetic fields associated with magnetic resonance imaging at 1.5 T. *Microsc Res Tech*, **27**(6): 528-534.

PREECE A.W., WESNES K.A. & IWI G.R. (1998) The effect of a 50 Hz magnetic field on cognitive function in humans. *Int J Radiat Biol*, **74**(4): 463-470.

PTITSYNA N.G., VILLORESI G., DORMAN L.I., IUCCI N. & TYASTO M.I. (1998) Natural and man-made low-frequency magnetic fields as a potential health hazard. *Physics Uspekhi*, **41** 687-709.

RAMIREZ E., MONTEAGUDO J.L., GARCIA-GRACIA M. & DELGADO J.M. (1983) Oviposition and development of *Drosophila* modified by magnetic fields. *Bioelectromagnetics*, **4**(4): 315-326.

- RAYBOURN M.S. (1983) The effects of direct-current magnetic fields on turtle retinas in vitro. *Science*, **220**(4598): 715-717.
- RAYLMAN R.R., CLAVO A.C., CRAWFORD S.C., RECKER B. & WAHL R.L. (1997) Magnetically-enhanced radionuclide therapy (MERiT): in vitro evaluation. *Int J Radiat Oncol Biol Phys*, **37**(5): 1201-1206.
- RAYLMAN R.R., CLAVO A.C. & WAHL R.L. (1996) Exposure to strong static magnetic field slows the growth of human cancer cells in vitro. *Bioelectromagnetics*, **17**(5): 358-363.
- REINA F.G. & PASCUAL L.A. (2001) Influence of a stationary magnetic field on water relations in lettuce seeds. Part I: theoretical considerations. *Bioelectromagnetics*, **22**(8): 589-595.
- REINA F.G., PASCUAL L.A. & FUNDORA I.A. (2001) Influence of a stationary magnetic field on water relations in lettuce seeds. Part II: experimental results. *Bioelectromagnetics*, **22**(8): 596-602.
- RENO V.R. & BEISCHER D.E. (1966) Cardiac excitability in high magnetic fields. *Aerosp Med*, **37**(12): 1229-1232.
- REPACHOLI M.H. & CARDIS E. (1997) Criteria for health risk assessment. *Rad Prot Dos*, **72**(3-4): 305-312.
- REUSS S. & OLCESE J. (1986) Magnetic field effects on the rat pineal gland: role of retinal activation by light. *Neurosci Lett*, **64**(1): 97-101.
- REUSS S., SEMM P. & VOLLRATH L. (1983) Different types of magnetically sensitive cells in the rat pineal gland. *Neurosci Lett*, **40**(1): 23-26.
- RICHARDSON B.A., YAGA K., REITER R.J. & MORTON D.J. (1992) Pulsed static magnetic field effects on in-vitro pineal indoleamine metabolism. *Biochim Biophys Acta*, **1137**(1): 59-64.
- RITZ T., ADEM S. & SCHULTEN K. (2000) A model for photoreceptor-based magnetoreception in birds. *Biophys J*, **78**(2): 707-718.
- RITZ T., DOMMER D.H. & PHILLIPS J.B. (2002) Shedding light on vertebrate magnetoreception. *Neuron*, **34**(4): 503-506.
- ROCKETTE H.E. & ARENA V.C. (1983) Mortality studies of aluminum reduction plant workers: potroom and carbon department. *J Occup Med*, **25**(7): 549-557.

ROCKWELL S. (1977) Influence of a 1400-gauss magnetic field on the radiosensitivity and recovery of EMT6 cells in vitro. *Int J Radiat Biol Relat Stud Phys Chem Med*, **31**(2): 153-160.

ROFSKY N.M., PIZZARELLO D.J., DUHANEY M.O., FALICK A.K., PRENDERGAST N. & WEINREB J.C. (1995) Effect of magnetic resonance exposure combined with gadopentetate dimeglumine on chromosomes in animal specimens. *Acad Radiol*, **2**(6): 492-496.

RØNNEBERG A. (1995) Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--Part I: Exposure assessment. *Occup Environ Med*, **52**(4): 242-249.

RØNNEBERG A. & ANDERSEN A. (1995) Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--Part II: Cancer morbidity. *Occup Environ Med*, **52**(4): 250-254.

RØNNEBERG A., HALDORSEN T., ROMUNDSTAD P. & ANDERSEN A. (1999) Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand J Work Environ Health*, **25**(3): 207-214.

ROSEN A.D. (1992) Magnetic field influence on acetylcholine release at the neuromuscular junction. *Am J Physiol*, **262**(6 Pt 1): C1418-C1422.

ROSEN A.D. (1993) Membrane response to static magnetic fields: effect of exposure duration. *Biochim Biophys Acta*, **1148**(2): 317-320.

ROSEN A.D. (1994) Threshold and limits of magnetic field action at the presynaptic membrane. *Biochim Biophys Acta*, **1193**(1): 62-66.

ROSEN A.D. (1996) Inhibition of calcium channel activation in GH3 cells by static magnetic fields. *Biochim Biophys Acta*, **1282**(1): 149-155.

ROSEN A.D. (2003a) Effect of a 125 mT static magnetic field on the kinetics of voltage activated Na⁺ channels in GH3 cells. *Bioelectromagnetics*, **24**(7): 517-523.

ROSEN A.D. (2003b) Mechanism of action of moderate-intensity static magnetic fields on biological systems. *Cell Biochem Biophys*, **39**(2): 163-173.

ROSEN A.D. & LUBOWSKY J. (1987) Magnetic field influence on central nervous system function. *Exp Neurol*, **95**(3): 679-687.

- ROSEN A.D. & LUBOWSKY J. (1990) Modification of spontaneous unit discharge in the lateral geniculate body by a magnetic field. *Exp Neurol*, **108**(3): 261-265.
- ROSEN M.S. & ROSEN A.D. (1990) Magnetic field influence on paramecium motility. *Life Sci*, **46**(21): 1509-1515.
- ROSSNER P. & MATEJKA M. (1977) Potential genetic risks from stationary magnetic field. *J Hyg Epidemiol Microbiol Immunol*, **21**(4): 465-467.
- RUDOLPH K., WIRZ-JUSTICE A., KRAUCHI K. & FEER H. (1988) Static magnetic fields decrease nocturnal pineal cAMP in the rat. *Brain Res*, **446**(1): 159-160.
- SABO J., MIROSSAY L., HOROVCAK L., SARISSKY M., MIROSSAY A. & MOJZIS J. (2002) Effects of static magnetic field on human leukemic cell line HL-60. *Bioelectrochemistry*, **56**(1-2): 227-231.
- SACKS E., WORGUL B.V., MERRIAM G.R., JR. & HILAL S. (1986) The effects of nuclear magnetic resonance imaging on ocular tissues. *Arch Ophthalmol*, **104**(6): 890-893.
- SAKHNINI L. & KHUZAIE R. (2001) Magnetic behavior of human erythrocytes at different hemoglobin states. *Eur Biophys J*, **30**(6): 467-470.
- SAKURAI H., OKUNO K., KUBO A., NAKAMURA K. & SHODA M. (1999) Effect of a 7-tesla homogeneous magnetic field on mammalian cells. *Bioelectrochem Bioenerg*, **49**(1): 57-63.
- SALERNO S., LO C.A., CACCAMO N., D'ANNA C., DE MARIA M., LAGALLA R., SCOLA L. & CARDINALE A.E. (1999) Static magnetic fields generated by a 0.5 T MRI unit affects in vitro expression of activation markers and interleukin release in human peripheral blood mononuclear cells (PBMC). *Int J Radiat Biol*, **75**(4): 457-463.
- SANTINI M.T., CAMETTI C., STRAFACE E., GRANDOLFO M. & INDOVINA P.L. (1994) A static magnetic field does not affect the dielectric properties of chick embryo myoblast membranes. *Int J Radiat Biol*, **65**(2): 277-284.
- SATO K., YAMAGUCHI H., MIYAMOTO H. & KINOUCI Y. (1992) Growth of human cultured cells exposed to a non-homogeneous static magnetic field generated by Sm-Co magnets. *Biochim Biophys Acta*, **1136**(3): 231-238.

SATO T., YAMADA Y., SAIJO S., HORI T., HIROSE R., TANAKA N., SAZAKI G., NAKAJIMA K., IGARASHI N., TANAKA M. & MATSUURA Y. (2000) Enhancement in the perfection of orthorhombic lysozyme crystals grown in a high magnetic field (10 T). *Acta Crystallogr D Biol Crystallogr*, **56** (Pt 8) 1079-1083.

SATOH M., TSUJI Y., WATANABE Y., OKONOGI H., SUZUKI Y., NAKAGAWA M. & SHIMIZU H. (1996) Metallothionein content increased in the liver of mice exposed to magnetic fields. *Arch Toxicol*, **70**(5): 315-318.

SATOW Y., MATSUNAMI K., KAWASHIMA T., SATAKE H. & HUDA K. (2001) A strong constant magnetic field affects muscle tension development in bullfrog neuromuscular preparations. *Bioelectromagnetics*, **22**(1): 53-59.

SCHENCK J.F. (1992) Health and physiological effects of human exposure to whole-body four-tesla magnetic fields during MRI. *Ann N Y Acad Sci*, **649** 285-301.

SCHENCK J.F. (2000) Safety of strong, static magnetic fields. *J Magn Reson Imaging*, **12**(1): 2-19.

SCHENCK J.F. (2005) Physical interactions of static magnetic fields with living tissues. *Prog Biophys Mol Biol*, **87**(2-3): 185-204.

SCHENCK J.F., DUMOULIN C.L., REDINGTON R.W., KRESSEL H.Y., ELLIOTT R.T. & MCDUGALL I.L. (1992) Human exposure to 4.0-Tesla magnetic fields in a whole-body scanner. *Med Phys*, **19**(4): 1089-1098.

SCHIFFER I.B., SCHREIBER W.G., GRAF R., SCHREIBER E.M., JUNG D., ROSE D.M., HEHN M., GEBHARD S., SAGEMULLER J., SPIESS H.W., OESCH F., THELEN M. & HENGSTLER J.G. (2003) No influence of magnetic fields on cell cycle progression using conditions relevant for patients during MRI. *Bioelectromagnetics*, **24**(4): 241-250.

SCHMIDT F., MANNSAKER T. & LOVLIE R. (1999) [Creatinine and calcium in urine and blood after brief exposure to magnetic fields]. *Tidsskr Nor Laegeforen*, **119**(4): 491-494.

SCHMITT F., STEHLING M.K. & TURNER R. (1998) *Echo-planar imaging. Theory, technique and application*. New York, NY: Springer.

SCHNEEWEISS F.H., SHARAN R.N. & FEINENDEGEN L.E. (1995) Change of ADP-ribosylation in human kidney T1-cells by various external stimuli. *Indian J Biochem Biophys*, **32**(3): 119-124.

SCHREIBER W.G., TEICHMANN E.M., SCHIFFER I., HAST J., AKBARI W., GEORGI H., GRAF R., HEHN M., SPIEBETA H.W., THELEN M., OESCH F. & HENGSTLER J.G. (2001) Lack of mutagenic and co-mutagenic effects of magnetic fields during magnetic resonance imaging. *J Magn Reson Imaging*, **14**(6): 779-788.

SCHULTEN K. (1982) Magnetic field effects in chemistry and biology. In: *Festkörperprobleme (Advanced Solid State Physics)*, vol. 22 (ed. Treusch, J.), pp. 61-83. Braunschweig: Vieweg.

SCHWARTZ J.L. (1978) Influence of a constant magnetic field on nervous tissues: I. Nerve conduction velocity studies. *IEEE Trans Biomed Eng*, **25**(5): 467-473.

SCHWARTZ J.L. (1979) Influence of a constant magnetic field on nervous tissues: II. Voltage-clamp studies. *IEEE Trans Biomed Eng*, **26** 238-243.

SEGAL N.A., TODA Y., HUSTON J., SAEKI Y., SHIMIZU M., FUCHS H., SHIMAOKA Y., HOLCOMB R. & MCLEAN M.J. (2001) Two configurations of static magnetic fields for treating rheumatoid arthritis of the knee: a double-blind clinical trial. *Arch Phys Med Rehabil*, **82**(10): 1453-1460.

SEMM P., SCHNEIDER T. & VOLLRATH L. (1980) Effects of an earth-strength magnetic field on electrical activity of pineal cells. *Nature*, **288**(5791): 607-608.

SHELLOCK F.G. & CRUES J.V. (1987) Temperature, heart rate, and blood pressure changes associated with clinical MR imaging at 1.5 T. *Radiology*, **163**(1): 259-262.

SHELLOCK F.G., SCHAEFER D.J. & CRUES J.V. (1989) Exposure to a 1.5-T static magnetic field does not alter body and skin temperatures in man. *Magn Reson Med*, **11**(3): 371-375.

SHELLOCK F.G., SCHAEFER D.J. & GORDON C.J. (1986) Effect of a 1.5 T static magnetic field on body temperature of man. *Magn Reson Med*, **3**(4): 644-647.

SHIGA T., OKAZAKI O., SEIYAMA A. & MAEDA N. (1993) Paramagnetic attraction of erythrocyte flow due to inhomogeneous magnetic field. *Bioelectrochem Bioenerg*, **30** 181-188.

SHIVERS R.R., KAVALIERS M., TESKEY G.C., PRATO F.S. & PELLETIER R.M. (1987) Magnetic resonance imaging temporarily alters blood-brain barrier permeability in the rat. *Neurosci Lett*, **76**(1): 25-31.

SHORT W.O., GOODWILL L., TAYLOR C.W., JOB C., ARTHUR M.E. & CRESS A.E. (1992) Alteration of human tumor cell adhesion by high-strength static magnetic fields. *Invest Radiol*, **27**(10): 836-840.

SHUVALOVA L.A., OSTROVSKAIA M.V., SOSUNOV E.A. & LEDNEV V.V. (1991) [The effect of a weak magnetic field in the paramagnetic resonance mode on the rate of the calmodulin-dependent phosphorylation of myosin in solution]. *Dokl Akad Nauk SSSR*, **317**(1): 227-230.

SIKOV M.R., MAHLUM D.D., MONTGOMERY L.D. & DECKER J.R. (1979) Development of mice after intrauterine exposure to direct-current magnetic fields. In: *Biological effects of extremely low frequency electromagnetic fields* (eds. Phillips, R. D., Gillis, M. F., Kaune, W. T. & Mahlum, D. D.), pp. 462-473. Springfield, VA: U.S. Department of Energy, National Technical Information Service.

SIMON J.H. & SZUMOWSKI J. (1992) Proton (fat/water) chemical shift imaging in medical magnetic resonance imaging. Current status. *Invest Radiol*, **27**(10): 865-874.

SKOTTE J.H. & HJOLLUND H.I. (1997) Exposure of welders and other metal workers to ELF magnetic fields. *Bioelectromagnetics*, **18**(7): 470-477.

SKYBERG K., HANSTEEN I.L. & VISTNES A.I. (1993) Chromosome aberrations in lymphocytes of high-voltage laboratory cable splicers exposed to electromagnetic fields. *Scand J Work Environ Health*, **19**(1): 29-34.

SMIRNOVA N.P., KLIMOVSKAIA L.D. & D'IAKONOV A.S. (1982) [Significance of magnetic field parameters for altering brain evoked bioelectrical activity]. *Kosm Biol Aviakosm Med*, **16**(4): 61-63.

SNYDER D.J., JAHNG J.W., SMITH J.C. & HOUP T.A. (2000) c-Fos induction in visceral and vestibular nuclei of the rat brain stem by a 9.4 T magnetic field. *Neuroreport*, **11**(12): 2681-2685.

SONNIER H., KOLOMYTKIN O. & MARINO A. (2003) Action potentials from human neuroblastoma cells in magnetic fields. *Neurosci Lett*, **337**(3): 163-166.

SONNIER H., KOLOMYTKIN O.V. & MARINO A.A. (2000) Resting potential of excitable neuroblastoma cells in weak magnetic fields. *Cell Mol Life Sci*, **57**(3): 514-520.

SPINELLI J.J., BAND P.R., SVIRCHEV L.M. & GALLAGHER R.P. (1991) Mortality and cancer incidence in aluminum reduction plant workers. *J Occup Med*, **33**(11): 1150-1155.

STANFORD LINEAR ACCELERATOR CENTER (1970) Limits on human exposure to static magnetic fields. Palo Alto, CA: Stanford Linear Accelerator Center.

STANSELL M.J., WINTERS W.D., DOE R.H. & DART B.K. (2001) Increased antibiotic resistance of *E. coli* exposed to static magnetic fields. *Bioelectromagnetics*, **22**(2): 129-137.

STASIUK G.A. (1974) [Effect of a steady magnetic field on *Mycobacterium tuberculosis*]. *Probl Tuberk*, **0**(7): 75-77.

STEGEMANN S., ALTMAN K.I., MUHLENSIEPEN H. & FEINENDEGEN L.E. (1993) Influence of a stationary magnetic field on acetylcholinesterase in murine bone marrow cells. *Radiat Environ Biophys*, **32**(1): 65-72.

STEHLE J., REUSS S., SCHRODER H., HENSCHER M. & VOLLRATH L. (1988) Magnetic field effects on pineal N-acetyltransferase activity and melatonin content in the gerbil--role of pigmentation and sex. *Physiol Behav*, **44**(1): 91-94.

STEPANIAN R.S., BARSEGHIAN A.A., ALAVERDIAN Z., OGANESIAN G.G., MARKOSIAN L.S. & AIRAPETIAN S.N. (2000) [The effect of magnetic fields on the growth and division of the lon mutant of *Escherichia coli* K-12]. *Radiats Biol Radioecol*, **40**(3): 319-322.

STEYN P.F., RAMEY D.W., KIRSCHVINK J. & UHRIG J. (2000) Effect of a static magnetic field on blood flow to the metacarpus in horses. *J Am Vet Med Assoc*, **217**(6): 874-877.

STICK C., HINKELMANN K., EGGERT P. & WENDHAUSEN H. (1991) [Do strong static magnetic fields in NMR tomography modify tissue perfusion?]. *Rofu Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, **154**(3): 326-331.

STOJAN L., SPERBER D. & DRANSFELD K. (1990) Influence of high steady magnetic fields on the electrical activity of the electric fish *Apteronotus*. *Z Naturforsch [C]*, **45**(3-4): 303-305.

STRICKMAN D., TIMBERLAKE B., ESTRADA-FRACO J., WEISSMAN M., FENIMORE P.W. & NOVAK R.J. (2000) Effects of magnetic fields on mosquitoes. *J Am Mosq Control Assoc*, **16**(2): 131-137.

STUCHLY M.A. (1986) Human exposure to static and time-varying magnetic fields. *Health Phys*, **51**(2): 215-225.

STUCHLY M.A. & DAWSON T.W. (2000) Interaction of low frequency electric and magnetic fields with the human body. *Proc IEEE*, **88** 643-646.

STUCHLY M.A. & LECUYER D.W. (1987) Survey of static magnetic fields around magnetic resonance imaging devices. *Health Phys*, **53**(3): 321-324.

SUD V.K. & SEKHON G.S. (1989) Blood flow through the human arterial system in the presence of a steady magnetic field. *Phys Med Biol*, **34**(7): 795-805.

SUD V.K., SURI P.K. & MISHRA R.K. (1978) Laminar flow of blood in an elastic tube in the presence of a magnetic field. *Stud Biophys*, **69** 175-186.

SUNDARAM N.M., ASHOK M. & KALKURA S.N. (2002) Observation of cholesterol nucleation in a magnetic field. *Acta Crystallogr D Biol Crystallogr*, **58**(Pt 10 Pt 1): 1711-1714.

SUOMI R. & KOCEJA D.M. (2001) Effect of magnetic insoles on postural sway measures in men and women during a static balance test. *Percept Mot Skills*, **92**(2): 469-476.

SUTTER B.C., BILLAUDEL B., SUTTER-DUB M.T. & BELLOSSI A. (1987) Effects of constant magnetic fields on the B-cells and insulin target cells in the rat. *Aviat Space Environ Med*, **58**(6): 537-540.

SUZUKI Y., IKEHATA M., NAKAMURA K., NISHIOKA M., ASANUMA K., KOANA T. & SHIMIZU H. (2001) Induction of micronuclei in mice exposed to static magnetic fields. *Mutagenesis*, **16**(6): 499-501.

SWANSON J. (1994) Measurement of static magnetic fields in homes in the UK and their implication for epidemiological studies of exposure to alternating magnetic fields. *J Radiol Prot*, **14**(1): 67-75.

SWEETLAND J., KERTESZ A., PRATO F.S. & NANTAU K. (1987) The effect of magnetic resonance imaging on human cognition. *Magn Reson Imaging*, **5**(2): 129-135.

TABLADO L., PEREZ-SANCHEZ F., NUNEZ J., NUNEZ M. & SOLER C. (1998) Effects of exposure to static magnetic fields on the morphology and morphometry of mouse epididymal sperm. *Bioelectromagnetics*, **19**(6): 377-383.

TABLADO L., PEREZ-SANCHEZ F. & SOLER C. (1996) Is sperm motility maturation affected by static magnetic fields? *Environ Health Perspect*, **104**(11): 1212-1216.

TABLADO L., SOLER C., NUNEZ M., NUNEZ J. & PEREZ-SANCHEZ F. (2000) Development of mouse testis and epididymis following intrauterine exposure to a static magnetic field. *Bioelectromagnetics*, **21**(1): 19-24.

TAKATSUJI T., SASAKI M.S. & TAKEKOSHI H. (1989) Effect of static magnetic field on the induction of chromosome aberrations by 4.9 MeV protons and 23 MeV alpha particles. *J Radiat Res (Tokyo)*, **30**(3): 238-246.

TAKESHIGE C. & SATO M. (1996) Comparisons of pain relief mechanisms between needling to the muscle, static magnetic field, external qigong and needling to the acupuncture point. *Acupunct Electrother Res*, **21**(2): 119-131.

TAMAKI T., YOSHIOKA T. & NAKANO S. (1987) Effect of magnetic field on the contractility and glycogen content in neuromuscular preparation. *Tokai J Exp Clin Med*, **12**(1): 55-59.

TAOKA S., PADMAKUMAR R., GRISSOM C.B. & BANERJEE R. (1997) Magnetic field effects on coenzyme B12-dependent enzymes: validation of ethanolamine ammonia lyase results and extension to human methylmalonyl CoA mutase. *Bioelectromagnetics*, **18**(7): 506-513.

TARABAN M.B. & LESHINA T.V. (1997) Magnetic field dependence of electron transfer and the role of electron spin in heme enzymes: horseradish peroxidase. *J Am Chem Soc*, **119**: 5768-5769.

TAUSCH-TREML R., SCHERER H., GEWIESE B. & ZIESSOW D. (1989) [Effect of static magnetic fields on the acoustic action potential of the cochlea in guinea pigs]. *Naturwissenschaften*, **76**(3): 114-117.

TEICHMANN E.M., HENGSTLER J.G., SCHREIBER W.G., AKBARI W., GEORGI H., HEHN M., SCHIFFER I., OESCH F., SPIESS H.W. & THELEN M. (2000) [Possible mutagenic effects of magnetic fields]. *Rof Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, **172**(11): 934-939.

TENFORDE T.S. (1985) Mechanisms for biological effects of magnetic fields. In: *Biological effects and dosimetry of static and ELF electromagnetic fields* (eds. Grandolfo, M., Michaelson, S. M. & Rindi, A.), pp. 71-92. New York, London: Plenum Press.

TENFORDE T.S. (2005) Magnetically induced electric fields and currents in the circulatory system. *Prog Biophys Mol Biol*, **87**(2-3): 279-288.

TENFORDE T.S. & BUDINGER T.F. (1986) Biological effects and physical safety aspects of NMR imaging and in vivo spectroscopy. In: *NMR in medicine: Instrumentation and clinical applications* (eds. Thomas, S. R. & Dixon, R. L.), pp. 493-548. New York: American Association of Physicists in Medicine.

TENFORDE T.S., GAFFEY C.T., MOYER B.R. & BUDINGER T.F. (1983) Cardiovascular alterations in Macaca monkeys exposed to stationary magnetic fields: experimental observations and theoretical analysis. *Bioelectromagnetics*, **4**(1): 1-9.

TENFORDE T.S. & LIBURDY R.P. (1988) Magnetite deformation of phospholipid bilayers - effects on liposome shape and solute permeability at prephase transition temperatures. *J Theor Biol*, **133** 385-396.

TENFORDE T.S. & SHIFRINE M. (1984) Assessment of the immune responsiveness of mice exposed to a 1.5-Tesla stationary magnetic field. *Bioelectromagnetics*, **5**(4): 443-446.

TENGKU B.S., JOSEPH B.K., HARBROW D., TAVERNE A.A. & SYMONS A.L. (2000) Effect of a static magnetic field on orthodontic tooth movement in the rat. *Eur J Orthod*, **22**(5): 475-487.

TEODORI L., GRABAREK J., SMOLEWSKI P., GHIBELLI L., BERGAMASCHI A., DE NICOLA M. & DARZYNKIEWICZ Z. (2002) Exposure of cells to static magnetic field accelerates loss of integrity of plasma membrane during apoptosis. *Cytometry*, **49**(3): 113-118.

TESKEY G.C., OSSENKOPP K.P., PRATO F.S. & SESTINI E. (1987) Survivability and long-term stress reactivity levels following repeated exposure to nuclear magnetic resonance imaging procedures in rats. *Physiol Chem Phys Med NMR*, **19**(1): 43-49.

TESTORF M.F., AKE O.P., IWASAKA M. & UENO S. (2002) Melanophore aggregation in strong static magnetic fields. *Bioelectromagnetics*, **23**(6): 444-449.

THOMAS A.W., DROST D.J. & PRATO F.S. (2001) Human subjects exposed to a specific pulsed (200 microT) magnetic field: effects on normal standing balance. *Neurosci Lett*, **297**(2): 121-124.

TILL U., TIMMEL C.R., BROCKLEHURST B. & HORE P.J. (1998) The influence of very small magnetic fields on radical recombination reactions in the limit of slow recombination. *Chem Phys Lett*, **298** 7-14.

TIMMEL C.R., CINTOLESI F., BROCKLEHURST B. & HORE P.J. (2001) Model calculations of magnetic field effects on the recombination reactions of radicals with anisotropic hyperfine interactions. *Chem Phys Lett*, **334** 387-395.

TIMMEL C.R., TILL U., BROCKLEHURST B., MCLAUCHLAN K.A. & HORE P.J. (1998) Effects of weak magnetic fields on free radical recombination reactions. *Molecular Physics*, **95**(1): 71-89.

TKACH E.V., ABILOVA A.N. & GAZALIEVA S. (1987) [Characteristics of the effect of a constant electromagnetic field on reparative processes in spinal cord injuries]. *Zh Nevropatol Psikhiatr Im S S Korsakova*, **89**(5): 41-44.

TOFANI S., BARONE D., BERARDELLI M., BERNO E., CINTORINO M., FOGLIA L., OSSOLA P., RONCHETTO F., TOSO E. & EANDI M. (2003) Static and ELF magnetic fields enhance the in vivo anti-tumor efficacy of cis-platin against lewis lung carcinoma, but not of cyclophosphamide against B16 melanotic melanoma. *Pharmacol Res*, **48**(1): 83-90.

TOFANI S., BARONE D., CINTORINO M., DE SANTI M.M., FERRARA A., ORLASSINO R., OSSOLA P., PEROGLIO F., ROLFO K. & RONCHETTO F. (2001) Static and ELF magnetic fields induce tumor growth inhibition and apoptosis. *Bioelectromagnetics*, **22**(6): 419-428.

TOGAWA T., OKAI O. & OSHIMA M. (1967) Observation of blood flow E.M.F. in externally applied strong magnetic field by surface electrodes. *Med Biol Eng*, **5**(2): 169-170.

TRABULSI R., PAWLOWSKI B. & WIERASZKO A. (1996) The influence of steady magnetic fields on the mouse hippocampal evoked potentials in vitro. *Brain Res*, **728**(1): 135-139.

TRZECIAK H.I., GRZESIK J., BORTEL M., KUSKA R., DUDA D., MICHNIK J. & MALECKI A. (1993) Behavioral effects of long-term exposure to magnetic fields in rats. *Bioelectromagnetics*, **14**(4): 287-297.

TSUCHIYA K., OKUNO K., ANO T., TANAKA K., TAKAHASHI H. & SHODA M. (1999) High magnetic field enhances stationary phase-specific transcription activity of *Escherichia coli*. *Bioelectrochem Bioenerg*, **48**(2): 383-387.

TSUJI Y., NAKAGAWA M. & SUZUKI Y. (1996) Five-tesla static magnetic fields suppress food and water consumption and weight gain in mice. *Ind Health*, **34**(4): 347-357.

TURIEVA-DZODZIKOVA M.E., SALBIEV K.D. & KOKABADZE S.A. (1995) [The tissue basophils of the rat mesentery under the influence of a permanent magnetic field]. *Morfologija*, **108**(1): 46-49.

TUSCHL H., NEUBAUER G., SCHMID G., WEBER E. & WINKER N. (2000) Occupational exposure to static, ELF, VF and VLF magnetic fields and immune parameters. *Int J Occup Med Environ Health*, **13**(1): 39-50.

TYNDALL D.A. (1990) MRI effects on the teratogenicity of x-irradiation in the C57BL/6J mouse. *Magn Reson Imaging*, **8**(4): 423-433.

TYNDALL D.A. (1993) MRI effects on craniofacial size and crown-rump length in C57BL/6J mice in 1.5T fields. *Oral Surg Oral Med Oral Pathol*, **76**(5): 655-660.

TYNDALL D.A. & SULIK K.K. (1991) Effects of magnetic resonance imaging on eye development in the C57BL/6J mouse. *Teratology*, **43**(3): 263-275.

UENO S., HARADA K. & SHIOKAWA K. (1984) The embryonic development of frogs under strong DC magnetic fields. *IEEE Trans Magnet, Mag*, **20**(5): 1663-1665.

- UENO S., IWASAKA M. & SHIOKAWA K. (1990) Early embryonic development of *Xenopus laevis* under static magnetic fields up to 6.34 T. *J Appl Phys*, **67**(9): 5841-5843.
- UENO S., IWASAKA M. & SHIOKAWA K. (1994) Early embryonic development of frogs under intense magnetic fields up to 8 T. *J Appl Phys*, **75**(10): 7165-7167.
- VAINSHTEIN M., SUZINA N., KUDRYASHOVA E. & ARISKINA E. (2002) New magnet-sensitive structures in bacterial and archaeal cells. *Biol Cell*, **94**(1): 29-35.
- VALBERG P.A., KAVET R. & RAFFERTY C.N. (1997) Can low-level 50/60 Hz electric and magnetic fields cause biological effects? *Radiat Res*, **148**(1): 2-21.
- VALLBONA C., HAZLEWOOD C.F. & JURIDA G. (1997) Response of pain to static magnetic fields in postpolio patients: a double-blind pilot study. *Arch Phys Med Rehabil*, **78**(11): 1200-1203.
- VALLES J.M., JR., LIN K., DENEGRE J.M. & MOWRY K.L. (1997) Stable magnetic field gradient levitation of *Xenopus laevis*: toward low-gravity simulation. *Biophys J*, **73**(2): 1130-1133.
- VALLES J.M., JR., WASSERMAN S.R., SCHWEIDENBACK C., EDWARDSON J., DENEGRE J.M. & MOWRY K.L. (2002) Processes that occur before second cleavage determine third cleavage orientation in *Xenopus*. *Exp Cell Res*, **274**(1): 112-118.
- VAN DEVENTER T.E., SAUNDERS R. & REPACHOLI M.H. (2005) WHO health risk assessment process for static fields. *Prog Biophys Mol Biol*, **87**(2-3): 355-363.
- VOGL T., KRIMMEL K., FUCHS A. & LISSNER J. (1988) Influence of magnetic resonance imaging on human body core and intravascular temperature. *Med Phys*, **15**(4): 562-566.
- VOGL T., LISSNER J., SEIDERER M., KRIMMEL K. & SANDNER H. (1986) [Effect of types of field used in nuclear magnetic resonance tomography on core and surface temperature in the human body. Results of in vitro and in vivo experiments]. *ROFO Fortschr Geb Rontgenstr Nuklearmed*, **144**(5): 591-596.
- VOGL T.J., PAULUS W., FUCHS A., KRAFCZYK S. & LISSNER J. (1991) Influence of magnetic resonance imaging on evoked potentials and nerve conduction velocities in humans. *Invest Radiol*, **26**(5): 432-437.

VOLKOW N.D., WANG G.J., FOWLER J.S., ROONEY W.D., FELDER C.A., LEE J.H., FRANCESCHI D., MAYNARD L., SCHLYER D.J., PAN J.W., GATLEY S.J. & SPRINGER JR C.S. (2000) Resting brain metabolic activity in a 4 tesla magnetic field. *Magn Reson Med*, **44**(5): 701-705.

VON KLITZING L. (1987) [Effect of static NMR magnetic fields on the processing of biological signals in man]. *Rontgenpraxis*, **40**(9): 321-323.

VON KLITZING L. (1989) Static magnetic fields increase the power intensity of EEG of man. *Brain Res*, **483**(1): 201-203.

VON KLITZING L. & TESSMANN G. (1989) [Effect of a static 0.2 T magnetic field on the EEG power spectrum in periodic median nerve stimulation]. *EEG EMG Z Elektroenzephalogr Elektromyogr Verwandte Geb*, **20**(1): 50-53.

WALLECZEK J. (1995) Magnetokinetic effects on radical pairs: a paradigm for magnetic field interactions with biological systems at lower than thermal energy. *Electromagnetic Fields*, **250** 395-420.

WATANABE Y., NAKAGAWA M. & MIYAKOSHI Y. (1997) Enhancement of lipid peroxidation in the liver of mice exposed to magnetic fields. *Ind Health*, **35**(2): 285-290.

WEIKL A., MOSHAGE W., HENTSCHEL D., SCHITTENHELM R. & BACHMANN K. (1989) [ECG changes caused by the effect of static magnetic fields of nuclear magnetic resonance tomography using magnets with a field power of 0.5 to 4.0 Telsa]. *Z Kardiol*, **78**(9): 578-586.

WEINTRAUB M.I., WOLFE G.I., BAROHN R.A., COLE S.P., PARRY G.J., HAYAT G., COHEN J.A., PAGE J.C., BROMBERG M.B. & SCHWARTZ S.L. (2003) Static magnetic field therapy for symptomatic diabetic neuropathy: a randomized, double-blind, placebo-controlled trial. *Arch Phys Med Rehabil*, **84**(5): 736-746.

WEISS J., HERRICK R.C., TABER K.H., CONTANT C. & PLISHKER G.A. (1992) Bio-effects of high magnetic fields: a study using a simple animal model. *Magn Reson Imaging*, **10**(4): 689-694.

WELKER H.A., SEMM P., WILLIG R.P., COMMENTZ J.C., WILTSCHKO W. & VOLLRATH L. (1983) Effects of an artificial magnetic field on serotonin N- acetyltransferase activity and melatonin content of the rat pineal gland. *Exp Brain Res*, **50**(2-3): 426-432.

WHITAKER J.M. & ADDERLY B. (1998) The pain relief breakthrough: the power of magnets to relieve backaches, arthritis, menstrual cramps, carpal tunnel syndrome, sports injuries, and more. New York, NY: Little, Brown, Boston.

WHO - WORLD HEALTH ORGANIZATION (1984) Extremely low frequency (ELF) fields. Geneva: World Health Organization (Environmental Health Criteria 35).

WHO - WORLD HEALTH ORGANIZATION (1987) Magnetic fields. Geneva: World Health Organization (Environmental Health Criteria 69).

WHO - WORLD HEALTH ORGANIZATION (1990) Revised guidelines for the preparation of Environmental Health Criteria monographs. Geneva: World Health Organization (PCS/90.69).

WHO - WORLD HEALTH ORGANIZATION (1993) Electromagnetic fields (300 Hz to 300 GHz). Geneva: World Health Organization (Environmental Health Criteria 137).

WIDDER K.J., SENYEI A.E. & SEARS B. (1982) Experimental methods in cancer therapeutics. *J Pharm Sci*, **71**(4): 379-387.

WIERASZKO A. (2000) Dantrolene modulates the influence of steady magnetic fields on hippocampal evoked potentials in vitro. *Bioelectromagnetics*, **21**(3): 175-182.

WIKSWO J.P. & BARACH J.P. (1980) An estimate of the steady magnetic field strength required to influence nerve conduction. *IEEE Trans Biomed Eng*, **27**(12): 722-723.

WILLIS R.J. & BROOKS W.M. (1984) Potential hazards of NMR imaging. No evidence of the possible effects of static and changing magnetic fields on cardiac function of the rat and guinea pig. *Magn Reson Imaging*, **2**(2): 89-95.

WILTSCHKO W., TRAUDT J., GUNTURKUN O., PRIOR H. & WILTSCHKO R. (2002) Lateralization of magnetic compass orientation in a migratory bird. *Nature*, **419**(6906): 467-470.

WILTSCHKO W. & WILTSCHKO R. (2002) Magnetic compass orientation in birds and its physiological basis. *Naturwissenschaften*, **89** 445-452.

WINKLHOFER M., HOLTKAMP-ROTZLER E., HANZLIK M., FLEISSNER G. & PETERSEN N. (2001) Clusters of superparamagnetic

magnetite particles in the upper beak skin of homing pigeons: evidence of a magnetoreceptor? *Eur J Mineral*, **13** 659-669.

WINTHER F.O., RASMUSSEN K., TVETE O., HALVORSEN U. & HAUGSDAL B. (1999) Static magnetic field and the inner ear. A functional study of hearing and vestibular function in man after exposure to a static magnetic field. *Scand Audiol*, **28**(1): 57-59.

WISKIRCHEN J., GROENEWAELLER E.F., KEHLBACH R., HEINZELMANN F., WITTAU M., RODEMANN H.P., CLAUSSEN C.D. & DUDA S.H. (1999) Long-term effects of repetitive exposure to a static magnetic field (1.5 T) on proliferation of human fetal lung fibroblasts. *Magn Reson Med*, **41**(3): 464-468.

WITHERS H.R., MASON K.A. & DAVIS C.A. (1985) MR effect on murine spermatogenesis. *Radiology*, **156**(3): 741-742.

WOLFF S., CROOKS L.E., BROWN P., HOWARD R. & PAINTER R.B. (1980) Tests for DNA and chromosomal damage induced by nuclear magnetic resonance imaging. *Radiology*, **136**(3): 707-710.

WOLFF S., JAMES T.L., YOUNG G.B., MARGULIS A.R., BODYCOTE J. & AFZAL V. (1985) Magnetic resonance imaging: absence of in vitro cytogenetic damage. *Radiology*, **155**(1): 163-165.

XU S., OKANO H. & OHKUBO C. (1998) Subchronic effects of static magnetic fields on cutaneous microcirculation in rabbits. *In Vivo*, **12**(4): 383-389.

XU S., TOMITA N., OHATA R., YAN Q. & IKADA Y. (2001) Static magnetic field effects on bone formation of rats with an ischemic bone model. *Biomed Mater Eng*, **11**(3): 257-263.

YAGA K., REITER R.J., MANCHESTER L.C., NIEVES H., SUN J.H. & CHEN L.D. (1993) Pineal sensitivity to pulsed static magnetic fields changes during the photoperiod. *Brain Res Bull*, **30**(1-2): 153-156.

YAMAGUCHI H., HOSOKAWA K., SODA A., MIYAMOTO H. & KINOUCHE Y. (1993) Effects of seven months' exposure to a static 0.2 T magnetic field on growth and glycolytic activity of human gingival fibroblasts. *Biochim Biophys Acta*, **1156**(3): 302-306.

YAMAZAKI E., MATSUBARA S. & YAMADA I. (1993) Effect of Gd-DTPA and/or magnetic field and radiofrequency exposure on sister chromatid exchange in human peripheral lymphocytes. *Acta Radiol*, **34**(6): 607-611.

YAN Q.C., TOMITA N. & IKADA Y. (1998) Effects of static magnetic field on bone formation of rat femurs. *Med Eng Phys*, **20**(6): 397-402.

YANO A., HIDAHA E., FUJIWARA K. & IIMOTO M. (2001) Induction of primary root curvature in radish seedlings in a static magnetic field. *Bioelectromagnetics*, **22**(3): 194-199.

YIP Y.P., CAPRIOTTI C., NORBASH S.G., TALAGALA S.L. & YIP J.W. (1994a) Effects of MR exposure on cell proliferation and migration of chick motoneurons. *J Magn Reson Imaging*, **4**(6): 799-804.

YIP Y.P., CAPRIOTTI C., TALAGALA S.L. & YIP J.W. (1994b) Effects of MR exposure at 1.5 T on early embryonic development of the chick. *J Magn Reson Imaging*, **4**(5): 742-748.

YIP Y.P., CAPRIOTTI C. & YIP J.W. (1995) Effects of MR exposure on axonal outgrowth in the sympathetic nervous system of the chick. *J Magn Reson Imaging*, **5**(4): 457-462.

YOST M.G. & LIBURDY R.P. (1992) Time-varying and static magnetic fields act in combination to alter calcium signal transduction in the lymphocyte. *FEBS Lett*, **296**(2): 117-122.

ZHADIN M.N. (2001) Review of russian literature on biological action of DC and low- frequency AC magnetic fields. *Bioelectromagnetics*, **22**(1): 27-45.

ZHANG Q.M., TOKIWA M., DOI T., NAKAHARA T., CHANG P.W., NAKAMURA N., HORI M., MIYAKOSHI J. & YONEI S. (2003) Strong static magnetic field and the induction of mutations through elevated production of reactive oxygen species in *Escherichia coli* soxR. *Int J Radiat Biol*, **79**(4): 281-286.

ZHANG S., WEI W., ZHANG J., MAO Y. & LIU S. (2002) Effect of static magnetic field on growth of *Escherichia coli* and relative response model of series piezoelectric quartz crystal. *Analyst*, **127**(3): 373-377.

ZHERNOVOI A.I., SKORIK V.I., CHIRUKHIN V.A. & SHARSHINA L.M. (2001) Effect of stationary magnetic field on in vivo oxygen binding by blood. *Bull Exp Biol Med*, **131**(2): 121-123.

ZIMMERMANN B. & HENTSCHEL D. (1987) [Effect of a static magnetic field (3.5 T) on the reproductive behavior of mice, on the embryo and fetal development and on selected hematologic parameters]. *Digitale Bilddiagn*, **7**(4): 155-161.

ZMYSLONY M., PALUS J., JAJTE J., DZIUBALTOWSKA E. & RAJKOWSKA E. (2000) DNA damage in rat lymphocytes treated in vitro with iron cations and exposed to 7 mT magnetic fields (static or 50 Hz). *Mutat Res*, **453**(1): 89-96.