

Referências bibliográficas

Secção I - Os recém-nascidos - contá-los e fazer com que contem

- ⁽¹⁾ MacFarlane A, Johnson A, Mugford M. Epidemiology, eds, Rennie J, Robertson N, editors. Textbook of Neonatology. 3-33. 1999. Cambridge, Churchill Livingstone 3rd ed.
- ⁽²⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁴⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽⁵⁾ Bang AT, Reddy MH, Deshmukh MD. Child Mortality in Maharashtra. 2002. Economic and Political Weekly 2002; 37(49):4947-4965.
- ⁽⁶⁾ WHO. Neonatal and perinatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁷⁾ Baiden F, Hodgson A, Adjui M, Adongo P, Ayaga B, Binka F. Trend and causes of neonatal mortality in the Kassena-Nankana district of northern Ghana, 1995-2002. *Trop Med Int Health* 2006; 11(4):532-539.
- ⁽⁸⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽⁹⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽¹⁰⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367:1487-1494.
- ⁽¹¹⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽¹²⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365:1147-1152.
- ⁽¹³⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁴⁾ Yasmin S, Osrin D, Paul E, Costello A. Neonatal mortality of low-birth-weight infants in Bangladesh. *Bull World Health Organ* 2001; 79(7):608-614.
- ⁽¹⁵⁾ ter Kuile FO, Parise ME, Verhoeff FH, Udhayakumar V, Newman RD, van Eijk AM et al. The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-saharan Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):41-54.
- ⁽¹⁶⁾ Ulizzi L, Zonta LA. Sex ratio and selection by early mortality in humans: fifty-year analysis in different ethnic groups. *Human Biology* 1994; 66(6):1037-1048.
- ⁽¹⁷⁾ Nielsen BB, Liljestrand J, Hedegaard M, Thilsted SH, Joseph A. Reproductive pattern, perinatal mortality, and sex preference in rural Tamil Nadu, south India: community based, cross sectional study. *BMJ* 1997; 314:1521-1524.
- ⁽¹⁸⁾ Baiden F, Hodgson A, Adjui M, Adongo P, Ayaga B, Binka F. Trend and causes of neonatal mortality in the Kassena-Nankana district of northern Ghana, 1995-2002. *Trop Med Int Health* 2006; 11(4):532-539.
- ⁽¹⁹⁾ Greenwood AM, Greenwood BM, Bradley AK, Williams K, Shenton FC, Tulloch S et al. A prospective survey of the outcome of pregnancy in a rural area of the Gambia. *Bull World Health Organ* 1987; 65(5):635-643.
- ⁽²⁰⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽²¹⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽²²⁾ Thompson CM, Puterman AS, Linley LL, Hann FM, van der Elst CW, Molteno CD et al. The value of a scoring system for hypoxic ischaemic encephalopathy in predicting neurodevelopmental outcome. *Acta Paediatr* 1997; 86(7):757-761.
- ⁽²³⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331(7525):1107.
- ⁽²⁴⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.
- ⁽²⁵⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽²⁶⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.

- ⁽²⁷⁾ Barlow JL, Mung'ala-Odera V, Gona J, Newton CR. Brain damage after neonatal tetanus in a rural Kenyan hospital. *Trop Med Int Health* 2001; 6(4):305-308.
- ⁽²⁸⁾ Barker DJ. The developmental origins of chronic adult disease. *Acta Paediatr Suppl* 2004; 93(446):26-33.
- ⁽²⁹⁾ Edmond KM, Zandoh C, Quigley MA, Menga-Etego S, Owusu-Agyei S, Kirkwood BR. Delayed breastfeeding initiation increases risk of neonatal mortality. *Pediatrics* 2006; 117(3):e380-e386.
- ⁽³⁰⁾ Powell-Jackson T, Borghi J, Mueller DH, Patouillard E, Mills A. Countdown to 2015: tracking donor assistance to maternal, newborn, and child health. *Lancet* 2006; 368:1077-1087.

Secção II - Os serviços continuados de saúde materna, neonatal e infantil

- ⁽¹⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽³⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽⁴⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽⁵⁾ World Bank. World development report 2007: development and the next generation. 2006. Forthcoming.
- ⁽⁶⁾ PMNCH. Conceptual and institutional framework for the Partnership for Maternal, Newborn and Child Health (PMNCH). 2006.
- ⁽⁷⁾ de Graft-Johnson J, Daly P, Otchere S, Russell N, Bell R. Household to home continuum of maternal and newborn care. 2005. Baltimore, Maryland: The ACCESS Program, JHPIEGO.
- ⁽⁸⁾ Tinker A, Hoopes-Bender P, Azfar S, Bustreo F, Bell R. A continuum of care to save newborn lives. *Lancet* 2005; 365:822-825.
- ⁽⁹⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. World Health Report 2005: make every mother and child count. Geneva, Switzerland: World Health Organization; 2005.
- ⁽¹⁰⁾ Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS. How many child deaths can we prevent this year? *Lancet* 2003; 362(9377):65-71.
- ⁽¹¹⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹²⁾ Campbell O, Graham WJ. Strategies for reducing maternal mortality: getting on with what works. *Lancet* 2006. In press.
- ⁽¹³⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyan G, Fogstad H, Waleign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365(9464):1087-1098.
- ⁽¹⁴⁾ Lawn JE, Zupan J, Begkoyan G, Knippenberg R. Newborn Survival. In: Jamison D, Measham A, editors. Disease Control Priorities. 2 ed. 2006. The World Bank and the National Institutes of Health.
- ⁽¹⁵⁾ Rutstein SO. Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the Demographic and Health Surveys. *Int J Gynaecol Obstet* 2005; Suppl. 1:S7-S24.
- ⁽¹⁶⁾ WHO. Report of a WHO technical consultation on birth spacing. Geneva, Switzerland. 13-15 June 2005. 2006. World Health Organization.
- ⁽¹⁷⁾ Gamble C, Ekwari JP, ter Kuile FO. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006; 2(CD003755).
- ⁽¹⁸⁾ Lawn JE, Cousens S, Darmstadt GL, Martines J, Paul V, Bhutta Z et al. The Executive Summary of The Lancet Neonatal Survival Series. 2005.
- ⁽¹⁹⁾ World Bank. The world development report 2004: making services work for the poor. 2004. Washington, DC: The World Bank.
- ⁽²⁰⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.
- ⁽²¹⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.

Secção III Capítulo I - Cuidados de saúde a prestar às raparigas e às mulheres antes da gravidez

- ⁽²²⁾ Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽²³⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006.
- ⁽²⁴⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁵⁾ Lawn JE, Tinker A, Munjanja S, Cousens S. Where is maternal and child health now? *Lancet* 2006; Published online September 28, 2006. (<http://download.thelancet.com/pdfs/journals/0140-6736/PIIS0140673606693872.pdf>)
- ⁽²⁶⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽²⁷⁾ Gwatkin D, Bhuiya A, Victoria CG. Making Health Systems More Equitable. *Lancet* 2004;(364):1273-1290.
- ⁽²⁸⁾ Victora CG, Wagstaff A, Schellenberg JA, Gwatkin D, Claeson M, Habicht JP. Applying an equity lens to child health and mortality: more of the same is not enough. *Lancet* 2003; 362:233-241.
- ⁽²⁹⁾ Victora CG, Fenn DB, Bryce J, Kirkwood BR. Co-coverage of preventive interventions and implications for child-survival strategies: evidence from national surveys. *Lancet* 2005; 366:1460-1466.
- ⁽³⁰⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC, Population Reference Bureau.
- ⁽³¹⁾ UNFPA. State of the world's population 2005. 2005. United Nations Population Fund.
- ⁽³²⁾ Gloyd S, Chai S, Mercer MA. Antenatal syphilis in sub-Saharan Africa: missed opportunities for mortality reduction. *Health Policy Plan* 2001; 16(1):29-34.
- ⁽³³⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽³⁴⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽³⁵⁾ Lovich R, Rubardt M, Fagan D, Powers M. Partnership defined quality: a tool book for community and health provider collaboration for quality improvement. 1996. Washington, DC, Save the Children.
- ⁽³⁶⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. 2006. *The Lancet*. In press.
- ⁽³⁷⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁸⁾ O'Rourke K, Howard-Grabman L, Seoane G. Impact of community organization of women on perinatal outcomes in rural Bolivia. *Rev Panam Salud Publica* 1998; 3(1):9-14.
- ⁽³⁹⁾ Gonzales F, Arteaga E, Howard-Grabman L. Scaling up the Warmi project: lessons learned, mobilizing Bolivian communities around reproductive health. 1998. Washington, DC: Save the Children.
- ⁽⁴⁰⁾ Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- ⁽⁴¹⁾ Darmstadt GL, Kumar V, Yadav R, Singh V, Singh P, Mohanty S et al. Introduction of community-based skin-to-skin care in rural Uttar Pradesh, India. *J Perinatol* 2006.
- ⁽⁴²⁾ Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- ⁽⁴³⁾ UNICEF. Child survival. 2006. (http://www.unicef.org/health/index_childsurvival.html. Accessed 8 August 2006).
- ⁽⁴⁴⁾ WHO. Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer. 2004. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁵⁾ Pattinson RC. Challenges in saving babies – avoidable factors, missed opportunities and substandard care in perinatal deaths in South Africa. *S Afr Med J* 2003; 93(6):450-455.
- ⁽⁴⁶⁾ Save the Mothers. The Kiboga Safe Motherhood Initiative: A joint initiative between The Association of Obstetricians and Gynaecologists of Uganda and The Society of Obstetricians and Gynaecologists of Canada. 2003.
- ⁽⁴⁷⁾ WHO. Dual protection against unwanted pregnancy and sexually transmitted infections, including HIV. Joint WHO/UNAIDS/UNFPA policy statement. 2000. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁸⁾ Save the Children. State of the World's Mothers 2005: the promise and power of girls' education. 2005. Washington, DC: Save the Children.
- ⁽⁴⁹⁾ Banks E, Meirik O, Farley T, Akande O, Bathija H, Ali M. Female genital mutilation and obstetric outcome: WHO collaborative prospective study in six African countries. *Lancet* 2006; 367:1835-1841.
- ⁽⁵⁰⁾ Save the Children. State of the World's Mothers 2004: children having children. 2004. Washington, DC: Save the Children.
- ⁽⁵¹⁾ Conde-Agudelo A, Belizan JM, Lammers C. Maternal-perinatal morbidity and mortality associated with adolescent pregnancy in Latin America: Cross-sectional study. *Am J Obstet Gynecol* 2005; 192(2):342-349.
- ⁽⁵²⁾ Pojda J, Kelley LM, editors. Low Birth Weight: Report of a meeting. Geneva, Switzerland: ACC/SCN in collaboration with ICCDR; 2000.
- ⁽⁵³⁾ Ceesay SM, Prentice AM, Cole TJ, Foord F, Weaver LT, Poskitt EM et al. Effects on birth weight and perinatal mortality of maternal dietary supplements in rural Gambia: 5 year randomised controlled trial. *BMJ* 1997; 315:786-790.
- ⁽⁵⁴⁾ UNFPA. State of the World's Population 2005. United Nations Population Fund; 2005.
- ⁽⁵⁵⁾ Basu AM, Stephenson R. Low levels of maternal education and the proximate determinants of childhood mortality: a little learning is not a dangerous thing. *Soc Sci Med* 2005; 60(9):2011-2023.
- ⁽⁵⁶⁾ Save the Children. State of the World's Mothers 2006: Saving the lives of mothers and newborns. 2006. Washington, DC: Save the Children.
- ⁽⁵⁷⁾ WHO. Neonatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁵⁸⁾ UNICEF. State of the World's Children 2006. New York: UNICEF; 2005.
- ⁽⁵⁹⁾ WHO. The Jakarta Declaration on Leading Health Promotion into the 21st Century. Fourth International Conference on Health Promotion. Jakarta: World Health Organization (www.who.int/hpr/NPH/docs/jakarta_declaration_en.pdf, accessed 15 September 2006); 1997.
- ⁽⁶⁰⁾ Wallerstein N. What is the evidence on effectiveness of empowerment to improve health? 2006. Copenhagen, WHO Regional Office for Europe (Health Evidence Network report; <http://www.euro.who.int/Document/E88086.pdf>, accessed 15 September 2006).
- ⁽⁶¹⁾ Pathfinder International. Creating partnerships to prevent early marriage in the Amhara region. 2006.
- ⁽⁶²⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC: Population Reference Bureau.
- ⁽⁶³⁾ Population Reference Bureau. The World's Youth. BRIDGE Project; 2006.
- ⁽⁶⁴⁾ The Alan Guttmacher Institute. Into a New World: Young Women's Sexual and Reproductive Lives. 1998. New York: Alan Guttmacher Institute.
- ⁽⁶⁵⁾ Ross JA, Winfrey W. Contraceptive Use, Intention to Use and Unmet Need During the Extended Post-Partum Period. *International Family Planning Perspectives* 2001; 27(1).
- ⁽⁶⁶⁾ WHO. Report of a WHO technical consultation on birth spacing. Geneva, Switzerland. 13-15 June 2005. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁶⁷⁾ Conde-Agudelo A, Rosas-Bermudez A, Kafury-Goeta AC. Birth spacing and risk of adverse perinatal outcomes: a meta-analysis. *JAMA* 2006; 295(15):1809-1823.
- ⁽⁶⁸⁾ Conde-Agudelo A, Belizan JM, Berman R, Brockman SC, Rosas-Bermudez A. Effect of the interpregnancy interval after an abortion on maternal and perinatal health in Latin America. *Int J Gynaecol Obstet* 2005; 89 Suppl 1: S34-S40.
- ⁽⁶⁹⁾ Rutstein SO. Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the demographic and health surveys. *Int J Gynaecol Obstet* 2005; 89 Suppl 1:S7-24. Epub; 2005 Jan 26:S7-24.
- ⁽⁷⁰⁾ UNICEF. Facts for life. 3 ed. New York: United Nations Children's Fund (<http://www.unicef.org/fll/text.htm>); 2002.
- ⁽⁷¹⁾ WHO, UNFPA. Pregnant adolescents: delivering on global promises of hope. 2006. Geneva, World Health Organization.
- ⁽⁷²⁾ Fuchs N. Priorities for Family Planning and HIV/AIDS Integration. (<http://www.maqweb.org/techbriefs/tb11integration.shtml>, accessed 17 August 2006).

- ⁽²⁷⁾ King R, Estey J, Allen S, Kegeles S, Wolf W, Valentine C et al. A family planning intervention to reduce vertical transmission of HIV in Rwanda. *AIDS* 1995; 9 Suppl 1:S45-S51.
- ⁽²⁸⁾ Stover J, Dougherty L, Hamilton M. Are cost savings incurred by offering family planning services at emergency plan HIV/AIDS care and treatment facilities? USAID/Policy Project; 2006.
- ⁽²⁹⁾ Palmer N, Mueller DH, Gilson L, Mills A, Haines A. Health financing to promote access in low income settings-how much do we know? *Lancet* 2004; 364:1365-1370.
- ⁽³⁰⁾ Center for Research on Environment, Health, and Population Activities (CREHPA). Determining an effective and replicable communication-based mechanism for improving young couples' access to and use of reproductive health information and services in Nepal – an operations research study. 2004. USAID (http://www.popcouncil.org/pdfs/frontiers/FR_FinalReports/Nepal_Small%20Grant.pdf, accessed 17 August 2006.)

Secção III Capítulo 2 - Controlo Pré-Natal

- ⁽¹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ De Bernis L, Dumont A, Bouillin D, Gueye A, Dompnier JP, Bouvier-Colle MH. Maternal morbidity and mortality in two different populations of Senegal: a prospective study (MOMA survey). *BJOG* 2000; 107(1):68-74.
- ⁽⁴⁾ Banks E, Meirik O, Farley T, Akande O, Bathija H, Ali M. Female genital mutilation and obstetric outcome: WHO collaborative prospective study in six African countries. *Lancet* 2006; 367:1835-1841.
- ⁽⁵⁾ Ryan D, Milis L, Misri N. Depression during pregnancy. *Can Fam Physician* 2005; 51:1087-1093.
- ⁽⁶⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽⁷⁾ WHO. Perinatal and neonatal mortality for the year 2000: Country, regional and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367:1487-1494.
- ⁽⁹⁾ Tinker A, Hoopes-Bender P, Azfar S, Bustreo F, Bell R. A continuum of care to save newborn lives. *Lancet* 2005; 365:822-825.
- ⁽¹⁰⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.
- ⁽¹¹⁾ Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331(7525):1107.
- ⁽¹²⁾ Stanton C, Blanc AK, Croft T, Choi Y. Skilled care at birth in the developing world: progress to date and strategies for expanding coverage. *J Biosoc Sci* 2006;1-12.
- ⁽¹³⁾ Carroli G, Villar J, Piaggio G, Khan-Neelofur D, Gulmezoglu M, Mugford M et al. WHO systematic review of randomised controlled trials of routine antenatal care. *Lancet* 2001; 357:1565-1570.
- ⁽¹⁴⁾ Langer A, Nigenda G, Romero M, Rojas G, Kuchaisit C, Al-Osimi M et al. Conceptual bases and methodology for the evaluation of women's and providers' perception of the quality of antenatal care in the WHO Antenatal Care Randomised Controlled Trial. *Paediatr Perinat Epidemiol* 1998; 12 Suppl 2:98-115.
- ⁽¹⁵⁾ ACCESS Program. Focused antenatal care: providing integrated, individualized care during pregnancy (Draft technical brief). 2006.
- ⁽¹⁶⁾ WHO. Standards for maternal and neonatal care. Provision of effective antenatal care. 2006. Geneva, Switzerland: World Health Organization. (http://www.who.int/making_pregnancy_safer/publications/Standards1.6N.pdf. Accessed 23 October 2006)
- ⁽¹⁷⁾ Villar J, Baaqel H, Piaggio G, Lumbiganon P, Miguel Belizan J, Farnot U et al. WHO antenatal care randomized trial for the evaluation of a new model of routine antenatal care. *Lancet* 2001; 357:1551-1564.
- ⁽¹⁸⁾ Munjanja SP, Lindmark G, Nystrom L. Randomised controlled trial of a reduced-visits programme of antenatal care in Harare, Zimbabwe. *Lancet* 1996; 348:364-369.
- ⁽¹⁹⁾ von Both C, Flessa S, Makuwani A, Mpembeni R, Jahn A. How much time do health services spend on antenatal care? Implications for the introduction of the focused antenatal care model in Tanzania. *BMC Pregnancy Childbirth* 2006; 6(1):22.
- ⁽²⁰⁾ WHO. Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice. 2003. Geneva, Switzerland: World Health Organization. Integrated Management of Pregnancy and Childbirth (IMPAC).

- ⁽²¹⁾ Homer CS, Davis GK, Everitt LS. The introduction of a woman-held record into a hospital antenatal clinic: the bring your own records study. *Aust N Z J Obstet Gynaecol* 1999; 39(1):54-57.
- ⁽²²⁾ Brown HC, Smith HJ. Giving women their own case notes to carry during pregnancy. *Cochrane Database Syst Rev* 2004;(2):CD002856.
- ⁽²³⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽²⁴⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽²⁵⁾ Population Reference Bureau. The Wealth Gap in Health. 2004. Washington, DC: Population Reference Bureau.
- ⁽²⁶⁾ UNICEF. Antenatal care. 2006. (<http://www.childinfo.org/areas/antenatal/>. Accessed 10 September 2006.)
- ⁽²⁷⁾ Manongi RN, Marchant TC, Bygbjerg IC. Improving motivation among primary health care workers in Tanzania: a health worker perspective. *Hum Resour Health* 2006; 4:6.
- ⁽²⁸⁾ Save the Children. An unnecessary evil? User fees for healthcare in low-income countries. 2005. London: Save the Children UK.
- ⁽²⁹⁾ Hodnett ED et al. Continuous support for women during childbirth. (Cochrane Review) In the Cochrane Library, Issue 1, 2005. Chichester, John Wiley & Sons.
- ⁽³⁰⁾ Schmid G. Economic and programmatic aspects of congenital syphilis prevention. *Bull World Health Organ* 2004; 82(6):402-409.
- ⁽³¹⁾ Site assessment and strengthening for maternal and newborn health programs. Blouse A, Gomez P, Kinzie B, editors. 2004. Baltimore, Maryland: JHPIEGO.

Secção III Capítulo 3 - Assistência ao parto

- ⁽¹⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ Borghi J, Hanson K, Acquah CA, Ekanmian G, Filippi V, Ronsmans C et al. Costs of near-miss obstetric complications for women and their families in Benin and Ghana. *Health Policy Plan* 2003; 18(4):383-390.
- ⁽⁴⁾ 2005 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 7: Neonatal resuscitation. *Resuscitation* 2005; 67(2-3):293-303.
- ⁽⁵⁾ Thaddeus S, Maine D. Too far to walk: maternal mortality in context. *Social Science and Medicine* 1994; 38(8):1091-1110.
- ⁽⁶⁾ Pattinson R, Woods D, Greenfield D, Velaphi S. Improving survival rates of newborn infants in South Africa. *Reprod Health* 2005; 2(1):4.
- ⁽⁷⁾ Pattinson RC. Why babies die – a perinatal care survey of South Africa, 2000-2002. *S Afr Med J* 2003; 93(6):445-450.
- ⁽⁸⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. *World Health Report 2005: make every mother and child count*. 2005. Geneva, Switzerland: World Health Organization.
- ⁽⁹⁾ Making Pregnancy Safer. The critical roles of the skilled attendant: a joint statement by WHO, ICM and FIGO. 2004. Geneva, Switzerland: World Health Organization (WHO).
- ⁽¹⁰⁾ Opiyo N, English M. Newborn resuscitation: defining best practice for low income settings. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 2006; 100:899-908.
- ⁽¹¹⁾ Saugstad OD. Resuscitation of newborn infants with room air or oxygen. *Semin Neonatol* 2001; 6(3):233-239.
- ⁽¹²⁾ Mahomed K, Nyoni R, Mlambo T, Jacobus E, Kasule J. Intrapartum foetal heart rate monitoring-continuous electronic versus intermittent doppler – a randomised controlled trial. *Cent Afr J Med* 1992; 38(12):458-462.
- ⁽¹³⁾ Buchmann EJ, Pattinson RC, Nyathikazi N. Intrapartum-related birth asphyxia in South Africa – lessons from the first national perinatal care survey. *S Afr Med J* 2002; 92(11):897-901.
- ⁽¹⁴⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁵⁾ UNICEF, UNFPA, WHO. Guidelines for monitoring the availability and use of obstetric services. 1997. New York: United Nations Children's Fund.
- ⁽¹⁶⁾ WHO. Technical consultation on guidelines for monitoring the availability and use of obstetric services, summary report. 20-22 June 2006. Geneva, WHO Department of Reproductive Health and Research in collaboration with UNFPA, UNICEF and AMDD.

- ⁽¹⁷⁾ WHO. *Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice*. 2003. Geneva, Switzerland: WHO, Integrated Management of Pregnancy and Childbirth (IMPAC).
- ⁽¹⁸⁾ Peterson S, Nsungwa-Sabiiti J, Were W, Nsabagasani X, Magumba G, Namboze J et al. Coping with paediatric referral – Ugandan parents' experience. *Lancet* 2004; 363:1955-1956.
- ⁽¹⁹⁾ Lawn JE, Zupan J, Begkoyian G, Knippenberg R. *Newborn Survival*. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽²⁰⁾ Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- ⁽²¹⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽²²⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Walelign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²³⁾ Borghi J, Ensor T, Somanathan A, Lissner C, Mills A. Mobilising financial resources for maternal health. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69383-5.
- ⁽²⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: when? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁵⁾ Buekens P, Curtis S, Alayon S. Demographic and Health Surveys: caesarean section rates in sub-Saharan Africa. *BMJ* 2003; 326:136.
- ⁽²⁶⁾ UNICEF. *State of the World's Children 2006*. 2005. New York: United Nations Children's Fund.
- ⁽²⁷⁾ WHO. *World Health Report 2006: working together for health*. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁸⁾ Da Luz Vaz M, Bergstrom S. Mozambique – delegation of responsibility in the area of maternal care. *Int J Gynaecol Obstet* 1992; 38 Suppl:S37-9.:S37-S39.
- ⁽²⁹⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽³⁰⁾ Koblinsky M, Matthews Z, Hussein J, et al. Going to scale with professional skilled care. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69382-3.
- ⁽³¹⁾ Gottret PB, Schieber G. *Health financing revisited: a practitioner's guide*. 2006. Washington, DC: World Bank.
- ⁽³²⁾ Meessen B, Musango L, Khasha JP, Lemlin J. Reviewing institutions of rural health centres: the Performance Initiative in Butare, Rwanda. *Trop Med Int Health* 2006; 11(8):1303-1317.
- ⁽³³⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽³⁴⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁵⁾ Ahluwalia I, Kouletio M, Curtis K, Schmid T. Community empowerment: CDC collaboration with the CARE community-based reproductive health project in two districts in Tanzania. *J Womens Health Gender-based Med* 1999; 8:1015-1019.
- ⁽³⁶⁾ WHO. *Maternity waiting homes: a review of experiences*. 1996. Geneva, Switzerland: World Health Organization. (WHO/RHT/MSM/96.21)
- ⁽³⁷⁾ Chandramohan D, Cutts F, Millard P. The effect of stay in a maternity waiting home on perinatal mortality in rural Zimbabwe. *J Trop Med Hyg* 1995; 98(4):261-267.
- ⁽³⁸⁾ Walker D, McDermott JM, Fox-Rushby J, Tanjung M, Nadjib M, Widiatmoko D et al. An economic analysis of midwifery training programmes in South Kalimantan, Indonesia. *Bull World Health Organ* 2002; 80(1):47-55.
- ⁽³⁹⁾ Warren C. *Repositioning Postpartum Care in Kenya*. 2005. Nairobi, Kenya: Population Council.
- ⁽⁴⁰⁾ Janowitz B, Wallace S, Araujo G, Araujo L. Referrals by traditional birth attendants in northeast Brazil. *Am J Public Health* 1985; 75(7):745-748.
- ⁽⁴¹⁾ Janowitz B, Bailey P, Dominik RC, Araujo L. TBAs in Northeast Brazil: referral patterns and perinatal mortality. *Health Policy and Planning* 1988; 3(1):48-58.
- ⁽⁴²⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com>. Accessed 10 October 2006)
- ⁽⁴³⁾ WHO. *Reproductive health indicators – guidelines for their generation, interpretation and analysis for global monitoring*. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁴⁾ Beck D, Ganges F, Goldman S, Long P. *Care of the newborn: reference manual*. 2004. Save the Children.
- ⁽⁴⁵⁾ WHO. *Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer*. 2004. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁶⁾ World Bank. *Making services work for poor people: world development report*. 2004. Washington, DC: TheWorld Bank.
- ⁽⁴⁷⁾ Kumar R. Effectiveness of training traditional birth attendants for management of asphyxia neonatorum using resuscitation equipment. *Prenatal and Neonatal Medicine* 1998; 3(2):225-260.

Secção III - Capítulo 4 - Controlo Pós-Natal

- ⁽¹⁾ Li XF, Fortney JA, Kotelchuck M, Glover LH. The postpartum period: the key to maternal mortality. *Int J Gynaecol Obstet* 1996; 54(1):1-10.
- ⁽²⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽³⁾ European HIV in Obstetrics Group. Higher rates of post-partum complications in HIV-infected than in uninfected women irrespective of mode of delivery. *AIDS* 2004; 18(6):933-938.
- ⁽⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁵⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽⁶⁾ Shisana O, Simbayi L. Nelson Mandela/HSRC Study of HIV/AIDS: South African National HIV Prevalence Behavioral Risks and Mass Media Household Survey. 2002. Cape Town, South Africa: Human Sciences Research Council.
- ⁽⁷⁾ WHO. *World Health Report 2005: make every mother and child count*. 2005. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ Warren C. *Repositioning Postpartum Care in Kenya*. 2005. Nairobi, Kenya: Population Council.
- ⁽⁹⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹⁰⁾ WHO. *Postpartum care of the mother and newborn: a practical guide*. Report of a technical working group. 1998. Geneva, Switzerland: World Health Organization. (WHO/RHT/MSM/98.3)
- ⁽¹¹⁾ WHO. *Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice*. 2003. Geneva, Switzerland: WHO, Integrated Management of Pregnancy and Childbirth (IMPAC).
- ⁽¹²⁾ UNICEF. *Saving Newborn Lives/Save the Children – US. Strategic guidance note on the newborn (Draft)*. 2006.
- ⁽¹³⁾ Dragovich D, Tamburlini G, Alisjahbana A, Kambarami R, Karagulovala J, Lincetto O et al. Thermal control of the newborn: knowledge and practice of health professional in seven countries. *Acta Paediatr* 1997; 86(6):645-650.
- ⁽¹⁴⁾ Ross JA, Winfrey W. Contraceptive Use, Intention to use and unmet need during the extended post-partum period. *International Family Planning Perspectives* 2001; 27(1).
- ⁽¹⁵⁾ Rabinovitz LM, Landry E. Postpartum contraception: perspectives from clients and providers in six countries. *AVSC News* 1991; 29(4):3-4.
- ⁽¹⁶⁾ Joint WHO/UNAIDS/UNFPA statement: Dual protection against unwanted pregnancy and sexually transmitted infections, including HIV. 2000.
- ⁽¹⁷⁾ Grimes D, Schulz K, Van VH, Stanwood N. Immediate post-partum insertion of intrauterine devices: a Cochrane review. *Hum Reprod* 2002; 17(3):549-554.
- ⁽¹⁸⁾ WHO, UNICEF. *Antenatal care in developing countries: Promises, achievements and missed opportunities*. 2003. Geneva, Switzerland: World Health Organization.
- ⁽¹⁹⁾ Stanton C, Blanc AK, Croft T, Choi Y. Skilled care at birth in the developing world: progress to date and strategies for expanding coverage. *J Biosoc Sci* 2006; 1-12.
- ⁽²⁰⁾ Mohamed SA, Kamel MA, Shaaban OM, Salem HT. Acceptability for the use of postpartum intrauterine contraceptive devices: Assiut experience. *Med Princ Pract* 2003; 12(3):170-175.
- ⁽²¹⁾ Ransjo-Arvidson AB, Chintu K, Ng'andu N, Eriksson B, Susu B, Christensson K et al. Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia. *J Epidemiol Community Health* 1998; 52(6):385-391.
- ⁽²²⁾ Hundt GL, Beckerleg S, Kassem F, bu Jafar AM, Belmaker I, Abu SK et al. Women's health custom made: building on the 40 days postpartum for Arab women. *Health Care Women Int* 2000; 21(6):529-542.
- ⁽²³⁾ Koblinsky MA. Community-based postpartum care: An urgent unmet need. 2005. USAID, Catalyst Consortium.

- ⁽²⁴⁾ Bang AT, Reddy HM, Deshmukh MD, Baitule SB, Bang RA. Neonatal and infant mortality in the ten years (1993 to 2003) of the Gadchiroli field trial: effect of home-based neonatal care. *J Perinatol* 2005; 25 Suppl 1:S92-107.
- ⁽²⁵⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽²⁶⁾ Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- ⁽²⁷⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Waleign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²⁸⁾ Lim S, Adam T, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- ⁽²⁹⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. *The Lancet*. In press 2006.
- ⁽³⁰⁾ Sibley L, Sipe TA, Koblinsky M. Does traditional birth attendant training improve referral of women with obstetric complications: a review of the evidence. *Soc Sci Med* 2004; 59(8):1757-1768.
- ⁽³¹⁾ Gennaro S, Dugyi E, Doud JM, Kershbaumer R. Health promotion for childbearing women in Rubanda, Uganda. *J Perinat Neonatal Nurs* 2002; 16(3):39-50.
- ⁽³²⁾ Doherty T, Chopra M, Nkonki L, Jackson D, Greiner T. Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". *Bull World Health Organ* 2006; 84(2):90-96.
- ⁽³³⁾ Bulut A, Turan JM. Postpartum family planning and health needs of women of low income in Istanbul. *Stud Fam Plann* 1995; 26(2):88-100.
- ⁽³⁴⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁵⁾ Lugina HI, Lindmark G, Johansson E, Christensson K. Tanzanian midwives' views on becoming a good resource and support person for postpartum women. *Midwifery* 2001; 17(4):267-278.
- ⁽³⁶⁾ Schneider A. How quality improvement in health care can help to achieve the Millennium Development Goals. *Bull World Health Organ* 2006; 84(4):259.
- ⁽³⁷⁾ Neena Khadka. Increasing access to quality postnatal care: findings from PNC project in Nepal. 2005. Save the Children.
- ⁽³⁸⁾ Save the Children. State of the World's Mothers 2006: saving the lives of mothers and newborn. 2006. Washington, DC, Save the Children.
- ⁽³⁹⁾ Sibanda JQ, Saungweme I, Nleya C, Mutymbizi MP, Rutgers RA. Post natal care in Bubi district deserves more attention. *Cent Afr J Med* 2001; 47(4):103-108.
- ⁽⁴⁰⁾ Adinma JI, Agbai AO, Nwosu BO. Contraceptive choices among Nigerian women attending an antenatal clinic. *Adv Contracept* 1998; 14(2):131-145.
- ⁽⁴¹⁾ Horton R. The coming decade for global action on child health. *Lancet* 2006; 367:3-5.
- ⁽⁴²⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com>. Accessed 10 October 2006)
- (6) Bryce J, Victora CG, Habicht JP, Vaughan JP, Black RE. The multi-country evaluation of the integrated management of childhood illness strategy: lessons for the evaluation of public health interventions. *Am J Public Health* 2004; 94(3):406-415.
- (7) Bryce J, Victora CG. Ten methodological lessons from the multi-country evaluation of Integrated Management of Childhood Illness. *Health Policy Plan* 2005; 20 Suppl 1:i94-i105.
- (8) Chopra M, Patel S, Cloete K, Sanders D, Peterson S. Effect of an IMCI intervention on quality of care across four districts in Cape Town, South Africa. *Arch Dis Child* 2005; 90(4):397-401.
- (9) Pariyo GW, Gouws E, Bryce J, Burnham G. Improving facility-based care for sick children in Uganda: training is not enough. *Health Policy Plan* 2005; 20 Suppl 1:i58-i68.
- (10) Amaral J, Gouws E, Bryce J, Leite AJ, Cunha AL, Victora CG. Effect of Integrated Management of Childhood Illness (IMCI) on health worker performance in Northeast-Brazil. *Cad Saude Publica* 2004; 20 Suppl 2:S209-S219.
- (11) Schellenberg JA, Victora CG, Mushi A, de Savigny D, Schellenberg D, Mshinda H et al. Inequities among the very poor: health care for children in rural southern Tanzania. *Lancet* 2003; 361:561-566.
- (12) Weber MW, Carlin JB, Gatchalian S, Lehmann D, Muhe L, Mulholland EK. Predictors of neonatal sepsis in developing countries. *Pediatr Infect Dis J* 2003; 22(8):711-717.
- (13) Weber M. Young infants II study group. Clinical predictors of severe illness in 0-6 and 7-59 day old infants. 2006.
- (14) Martinez J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- (15) WHO. HIV and infant feeding: guidelines for decision makers. Geneva: World Health Organization. 2003.
- (16) WHO. HIV and infant feeding: a guide for health-care managers and supervisors. Geneva: World Health Organization. 2003.
- (17) Lucas J, Jitta J, Jones G, Wilczynska-Ketenda K. Implementing the household & community component of IMCI in the Eastern and Southern Region (ESAR): A state of the art review of the human rights based approach to programming in the context of accelerated child survival. New York: UNICEF; 2005.
- (18) Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- (19) Daga SR, Daga AS, Dighole RV, Patil RP. Anganwadi worker's participation in rural newborn care. *Indian J Pediatr* 1993; 60(5):627-630.
- (20) Sazawal S, Black RE. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003; 3(9):547-556.
- (21) Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999; 354:1955-1961.
- (22) Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005; 331:1107.
- (23) Sen A, Mahalanabis D, Singh AK, Som TK, Bandyopadhyay S. Development and effects of a neonatal care unit in rural India. *Lancet* 2005; 366:27-28.
- (24) WHO. Management of newborn problems: a guide for doctors, nurses and midwives. 2003. Geneva, WHO. Integrated Management of Pregnancy and Childbirth (IMPAC).
- (25) Conde-Agudelo A, Diaz-Rossello JL, Belizan JM. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database Syst Rev* 2000;(4):CD002771.
- (26) Armstrong Schellenberg JR, Adam T, Mshinda H, Masanja H, Kabadi G, Mukasa O et al. Effectiveness and cost of facility-based Integrated Management of Childhood Illness (IMCI) in Tanzania. *Lancet* 2004; 364:1583-1594.
- (27) Lawn JE, Cousens SN, Darmstadt GL, Bhutta ZA, Martinez J, Paul V et al. 1 year after The Lancet Neonatal Survival Series--was the call for action heard? *Lancet* 2006; 367:1541-1547.

Secção III Capítulo 5 - Atenção Integrada às Doenças da Infância (AIDI)

- (1) Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- (2) UNICEF. State of the World's Children 2006. New York: The United Nations Children's Fund (UNICEF); 2005.
- (3) Armstrong SJ, Bryce J, de Savigny D, Lambrechts T, Mbuya C, Mgalula L et al. The effect of Integrated Management of Childhood Illness on observed quality of care of under-fives in rural Tanzania. *Health Policy Plan* 2004; 19(1):1-10.
- (4) el Arifeen S, Blum LS, Hoque DM, Chowdhury EK, Khan R, Black RE et al. Integrated Management of Childhood Illness (IMCI) in Bangladesh: early findings from a cluster-randomised study. *Lancet* 2004; 364(9445):1595-1602.
- (5) Bryce J, Victora CG, Habicht JP, Black RE, Scherpbier RW. Programmatic pathways to child survival: results of a multi-country evaluation of Integrated Management of Childhood Illness. *Health Policy Plan* 2005; 20 Suppl 1:i5-i17.

Secção III Capítulo 6 - Promoção da nutrição e da amamentação

- ⁽¹⁾ Huffman SL, Zehner ER, Harvey P, Martin L. Essential health sector actions to improve maternal nutrition in Africa. 2001. Regional Centre for Quality of Care and LINKAGES Project. Washington, DC: Academy for Educational Development.
- ⁽²⁾ Mason J, Bailes A, Beda-Andourou M, Copeland N, Curtis T, Deitchler M et al. Recent trends in malnutrition in developing regions: vitamin A deficiency, anemia, iodine deficiency, and child underweight. *Food Nutr Bull* 2005; 26(1):59-108.
- ⁽³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁴⁾ Berkman DS, Lescano AG, Gilman RH, Lopez SL, Black MM. Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. *Lancet* 2002; 359:564-571.
- ⁽⁵⁾ de Onis M, Frongillo EA, Blossner M. Is malnutrition declining? An analysis of changes in levels of child malnutrition since 1980. *Bull World Health Organ* 2000; 78(10):1222-1233.
- ⁽⁶⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽⁷⁾ de Onis M, Blössner M, Borghi E, Frongillo EA, Morris R. Estimates of global prevalence of childhood underweight in 1990 and 2015. *JAMA* 2004; 291(21):2600-2606.
- ⁽⁸⁾ Stoltzfus R, Mullany L, Black R. Iron deficiency anemia. In: Ezzati M, Lopez A, Rodgers A, Murray C, editors. Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors. 2004. Geneva: World Health Organization. 163-209.
- ⁽⁹⁾ Diene S. The essential nutrition actions. *HealthLink* 2003;(124).
- ⁽¹⁰⁾ WHO, UNICEF. The global strategy for infant and young child feeding. 2003. Geneva, Switzerland: World Health Organization.
- ⁽¹¹⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365(9478):2193-2200.
- ⁽¹²⁾ Fishman S, Caulfield LE, de Onis M, Blössner M, Hyder AA, Mullany L, et al. Comparative risk assessment: Underweight status. In: Ezzati M, Lopez AD, Rodgers A, Murray C, editors. Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factors. 2004. Geneva, Switzerland: World Health Organization.
- ⁽¹³⁾ LINKAGES Project. Facts for feeding: birth, initiation of breastfeeding, and the first seven days after birth. 2003. Washington, DC: Academy for Educational Development.
- ⁽¹⁴⁾ Edmond KM, Zandoh C, Quigley MA, menga-Etego S, Owusu-Agyei S, Kirkwood BR. Delayed breastfeeding initiation increases risk of neonatal mortality. *Pediatrics* 2006; 117(3):e380-e386.
- ⁽¹⁵⁾ Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS. How many child deaths can we prevent this year? *Lancet* 2003; 362:65-71.
- ⁽¹⁶⁾ Edmond KM, Bahl R, Taiwah-Agyemang, Lawn JE, Kirkwood BR. Breast is still best: new evidence of the potential to save at least 1.4 million lives. Commonwealth Health Ministers Reference Book 2006. 2006.
- ⁽¹⁷⁾ WHO Collaborative group. Effect of breastfeeding on infant and child mortality due to infectious diseases in less developed countries: a pooled analysis. WHO Collaborative Study Team on the Role of Breastfeeding on the Prevention of Infant Mortality. *Lancet* 2000; 355:451-455.
- ⁽¹⁸⁾ Huffman SL, Zehner ER, Victora C. Can improvements in breast-feeding practices reduce neonatal mortality in developing countries? *Midwifery* 2001; 17(2):80-92.
- ⁽¹⁹⁾ WHO. Managing complications in pregnancy and childbirth: a guide for midwives and doctors. 2000. Integrated Management of Pregnancy and Childbirth (IMPAC). Geneva, Switzerland: World Health Organization. (WHO/RHR/00.7)
- ⁽²⁰⁾ WHO. Optimal feeding of the low birthweight infant guidelines (draft). 2006.
- ⁽²¹⁾ WHO. Pregnancy, Childbirth, Postpartum and Newborn Care: A guide for essential practice. 2003. Integrated Management of Pregnancy and Childbirth (IMPAC). Geneva, Switzerland: World Health Organization.
- ⁽²²⁾ LINKAGES Project. Facts for feeding: feeding low birthweight babies. 2006. Washington, DC: Academy for Educational Development.
- ⁽²³⁾ LINKAGES Project. Infant feeding options in the context of HIV. 2005. Washington, DC: Academy for Educational Development.
- ⁽²⁴⁾ LINKAGES Project. Experience LINKAGES: Behavior Change Communication. 2003. Washington, DC: Academy for Educational Development.
- ⁽²⁵⁾ Mkenelly B. Freedom from Hunger's credit with education strategy for improving nutrition security: impact evaluation results from Ghana. 1997. Sacramento, CA, Paper presented at the XII International Conference of Agricultural Economists.
- ⁽²⁶⁾ van Rheenen PF, Brabin BJ. Late umbilical cord-clamping as an intervention for reducing iron deficiency anaemia in term infants in developing and industrialised countries: a systematic review. *Ann Trop Paediatr* 2004; 24(1):3-16.
- ⁽²⁷⁾ Aguayo VM, Roley JA, Malanze J, Meershoek SP. Opportunities for improving the quality of nutritional services in the national health system in Mozambique: findings from Manica Province. *J Trop Pediatr* 2004; 50(5):314-318.
- ⁽²⁸⁾ Deneke K, Rubin J, Franklin N, Guyon A. Prevention of mother to child transmission baseline survey Ethiopia. 2004. Addis Ababa, Ethiopia: LINKAGES Project/Ethiopia, Academy for Educational Development.
- ⁽²⁹⁾ UNICEF. The baby-friendly hospital initiative. 2006. (www.unicef.org/programme/breastfeeding/baby.htm). Accessed 10 September 2006.
- ⁽³⁰⁾ Semega-Janneh I. Breastfeeding: from biology to policy. The second Abraham Horwitz lecture. SCN annual session. Oslo, Norway, 1998.
- ⁽³¹⁾ Morrow AL, Guerrero ML, Shults J, Calva JJ, Lutter C, Bravo J et al. Efficacy of home-based peer counselling to promote exclusive breastfeeding: a randomised controlled trial. *Lancet* 1999; 353(9160):1226-1231.
- ⁽³²⁾ Green C. Improving Breastfeeding Behaviors: Evidence from two decades of intervention research. 1999. Washington, DC: Academy for Educational Development.
- ⁽³³⁾ WHO. Africa's newborns: the forgotten children. 2002. Brazzaville: WHO Regional Office for Africa.
- ⁽³⁴⁾ Schubert JW, Martin LH. Seeing is believing: mobilizing community support for breastfeeding in Ghana. *Nutrition* 2006; 2:5-7.
- ⁽³⁵⁾ Quinn VJ, Guyon AB, Schubert JW, Stone-Jimenez M, Hainsworth MD, Martin LH. Improving breastfeeding practices on a broad scale at the community level: success stories from Africa and Latin America. *J Hum Lact* 2005; 21(3):345-354.

Secção III Capítulo 7 - Programas de prevenção da transmissão vertical do VIH/SIDA de mãe para filho

- ⁽¹⁾ UNAIDS. Report on the global AIDS epidemic. 2006. Geneva, Joint United Nations Programme on HIV/AIDS (UNAIDS).
- ⁽²⁾ European HIV in Obstetrics Group. Higher rates of post-partum complications in HIV-infected than in uninfected women irrespective of mode of delivery. *AIDS* 2004; 18(6):933-938.
- ⁽³⁾ Fawcus SR, van Coeverden de Groot HA, Isaacs S. A 50-year audit of maternal mortality in the Peninsula Maternal and Neonatal Service, Cape Town (1953-2002). *BJOG* 2005; 112(9):1257-1263.
- ⁽⁴⁾ Ahmed Y, Mwaba P, Chintu C, Grange JM, Ustianowski A, Zumla A. A study of maternal mortality at the University Teaching Hospital, Lusaka, Zambia: the emergence of tuberculosis as a major non-obstetric cause of maternal death. *Int J Tuberc Lung Dis* 1999; 3(8):675-680.
- ⁽⁵⁾ Temmerman M, Plummer FA, Mirza NB, Ndinya-Achola JO, Wamola IA, Nagelkerke N et al. Infection with HIV as a risk factor for adverse obstetrical outcome. *AIDS* 1990; 4(11):1087-1093.
- ⁽⁶⁾ Bulterys M, Chao A, Munyemana S, Kurawige JB, Nawrocki P, Habimana P et al. Maternal human immunodeficiency virus 1 infection and intrauterine growth: a prospective cohort study in Butare, Rwanda. *Pediatr Infect Dis J* 1994; 13(2):94-100.
- ⁽⁷⁾ Braddick MR, Kreiss JK, Embree JB, Datta P, Ndinya-Achola JO, Pamba H et al. Impact of maternal HIV infection on obstetrical and early neonatal outcome. *AIDS* 1990; 4(10):1001-1005.
- ⁽⁸⁾ Embree JE, Njenga S, Datta P, Nagelkerke NJ, Ndinya-Achola JO, Mohammed Z et al. Risk factors for postnatal mother-child transmission of HIV-1. *AIDS* 2000; 14(16):2535-2541.
- ⁽⁹⁾ Dunn DT, Newell ML, Ades AE, Peckham CS. Risk of human immunodeficiency virus type 1 transmission through breastfeeding. *Lancet* 1992; 340:585-588.
- ⁽¹⁰⁾ Mofenson LM, Lambert JS, Stichm ER, Bethel J, Meyer WA, III, Whitehouse J et al. Risk factors for perinatal transmission of human immunodeficiency virus type 1 in women treated with zidovudine. Pediatric AIDS Clinical Trials Group Study 185 Team. *N Engl J Med* 1999; 341(6):385-393.
- ⁽¹¹⁾ Doherty T, Chopra M, Nkonki L, Jackson D, Greiner T. Effect of the HIV epidemic on infant feeding in South Africa: "When they see me coming with the tins they laugh at me". *Bull World Health Organ* 2006; 84(2):90-96.
- ⁽¹²⁾ Rollins N, Willumsen J. Evaluation of infant feeding practices by mothers at PMTCT and non-PMTCT sites in Botswana. Botswana PMTCT advisory group, Botswana Food and Nutrition Unit, Ministry of Health, Botswana. 2001. UNICEF Botswana.
- ⁽¹³⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁴⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365:1147-1152.

- ⁽¹⁵⁾ Cooper ER, Charurat M, Mofenson L, Hanson IC, Pitt J, Diaz C et al. Combination antiretroviral strategies for the treatment of pregnant HIV-1-infected women and prevention of perinatal HIV-1 transmission. *J Acquir Immune Defic Syndr* 2002; 29(5):484-494.
- ⁽¹⁶⁾ Newell ML, Coovadia H, Cortina-Borja M, Rollins N, Gaillard P, Dabis F. Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet* 2004; 364:1236-1243.
- ⁽¹⁷⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽¹⁸⁾ Ayisi JG, Van Eijk AM, Newman RD, ter Kuile FO, Shi YP, Yang C et al. Maternal malaria and perinatal HIV transmission, western Kenya. *Emerg Infect Dis* 2004; 10(4):643-652.
- ⁽¹⁹⁾ Ayisi JG, Van Eijk AM, ter Kuile FO, Kolczak MS, Otieno JA, Misore AO et al. The effect of dual infection with HIV and malaria on pregnancy outcome in western Kenya. *AIDS* 2003; 17(4):585-594.
- ⁽²⁰⁾ Pillay T, Khan M, Moodley J, Adhikari M, Coovadia H. Perinatal tuberculosis and HIV-1: considerations for resource-limited settings. *Lancet Infect Dis* 2004; 4(3):155-165.
- ⁽²¹⁾ Khan M, Pillay T, Moodley JM, Connolly CA. Maternal mortality associated with tuberculosis-HIV-1 co-infection in Durban, South Africa. *AIDS* 2001; 15(14):1857-1863.
- ⁽²²⁾ Watson-Jones D, Chagalucha J, Gumodoka B, Weiss H, Rusizoka M, Ndeki L et al. Syphilis in pregnancy in Tanzania. I. Impact of maternal syphilis on outcome of pregnancy. *J Infect Dis* 2002; 186(7):940-947.
- ⁽²³⁾ Ahmad H, Mehta NJ, Manikal VM, Lamoste TJ, Chapnick EK, Lutwick LI et al. *Pneumocystis carinii* pneumonia in pregnancy. *Chest* 2001; 120(2):666-671.
- ⁽²⁴⁾ Kumar RM, Uduman SA, Khurana AK. Impact of pregnancy on maternal AIDS. *J Reprod Med* 1997; 42(7):429-434.
- ⁽²⁵⁾ Lallemand M, Jourdain G, Le CS, Mary JY, Ngo-Giang-Huong N, Koetsawang S et al. Single-dose perinatal nevirapine plus standard zidovudine to prevent mother-to-child transmission of HIV-1 in Thailand. *N Engl J Med* 2004; 351(3):217-228.
- ⁽²⁶⁾ Lim WS, Macfarlane JT, Colthorpe CL. Treatment of community-acquired lower respiratory tract infections during pregnancy. *Am J Respir Med* 2003; 2(3):221-233.
- ⁽²⁷⁾ St Louis ME, Kamenga M, Brown C, Nelson AM, Manzila T, Batter V et al. Risk for perinatal HIV-1 transmission according to maternal immunologic, virologic, and placental factors. *JAMA* 1993; 269(22):2853-2859.
- ⁽²⁸⁾ WHO. Nutrient requirements for people living with HIV/AIDS. Report of a technical consultation. 13-15 May 2003. Geneva, Switzerland: World Health Organization.
- ⁽²⁹⁾ WHO. Antiretroviral therapy of HIV infection in infants and children in resource-limited settings: towards universal access. 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁰⁾ Nduati R, John G, Mbori-Ngacha D, Richardson B, Overbaugh J, Mwatha A et al. Effect of breastfeeding and formula feeding on transmission of HIV-1: a randomized clinical trial. *JAMA* 2000; 283(9):1167-1174.
- ⁽³¹⁾ WHO. Guiding principles for feeding non-breastfed children 6-24 months of age. 2005. Geneva, Switzerland: World Health Organization.
- ⁽³²⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽³³⁾ Tanzania report. 2005. Elizabeth Glaser Paediatric AIDS Foundation and Engender Health. Dec-Jan 2005.
- ⁽³⁴⁾ Manzi M, Zachariah R, Teck R, Buhendwa L, Kazima J, Bakali E et al. High acceptability of voluntary counselling and HIV-testing but unacceptable loss to follow up in a prevention of mother-to-child HIV transmission programme in rural Malawi: scaling-up requires a different way of acting. *Trop Med Int Health* 2005; 10(12):1242-1250.
- ⁽³⁵⁾ Kagaayi J, Dreyfuss ML, Kigozi G, Chen MZ, Wabwire-Mangen F, Serwadda D et al. Maternal self-medication and provision of nevirapine to newborns by women in Rakai, Uganda. *J Acquir Immune Defic Syndr* 2005; 39(1):121-124.
- ⁽³⁶⁾ WHO, UNICEF. The global strategy for infant and young child feeding. 2003. Geneva, World Health Organization.
- ⁽³⁷⁾ Narayanan I, Bagchi A, Rose M, Hessler-Radelet C, Kramer C. Safeguarding investment in PMTCT programs by incorporating essential newborn care. 2004. Arlington, Virginia, Basic Support for Institutionalizing Child Survival Project (BASICS II).
- ⁽³⁸⁾ WHO. Technical consultation on the integration of HIV interventions into maternal, newborn, and child health services. Report of a meeting, 5-7 April 2006. Geneva, Switzerland: World Health Organization.
- ⁽³⁹⁾ WHO mission reports. Integration of HIV/AIDS with reproductive health and child health services using PMTCT as an entry point, Uganda and Mozambique. 2004. WHO regional office for Africa.
- ⁽⁴⁰⁾ Sweat M, O'Reilly K, Schmid G, Denison J, de Zoysa I. Cost-effectiveness of nevirapine to prevent mother-to-child HIV transmission in eight African countries. *AIDS* 2004; 18(12):1661-1671.
- ⁽⁴¹⁾ Msaky H, et al. Scaling the Frontier: Traditional Birth Attendant Involvement in PMTCT Service Delivery in Hai and Kilombero District of Tanzania. 2004. Bangkok XV International AIDS Conference.
- ⁽⁴²⁾ Mahomva A, Miller A. Integrating HIV-related information into routine family and child health service systems: the Zimbabwe experience. 2004. National Ministry of Health and Child Welfare, Zimbabwe; the Elizabeth Glaser Paediatric AIDS Foundation, Zimbabwe; and USAID/Zimbabwe.
- ⁽⁴³⁾ Gichangi P. Scaling Up Interventions for Prevention of Mother to Child Transmission of HIV in Zambia: Best Practices. 2005. WHO regional office for Africa.
- ⁽⁴⁴⁾ Bweupe M. Integration of HIV interventions in maternal, newborn, and child care services in Zambia: country experience. April 5-7, 2006. Geneva, Switzerland: World Health Organization.

Secção III Capítulo 8 - Programas de monitorização da malária

- ⁽¹⁾ Rowe AK, Rowe SY, Snow RW, Korenromp EL, Schellenberg JR, Stein C et al. The burden of malaria mortality among African children in the year 2000. *Int J Epidemiol* 2006; 35(3):691-704.
- ⁽²⁾ Worrall E, Rietveld A, Delacollette C. The burden of malaria epidemics and cost-effectiveness of interventions in epidemic situations in Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):136-140.
- ⁽³⁾ Bouyou-Akotet MK, Ionete-Collard DE, Mabika-Manfoumbi M, Kendjo E, Matsigui PB, Mavoungou E et al. Prevalence of *Plasmodium falciparum* infection in pregnant women in Gabon. *Malar J* 2003; 2:18.
- ⁽⁴⁾ Shulman CE, Marshall T, Dorman EK, Bulmer JN, Cutts F, Peshu N et al. Malaria in pregnancy: adverse effects on haemoglobin levels and birthweight in primigravidae and multigravidae. *Trop Med Int Health* 2001; 6(10):770-778.
- ⁽⁵⁾ Abrams ET, Kwiek JJ, Mwapasa V, Kamwendo DD, Tadesse E, Lema VM et al. Malaria during pregnancy and foetal haematological status in Blantyre, Malawi. *Malar J* 2005; 4:39.
- ⁽⁶⁾ Newman RD, Hailemariam A, Jimma D, Degifie A, Kebede D, Rietveld AE et al. Burden of malaria during pregnancy in areas of stable and unstable transmission in Ethiopia during a non-epidemic year. *J Infect Dis* 2003; 187(11):1765-1772.
- ⁽⁷⁾ Okoko BJ, Ota MO, Yamuah LK, Idiong D, Mkanam SN, Avieka A et al. Influence of placental malaria infection on foetal outcome in the Gambia: twenty years after Ian McGregor. *J Health Popul Nutr* 2002; 20(1):4-11.
- ⁽⁸⁾ McDermott JM, Slutsker L, Steketee RW, Wirima JJ, Breman JG, Heymann DL. Prospective assessment of a cohort of mortality among a cohort of pregnant women in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):66-70.
- ⁽⁹⁾ Greenwood AM, Armstrong JR, Byass P, Snow RW, Greenwood BM. Malaria chemoprophylaxis, birth weight and child survival. *Trans R Soc Trop Med Hyg* 1992; 86(5):483-485.
- ⁽¹⁰⁾ McDermott JM, Wirima JJ, Steketee RW, Breman JG, Heymann DL. The effect of placental malaria infection on perinatal mortality in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):61-65.
- ⁽¹¹⁾ WHO. Strategic framework for malaria prevention and control during pregnancy in the African region. 2004. Brazzaville, Congo, WHO Regional Office for Africa.
- ⁽¹²⁾ ter Kuile FO, Parise ME, Verhoeff FH, Udhayakumar V, Newman RD, Van Eijk AM et al. The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-Saharan Africa. *Am J Trop Med Hyg* 2004; 71(2 Suppl):41-54.
- ⁽¹³⁾ Van Eijk AM, Ayisi JG, ter Kuile FO, Misore A, Otieno JA, Kolczak MS et al. Human immunodeficiency virus seropositivity and malaria as risk factors for third-trimester anemia in asymptomatic pregnant women in western Kenya. *Am J Trop Med Hyg* 2001; 65(5):623-630.
- ⁽¹⁴⁾ Brahmbhatt H, Kigozi G, Wabwire-Mangen F, Serwadda D, Sewankambo N, Lutalo T et al. The effects of placental malaria on mother-to-child HIV transmission in Rakai, Uganda. *AIDS* 2003; 17(17):2539-2541.
- ⁽¹⁵⁾ Ayisi JG, Van Eijk AM, Newman RD, ter Kuile FO, Shi YP, Yang C et al. Maternal malaria and perinatal HIV transmission, western Kenya. *Emerg Infect Dis* 2004; 10(4):643-652.
- ⁽¹⁶⁾ Steketee RW, Wirima JJ, Hightower AW, Slutsker L, Heymann DL, Breman JG. The effect of malaria and malaria prevention in pregnancy on offspring birthweight, prematurity, and intrauterine growth retardation in rural Malawi. *Am J Trop Med Hyg* 1996; 55(1 Suppl):33-41.
- ⁽¹⁷⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365(9463):977-988.

- ⁽¹⁸⁾ Gamble C, Ekwaru JP, ter Kuile FO. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006;(2):CD003755.
- ⁽¹⁹⁾ Curtis C, Maxwell C, Lemnge M, Kilima WL, Steketeer RW, Hawley WA et al. Scaling-up coverage with insecticide-treated nets against malaria in Africa: who should pay? *Lancet Infect Dis* 2003; 3(5):304-307.
- ⁽²⁰⁾ Shulman CE, Dorman EK, Cutts F, Kawuondo K, Bulmer JN, Peshu N et al. Intermittent sulphadoxine-pyrimethamine to prevent severe anaemia secondary to malaria in pregnancy: a randomised placebo-controlled trial. *Lancet* 1999; 353(February 20):632-636.
- ⁽²¹⁾ Parise ME, Ayisi JG, Nahlen BL, Schultz LJ, Roberts JM, Misore A et al. Efficacy of sulfadoxine-pyrimethamine for prevention of placental malaria in an area of Kenya with a high prevalence of malaria and human immunodeficiency virus infection. *Am J Trop Med Hyg* 1998; 59(5):813-822.
- ⁽²²⁾ MIPESA. Assessment of malaria country experiences in the adoption and implementation of malaria in pregnancy policies: Including best practices and lessons learned. ACCESS, WHO; 2005.
- ⁽²³⁾ Guyatt HL, Noor AM, Ochola SA, Snow RW. Use of intermittent presumptive treatment and insecticide treated bed nets by pregnant women in four Kenyan districts. *Trop Med Int Health* 2004; 9(2):255-261.
- ⁽²⁴⁾ Van Eijk AM, Blokland IE, Slutsker L, Odhiambo F, Ayisi JG, Bles HM et al. Use of intermittent preventive treatment for malaria in pregnancy in a rural area of western Kenya with high coverage of insecticide-treated bed nets. *Trop Med Int Health* 2005; 10(11):1134-1140.
- ⁽²⁵⁾ Holtz TH, Kachur SP, Roberts JM, Marum LH, Mkandala C, Chizani N et al. Use of antenatal care services and intermittent preventive treatment for malaria among pregnant women in Blantyre District, Malawi. *Trop Med Int Health* 2004; 9(1):77-82.
- ⁽²⁶⁾ Mbonye AK, Neema S, Magnussen P. Perceptions on use of sulfadoxine-pyrimethamine in pregnancy and the policy implications for malaria control in Uganda. *Health Policy* 2006; 77(3):279-289.
- ⁽²⁷⁾ Nganda RY, Drakeley C, Reyburn H, Marchant T. Knowledge of malaria influences the use of insecticide treated nets but not intermittent presumptive treatment by pregnant women in Tanzania. *Malar J* 2004; 3:42.
- ⁽²⁸⁾ WHO. Recommendations on the use of Sulfadoxine-Pyrimethamine (SP) for intermittent preventive treatment during pregnancy (IPT) in areas of moderate to high resistance to SP in the African Region. 2005. Harare, 27-28 October 2005., WHO Regional Office for Africa in collaboration with the Roll Back Malaria Department.
- ⁽²⁹⁾ Boller C, Wyss K, Mtasiwa D, Tanner M. Quality and comparison of antenatal care in public and private providers in the United Republic of Tanzania. *Bull World Health Organ* 2003; 81(2):116-122.
- ⁽³⁰⁾ Roll Back Malaria Partnership Working Group on Insecticide Treated Nets (WIN). Summary report of meeting on development, production and distribution of long-lasting insecticidal nets. Johannesburg, South Africa: 2004.

Secção III Capítulo 9 - Programas de vacinação

- ⁽¹⁾ WHO. The World Health Report: Make Every Mother and Child Count. 2005. Geneva, Switzerland: WHO.
- ⁽²⁾ Victora CG, Fenn DB, Bryce J, Kirkwood BR. Co-coverage of preventive interventions and implications for child-survival strategies: evidence from national surveys. *Lancet* 2005; 366:1460-1466.
- ⁽³⁾ Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006; 367:1066-1074.
- ⁽⁴⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽⁵⁾ Meegan ME, Conroy RM, Lengeny SO, Renhault K, Nyangole J. Effect on neonatal tetanus mortality after a culturally-based health promotion programme. *Lancet* 2001; 358:640-641.
- ⁽⁶⁾ UNICEF, WHO and UNFPA. Maternal and neonatal tetanus elimination by 2005: Strategies for achieving and maintaining elimination. 2000.
- ⁽⁷⁾ WHO. WHO recommended standards for surveillance of selected vaccine preventable diseases. 2003. Geneva, Switzerland: World Health Organization.
- ⁽⁸⁾ WHO. Maternal and neonatal tetanus elimination, issues of gross neonatal tetanus cases and deaths under-reporting in West Africa. Brazzaville: WHO Regional Office for Africa. (<http://www.afro.who.int/nnt/reports/elimination.pdf>. Accessed 17 September 2006.)
- ⁽⁹⁾ Cutts F, Vynnycky E. Modeling the incidence of congenital rubella syndrome in developing countries. *Internal Journal of Epidemiology* 1999; 28:1176-1184.
- ⁽¹⁰⁾ Lawn JE, Reef S, Baffoe-Bonnie B, Adadevoh S, Caul EO, Griffin GE. Unseen blindness, unheard deafness, and unrecorded death and disability: congenital rubella in Kumasi, Ghana. *Am J Public Health* 2000; 90(10):1555-1561.
- ⁽¹¹⁾ WHO. Rubella vaccines: WHO position paper. *Wkly Epidemiol Rec* 2000; 75:161-172.
- ⁽¹²⁾ WHO. Hepatitis B vaccines: WHO position paper. *Wkly Epidemiol Rec* 2004; 79(28):255-263.
- ⁽¹³⁾ Poliomyelitis. Fact sheet No. 114. 2003. (<http://www.who.int/mediacentre/factsheets/fs114/en/>. Accessed 15 September 2006.)
- ⁽¹⁴⁾ UNICEF. State of the World's Children 2006. 2005. New York: The United Nations Children's Fund.
- ⁽¹⁵⁾ WHO. Tetanus vaccine: WHO position paper. *Wkly Epidemiol Rec* 2006; 81(20):198-208.
- ⁽¹⁶⁾ WHO. Maternal and Neonatal Tetanus elimination: Progress toward global MNT elimination. (http://www.who.int/immunization_monitoring/diseases/MNTE_initiative/en/index4.html. Accessed 23 October 2006.)
- ⁽¹⁷⁾ WHO. WHO vaccine-preventable diseases: monitoring system – 2005 Global Summary. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁸⁾ Lawn JE, Reef S, Baffoe-Bonnie B, Adadevoh S, Caul EO, Griffin GE. Unseen blindness, unheard deafness, and unrecorded death and disability: congenital rubella in Kumasi, Ghana. *Am J Public Health* 2000; 90(10):1555-1561.
- ⁽¹⁹⁾ Delamonica E, Minujin A, Gulaid J. Monitoring equity in immunization coverage. *Bull World Health Organ* 2005; 83(5):384-391.

Secção IV - Como prestar cuidados de saúde essenciais em África a todas as mães e a todos os bebés

- ⁽¹⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006. (Available on CD)
- ⁽²⁾ Travis P, Bennett S, Haines A, Pang T, Bhutta Z, Hyder AA et al. Overcoming health-systems constraints to achieve the Millennium Development Goals. *Lancet* 2004; 364(9437):900-906.
- ⁽³⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽⁴⁾ The Paris Declaration. 2 March 2005. (http://www.oecd.org/document/18/0,2340,en_2649_3236398_35401554_1_1_1,00.html. Accessed 20 September 2006.)
- ⁽⁵⁾ Ndoye A, Mboup BM, Fall M, Narayanan I, Thiam A, Plowman B et al. Newborn health interventions in Senegal: the early implementation phase. Basic Support for Institutionalizing Child Survival Project (BASICS II) for the United States Agency for International Development; 2004.
- ⁽⁶⁾ Lalonde AB, Okong P, Mugasa A, Perron L. The FIGO Save the Mothers Initiative: the Uganda-Canada collaboration. *Int J Gynaecol Obstet* 2003; 80(2):204-212.
- ⁽⁷⁾ Fawcus SR, van Coeverden de Groot HA, Isaacs S. A 50-year audit of maternal mortality in the Peninsula Maternal and Neonatal Service, Cape Town (1953-2002). *BJOG* 2005; 112(9):1257-1263.
- ⁽⁸⁾ Saving Babies 2001: 2nd Perinatal Care Survey of South Africa. Pattinson RC, editor. 2004. The MRC Unit for Maternal and Infant Health Care Strategies, PPIP Users, and the National Department of Health.
- ⁽⁹⁾ James C, Morris SS, Keith R, Taylor A. Impact on child mortality of removing user fees: simulation model. *BMJ* 2005; 331:747-749.
- ⁽¹⁰⁾ Gilson L, McIntyre D. Removing user fees for primary care in Africa: the need for careful action. *BMJ* 2005; 331(7519):762-765.
- ⁽¹¹⁾ Borghi J, Hanson K, Acquah CA, Ekanmian G, Filippi V, Ronsmans C et al. Costs of near-miss obstetric complications for women and their families in Benin and Ghana. *Health Policy Plan* 2003; 18(4):383-390.
- ⁽¹²⁾ Gilson L. The lessons of user fee experience in Africa. *Health Policy Plan* 1997; 12(4):273-285.
- ⁽¹³⁾ McPake B. User charges for health services in developing countries: a review of the economic literature. *Soc Sci Med* 1993; 36(11):1397-1405.
- ⁽¹⁴⁾ Palmer N, Mueller DH, Gilson L, Mills A, Haines A. Health financing to promote access in low income settings-how much do we know? *Lancet* 2004; 364:1365-1370.
- ⁽¹⁵⁾ Report of the inter-country workshop for strengthening newborn care in maternal and child health programmes. 5-9 June 2006. Harare, Zimbabwe. PMNCH, Save the Children, UNFPA, UNICEF, USAID, WHO.
- ⁽¹⁶⁾ WHO, Save the Children, with contribution from UK Department for International Development. Newborn health policy and planning framework. Part I: Overview for policy-makers. (<http://www.who.int/child-adolescent-health/publications/pubneonatal.htm>. Accessed 10 October 2006.)
- ⁽¹⁷⁾ République du Mali, UNICEF, WHO, Save the Children, WAHO, UNFPA et al. Vision 2010: reduction of maternal and neonatal mortality and morbidity in west and central Africa. 2005. Bamako, Mali: UNICEF.

- ⁽¹⁸⁾ UNICEF. Saving Newborn Lives/Save the Children – US. Strategic guidance note on the newborn. 2006. (Draft available on CD)
- ⁽¹⁹⁾ WHO. Beyond the numbers: Reviewing maternal deaths and complications to make pregnancy safer. 2004. Geneva, Switzerland: World Health Organization.
- ⁽²⁰⁾ Koblinsky M, Matthews Z, Hussein J, et al. Going to scale with professional skilled care. *Lancet* 2006; published online Sept 28. DOI:10.1016/S0140-6736(06)69382-3.
- ⁽²¹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²²⁾ WHO. Policy brief one: integrating maternal, newborn and child health programmes. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽²³⁾ Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *Lancet* 2005; 365:891-900.
- ⁽²⁴⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽²⁵⁾ Darmstadt GL, Walker N, Lawn JE, Bhutta ZA, Cousens S. Saving newborn lives in Asia and Africa: cost and impact of phased scale-up of interventions within the continuum of care. 2006.
- ⁽²⁶⁾ Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Walelign N et al. Systematic scaling up of neonatal care in countries. *Lancet* 2005; 365:1087-1098.
- ⁽²⁷⁾ Martinez J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽²⁸⁾ Lawn JE, Zupan J, Begkoyian G, Knippenberg R. *Newborn Survival*. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽²⁹⁾ Palmer D. Tackling Malawi's human resources crisis. *Reprod Health Matters* 2006; 14(27):27-39.
- ⁽³⁰⁾ Second Meeting of the High Level Forum on Health MDGs. Addressing Africa's workforce crisis: an avenue for action. 2-3 December 2004. Abuja, Nigeria.
- ⁽³¹⁾ Rowe AK, de SD, Lanata CF, Victora CG. How can we achieve and maintain high-quality performance of health workers in low-resource settings? *Lancet* 2005; 366:1026-1035.
- ⁽³²⁾ Woods DL, Theron GB. The impact of the Perinatal Education Programme on cognitive knowledge in midwives. *S Afr Med J* 1995; 85(3):150-153.
- ⁽³³⁾ Theron GB. The potential of midwives providing primary obstetric care to reduce perinatal deaths in a rural region. *International Journal of Gynecology & Obstetrics* 2000; 70:367-371.
- ⁽³⁴⁾ da Luz Vaz M, Bergstrom S. Mozambique – delegation of responsibility in the area of maternal care. *Int J Gynaecol Obstet* 1992; 38 Suppl:S37-9. S37-S39.
- ⁽³⁵⁾ Haines A, Saunders D, Rowe AK, Lawn JE, Jan S, Walker D et al. Achieving child survival goals: potential contribution of community health workers. *The Lancet* 2006. In press.
- ⁽³⁶⁾ Lawn JE, Cousens SN, Darmstadt GL, Bhutta ZA, Martinez J, Paul V et al. 1 year after The Lancet Neonatal Survival Series – was the call for action heard? *Lancet* 2006; 367:1541-1547.
- ⁽³⁷⁾ Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004; 364:970-979.
- ⁽³⁸⁾ Ahluwalia I, Kouletio M, Curtis K, Schmid T. Community empowerment: CDC collaboration with the CARE community-based reproductive health project in two districts in Tanzania. *J Womens Health Gender-based Med* 1999; 8:1015-1019.
- ⁽³⁹⁾ Chiwuzie J, Okojie O, Okolocha C, Omorogbe S, Oronsaye A, Akpala W et al. Emergency loan funds to improve access to obstetric care in Ekpoma, Nigeria. *International Journal of Gynecology and Obstetrics* 59 Suppl 2, S231-S236. 1997.
- ⁽⁴⁰⁾ Foreit KGE, Hardee K, Agarwal K. When does it make sense to consider integrating STI and HIV services with family planning services? *Int Fam Plan Perspect* 2002; 28(2):105-107.
- ⁽⁴¹⁾ Briggs CJ, Capdegelle P, Garner P. Strategies for integrating primary health services in middle- and low-income countries: effects on performance, costs and patient outcomes. *Cochrane Database Syst Rev* 2001;(4):CD003318.
- ⁽⁴²⁾ Liese BH, Sachdeva PS, Cochrane DG. Organizing and managing tropical disease control programs: case studies. 1992. Washington DC: World Bank.
- ⁽⁴³⁾ Stansfield S, Walsh JA, Prata N, Evans T. Information to improve decision making for health. In: Jamison D, Measham A, editors. *Disease Control Priorities*. 2 ed. The World Bank and the National Institutes of Health; 2005.
- ⁽⁴⁴⁾ Powell-Jackson T, Borghi J, Mueller DH, Patouillard E, Mills A. Countdown to 2015: tracking donor assistance to maternal, newborn, and child health. *Lancet* 2006; 368:1077-1087.
- ⁽⁴⁵⁾ Bryce J, Terrerri N, Victora CG, Mason E, Daelmans B, Bhutta ZA et al. Countdown to 2015: tracking intervention coverage for child survival. *Lancet* 2006; 368:1067-1076.
- ⁽⁴⁶⁾ UN Millennium Project. Goals, targets and indicators. 2006. (<http://unmillenniumproject.org/goals/goals03.htm>. Accessed 10 October 2006).
- ⁽⁴⁷⁾ WHO, UNICEF. Child survival survey-based indicators: Report of a UNICEF/WHO meeting. 17-18 June 2004. New York: World Health Organization.
- ⁽⁴⁸⁾ WHO. Reproductive health indicators – guidelines for their generation, interpretation and analysis for global monitoring. Geneva, Switzerland: World Health Organization; 2006.

Secção V - Os recém-nascidos africanos - informações para agir

- ⁽¹⁾ WHO. Neonatal and perinatal mortality: regional, country and global estimates. 2006. Geneva, Switzerland: World Health Organization.
- ⁽²⁾ UNICEF. State of the World's Children 2006. 2005. New York: United Nations Children's Fund.
- ⁽³⁾ Lumbiganon P, Panamonta M, Laopaiboon M, Pothinam S, Patithat N. Why are Thai official perinatal and infant mortality rates so low? *Int J Epidemiol* 1990; 19(4):997-1000.
- ⁽⁴⁾ McCarthy BJ, Terry J, Rochat RW, Quave S, Tyler CW, Jr. The underregistration of neonatal deaths: Georgia 1974-77. *Am J Public Health* 1980; 70(9):977-982.
- ⁽⁵⁾ Curtis S. Assessment of the quality of data used for direct estimation of infant and child mortality in DHS II surveys (DHS Occasional Papers, No. 3). 1995. Calverton, MD: Macro International Inc.
- ⁽⁶⁾ Bang AT, Reddy MH, Deshmukh MD. Child Mortality in Maharashtra. *Economic and Political Weekly* 2002; 37(49):4947-4965.
- ⁽⁷⁾ Lawn JE, Wilczynska-Ketende K, Cousens SN. Estimating the causes of 4 million neonatal deaths in the year 2000. *Int J Epidemiol* 2006; 35(3):706-718.
- ⁽⁸⁾ Bryce J, Boschi-Pinto C, Shibuya K, Black RE. WHO estimates of the causes of death in children. *Lancet* 2005; 365(9465):1147-1152.
- ⁽⁹⁾ WHO. World Health Report 2005: make every mother and child count. 2005. Geneva, Switzerland: World Health Organization.
- ⁽¹⁰⁾ Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, De Bernis L. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005; 365:977-988.
- ⁽¹¹⁾ Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005; 115(2 Suppl):519-617.
- ⁽¹²⁾ Martinez J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N et al. Neonatal survival: a call for action. *Lancet* 2005; 365:1189-1197.
- ⁽¹³⁾ Darmstadt GL, Cousens S, Walker D, Lawn JE, Bhutta ZA, Haws RA. Increasing resources to save newborn lives. 2006. (Available on CD)
- ⁽¹⁴⁾ Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005; 365:2193-2200.
- ⁽¹⁵⁾ WHO. World Health Report 2006: working together for health. 2006. Geneva, Switzerland: World Health Organization.
- ⁽¹⁶⁾ Tracking progress in child survival countdown to 2015. 2005. (<http://www.childsurvivalcountdown.com/> Accessed 10 September 2006)
- ⁽¹⁷⁾ Stanton C, Lawn JE, Rahman H, Wilczynska-Ketende K, Hill K. Stillbirth rates: delivering estimates in 190 countries. *Lancet* 2006; 367(9521):1487-1494.
- ⁽¹⁸⁾ Rutstein SO, Johnson S. The DHS Wealth Index. (DHS Comparative Reports No. 6) 1004. Calverton, MD: Macro International Inc.
- ⁽¹⁹⁾ WHO. Maternal and Neonatal Tetanus elimination: Progress toward global MNT elimination. (http://www.who.int/immunization_monitoring/diseases/MNTE_initiative/en/index4.html. Accessed 23 October 2006.)
- ⁽²⁰⁾ Confirmation of the elimination of neonatal tetanus in Togo by lot quality assurance-cluster sampling. *Wkly Epidemiol Rec* 2006; 81(4):34-39.
- ⁽²¹⁾ Population Reference Bureau. 2006 World Population Datasheet. 2006. Washington, DC, Population Reference Bureau.
- ⁽²²⁾ Lawn JE, Shibuya K, Stein C. No cry: Global estimates of intrapartum-related stillbirths and neonatal deaths. *Bull World Health Organ* 2005; 83(6):409-417.
- ⁽²³⁾ Hill K, AbouZhar C, Wardlaw T. Estimates of maternal mortality for 1995. *Bull World Health Organ* 2001; 79(3):182-193.
- ⁽²⁴⁾ AbouZhar C, Wardlaw T. Maternal Mortality in 2000: Estimates Developed by WHO, UNICEF and UNFPA. 2003.
- ⁽²⁵⁾ Ronsmans C, Graham WJ. Maternal mortality: who, when, where, and why. *Lancet* 2006; 368:1189-1200.

Índice

A

Ações de Nutrição Essenciais, 103
África do Sul, perfil 175; 14, 65, 157, 166
África Sub-Sahariana, perfil 174
Akande, Professor E. Oluwole, 4
Alimentação, complementar, 93, 95
Alimentação, opções para mulheres com HIV positivo, 116, 122, 106
Alvos de Abuja, 8, 156, 169
Amamentação, exclusiva, 29, 64, 104, 110, 230-1
Amamentação, indicações, 104-6
Amamentação, precoce/imediata, 29, 104, 106-7, 230-1, 96
Amenorreia lactacional, 83
Análise da situação, 159-60
Análise de vidas salvas, 163, 227-8
Angola, perfil 176; 14
Asfixia no nascimento, vide causas, intervenções

B

Bebês pequenos, vide peso reduzido à nascença
Benin, perfil 177; 69, 75, 157
Burkina Faso, perfil 179; 156

C

Camarões, perfil 184
Casas de espera da maternidade, 32, 72
Causas das mortes neonatais, 15-20, 226, 229
Causas das mortes neonatais, infecções, 17
Causas das mortes neonatais, asfixia no nascimento, 16, 64, 229
Causas das mortes neonatais, septicemia, 17
Ciclo de vida, 24
Compromissos de política regional, 152
Costa do Marfim, perfil 186
Cuidados com base em instalações, 26-33, 84, 120
Cuidados continuados, 6, 23-36, 116, 118, 120, 135, 161
Cuidados de base comunitária, 30-32, 48, 54, 67-68, 73, 85, 88, 93-96, 119, 121, 157, 166
Cuidados no parto, 6, 29, 63-78
Cuidados obstétricos de emergência, 67-72, 231
Cuidados para raparigas e mulheres antes da gravidez, 38-50
Cuidados pós-natais, 6, 29, 79-90, 230
Cuidados pré-natais concentrados, 52-55
Cuidados pré-natais, 42, 51-62, 115, 121, 142, 230-1
Custo da análise de aumento de escala, 169

D

Desigualdade, alcançar os pobres, 14-15, 28, 34, 145, 157, 227
Diarreia, 94, 102, 104, 115

E

Enquadramento da sobrevivência infantil, 8, 154-5
Equidade, 70, 157
Eritreia, perfil 189, 156
Erradicação da Malária, 130, 133
Espaçamento entre nascimentos, 26, 42-45
Estratégia de Alimentação de Bebês e Crianças, 112, 121
Estudos Demográficos e de Saúde, 226
Etiópia, perfil 189; 42, 144

F

Ferramentas de custos, 164
Formação, 61, 69-70, 97-100, 109, 166
Fundo Global para a SIDA, TB e Malária, 135

G

Gâmbia, perfil 191
Gestão Integrada de Doenças Infantis, 29, 91-100
Ghana, perfil 192; 17, 72, 75, 157, 166
Guiné, perfil 193
Guiné-Bissau, perfil 194

I

IMCI comunitário, 92, 95
Índia, 98
Indicadores, 89, 169-70, 231
Infecção por HIV na gravidez, 6, 45, 106, 168, 58, 113-126
Infecção respiratória aguda, 230
Infecções transmitidas sexualmente, 42, 58
Infecções, vide causas
Iniciativa de Hospitais Amigos dos Bebês, 108-9, 229
Intervalo de gravidez, Aborto/Aborto espontâneo, 44-45, 50
Intervalo de gravidez, Nascimento a gravidez, 44-45, 50
Intervalo de gravidez, Nascimento a nascimento, 44-45, 50
Intervenções faseadas e pacotes para a saúde de recém-nascidos, 70, 154, 161-2
Intervenções, asfixia no nascimento, 18
Intervenções, ciclo de vida, 24-26
Intervenções, infecções, 17-19
Intervenções, nascimento pré-termo, 18-19

K

Kit essencial para recém-nascidos para a comunidade, 72
Kits essenciais para recém-nascidos para instalações de saúde 72

L

Libéria, perfil 197

M

Madagáscar, perfil 198; 5, 111, 155-6
Malária na gravidez, 58, 115, 127-136
Malawi, perfil 199; 68, 70, 99, 132, 155-6, 165
Mali, perfil 200; 87
Mauritânia, perfil 202
Método Mãe Canguru, MMC, 97
Mobilização da comunidade, 109, 144
Moçambique, perfil 203; 120
Modelo de atrasos (3 atrasos), 64
Mongella, Dr. Gertrude, 2
Monitorização e avaliação, 74, 88, 122, 169
Morte intra-uterina, intrapartum, 64, 128
Mutilação genital feminina, 39-41

N

Nações do G8, 2, 20
Nepal, 31
Níger, perfil 205
Nigéria, perfil 206
Nutrição de raparigas e mulheres, 39-40, 91
Nutrição maternal, 102-4

O

Objectivos de Desenvolvimento do Milénio, 7, 12-13, 133, 152-3, 157, 160, 170, 228
Oportunidades falhadas, 57, 69, 161, 230

P

Pagamentos próprios, 157-8, 229
Parceria para a Saúde Materna, de recém-nascidos e crianças (PMNCH), 8
Parteiras, 70, 73
Participação/participantes qualificados, 28, 66, 68-9, 75, 85, 157, 230
Parto pré-termo, vide causas e intervenções
Peso reduzido à nascença, 10, 16, 81, 103, 128-9, 229
Planos comunitários para referências e comunicações de emergência, 72, 167
Pobreza, 14, 35, 128
Preparação para o parto, 57, 72, 157
Produto Interno Bruto (PIB), 155, 229
Programa Alargado de Imunização (PAI), 29-30, 144-5
Programas de imunização, 137-147
Programas de intervenção da transmissão mãe-filho (PTMF) de HIV, 113-126, 168
Promoção da nutrição e da amamentação, 101-112

Q

Quênia, perfil 207; 13, 166

R

Rácio de mortalidade materna, 10, 227
Recursos humanos, 165-6
Redes de protecção tratadas com insecticida (ITN), 130, 132
Reforma do sector da saúde, 155
Registo de nascimento, 229
Registos detidos por mulheres, 54
República Democrática do Congo, perfil 186
Roteiro para a redução da mortalidade maternal e neonatal, 8, 152-4
Ruanda, perfil 208; 75

S

Saúde na adolescência, 6, 7, 24, 28, 38-50
Senegal, perfil 212
Septicemia, vide causas de morte
Serra Leoa, perfil 213
Serviços de alcance distante, 30, 32, 34, 48, 85
Sinais de perigo, bebé, 72, 82
Sinais de perigo, mãe, 72, 82
Songane, Dr. Francisco, 3
Sudão, 143

T

Tanzânia, perfil 216; 8, 13, 60, 69, 99, 155-7, 161
Taxa de mortalidade infantil, 13, 21, 228
Taxa de mortalidade intra-uterina, 10, 228
Taxa de mortalidade neonatal, 10, 14, 155, 226, 228
Taxa de prevalência de contraceptivos, 230
Taxas moderadoras, 56, 75, 157-8
Terapia anti-retroviral, 6, 116, 122
Tétano, eliminação da doença materna e neonatal, 18, 30, 139-142, 229
The Lancet - Série de saúde materna, 25, 101
The Lancet - Série de sobrevivência de recém-nascidos, 25, 101, 162, 227
The Lancet - Série de sobrevivência materna, 25-6
Togo, perfil 217; 18
Tratamento preventivo intermitente para a malária na gravidez, 130-134

U

Uganda, perfil 218; 33, 72, 120, 146, 155-7, 168

V

Vacinação BCG, 30, 138-42
Vacinação, 139, 145
Vacinação, DPT3, 138, 141
Vacinação, Hepatite B, 138, 142
Vacinação, rubéola, 138, 140, 142
Vacinação, toxóide tetânico, 139, 141
Vacinação, Vacina Oral Pólio (OPV), 138, 142

Z

Zâmbia, perfil 219; 122, 158
Zimbabué, perfil 220; 13, 122

Autores das Fotografias

Capa	Save the Children/ Brian Moody. Malawi.	Página 39	UNICEF/HQ05-2213/ Giacomo Pirozzi. República Democrática do Congo
Página 1, no topo e em baixo	Save the Children/ Michael Bisceglie. Mali. The Population Council, Inc./ Melissa May. 2006. África do Sul.	Página 43 Página 44 Página 47	Save the Children. Etiópia Harry Mueller. 2005. Tanzânia Save the Children/ Michael Bisceglie. Malawi
Página 5	UNICEF/HQ04-0897/ Shehzad Noorani. Sudão.	Página 51	Arzum Ciloglu/CCP, cortesia de Photoshare. 2002. Malawi.
Página 7	Harry Mueller. 2005. Tanzânia.	Página 53	Save the Children/ Michael Bisceglie. Etiópia.
Página 9	Save the Children/ Brian Moody. Malawi.	Página 54	Harvey Nelson, cortesia de Photoshare, 2000. Zâmbia.
Página 11	UNICEF/HQ00-0183/ Giacomo Pirozzi. Moçambique.	Página 56 Página 57	UNHCR/S. Mann. Sudão. Save the Children/ Michael Bisceglie. Burquina Faso.
Página 21	Sara A. Holtz, cortesia de Photoshare. 2001. Togo.	Página 61	Save the Children/ Michael Bisceglie. Malawi.
Página 22	UNICEF/HQ03-0311/ Christine Nesbitt. República Democrática do Congo.	Página 62	Save the Children/ Michael Bisceglie. Moçambique
Página 23	UNICEF/HQ02-0570/ Giacomo Pirozzi. Gana.	Página 63	Save the Children/ Michael Bisceglie. Mali.
Página 36	The Population Council, Inc./ Melissa May. 2006. Gana.	Página 64 Página 65	Luwei Pearson. Save the Children/ Michael Bisceglie. Mali.
Página 37	Save the Children/Mark Amann. Malawi.	Página 66 Página 68	UNICEF/HQ04-0917/ Shehzad Noorani. Sudão. Luwei Pearson. Quênia.
Página 38, (no sentido dos ponteiros do relógio), de no topo, à esquerda	Arzum Ciloglu/CCP, cortesia de Photoshare. 2002. Malawi. UNICEF/HQ00-0255/ Giacomo Pirozzi. Moçambique. Tammy Schroeder. 2005. Tanzânia. Save the Children/Mark Amman. Malawi. Save the Children/ Michael Bisceglie. Mali. Rachel Hoy, cortesia de Photoshare. 2004. Camarões. Michael Bisceglie/ Save the Children. Malawi. UNICEF/HQ05-2185/ Giacomo Pirozzi. República Democrática do Congo.	Página 71 Página 73 Página 76 Página 78 Página 79	Save the Children/ Michael Bisceglie. Moçambique Save the Children/ Michael Bisceglie. Malawi. Luwei Pearson. Save the Children/ Michael Bisceglie. Mali. Save the Children/ NCI Communications. Malawi
		Página 83	UNICEF/HQ91-0161/Betty Press. Quênia

Página 87	Save the Children/ Michael Bisceglie. Mali	Página 135	Michael Bisceglie/ Save the Children. Malawi.
Página 88	Save the Children/Laura Brye. Zâmbia	Página 137	UNICEF/HQ00-0255/ Giacomo Pirozzi. Moçambique.
Página 89	UNICEF/HQ94-0263/ Giacomo Pirozzi. Cabo Verde.	Página 138	Save the Children/ Michael Bisceglie. Moçambique.
Página 90	Lily Kak. Etiópia.	Página 141	UNICEF/HQ04-1190/ Roger Lemoyne. República Democrática do Congo.
Página 91	Tammy Schroeder. 2005. Tanzânia.		
Página 97	Save the Children/Mark Amman. Malawi.	Página 147	Save the Children/ Michael Bisceglie.
Página 101	UNICEF/HQ05-2185/ Giacomo Pirozzi. República Democrática do Congo.	Página 151	UNICEF/HQ06-0174/ Michael Kamber. Quênia.
Página 103	Save the Children/ Michael Bisceglie. Etiópia.	Página 153	UNICEF/HQ98-0533/ Giacomo Pirozzi. Serra Leoa.
Página 104	UNICEF/HQ04-0846/ Francois d'Elbee. Libéria.	Página 157	Save the Children/ Michael Bisceglie. Malawi.
Página 108	Linkages/Agnes Guyon. Etiópia.	Página 161	Harry Mueller. 2006. Tanzânia.
Página 111	Save the Children/Joan Schubert. Gana.	Página 167	Save the Children/ Michael Bisceglie. Malawi.
Página 112	Save the Children/ Michael Bisceglie. Moçambique	Página 168	Lukoda Ramathan. Uganda.
Página 113	Rachel Hoy, cortesia de Photoshare. 2004. Camarões.	Página 169	Save the Children/ Michael Bisceglie. Etiópia.
Página 114	UNICEF/HQ03-0295/ Christine Nesbitt. República Democrática do Congo.	Página 171	Save the Children/ Michael Bisceglie. Etiópia.
Página 121	Save the Children/ Michael Bisceglie. Moçambique.	Página 172	Save the Children/ Michael Bisceglie. Moçambique.
Página 121	Save the Children/ Michael Bisceglie. Malawi.	Contracapa, da esquerda para a direita	Save the Children. Etiópia. Harvey Nelson, cortesia de Photoshare, 2000. Zâmbia. Save the Children/Mark Amman. Malawi. Save the Children/ Michael Bisceglie. Etiópia. The Population Council, Inc./ Melissa May. 2006. Gana.
Página 125	Save the Children/ Michael Bisceglie. Malawi.		
Página 126	UNICEF/HQ05-1047/ Radhika Chalasani. Níger.		
Página 127	Michael Bisceglie/ Save the Children. Malawi.		
Página 129	UNICEF/HQ05-2133/ Giacomo Pirozzi. República Democrática do Congo.		

Revisores

Kwame Asamoah
CDC, Filial da Malária
EUA

Ana Betran
OMS, Tornar a Gravidez
mais Segura
Switzerland

Cythnia Boschi-Pinto
OMS, Saúde Infantil e na
Adolescência e Desenvolvimento
Switzerland

Jean Baker
AED, Centro de Saúde Familiar
EUA

Al Bartlett
USAID
EUA

Mary Carnell
JSI, Saúde Infantil
EUA

Luc de Bernis
UNFPA
Etiópia

Bernadette Daelmans
OMS, Saúde Infantil e na
Adolescência e Desenvolvimento
Switzerland

Karen Edmond
London School of Hygiene and
Tropical Medicine, Epidemiologia
Pediátrica
Reino Unido

Rudi Eggers
OMS, Vacinas e Produtos
Biológicos
Switzerland

Leslie Elder
Save the Children-EUA, Saving
Newborn Lives
EUA

Lynn Freedman
Universidade de Columbia,
AMDD
EUA

Francois Gasse
UNICEF, Unidade de Saúde
EUA

Tracy Geoghegan
Save the Children-EUA
EUA

Adenike Grange
IPA
Nigéria

Peggy Henderson
OMS, Departamento de Saúde
Infantil e na Adolescência e
Desenvolvimento
Switzerland

Sandra Huffman
AED, Pronto a Aprender
EUA

Mie Inoue
OMS, Provas de Informação
e Políticas
Switzerland

Monir Islam
OMS, Tornar a Gravidez
mais Segura
Switzerland

Carolyn Kruger
AED, Linkages
EUA

Andre Lalonde
FIGO
EUA

Elizabeth Mason
OMS, Saúde Infantil e na
Adolescência e Desenvolvimento
Switzerland

Matthews Mathai
OMS, Tornar a Gravidez
mais Segura
Switzerland

Nahed Matta
USAID, Saúde Materno-Infantil
EUA

Chris McDermott
USAID
EUA

Subhi Mehdi
USAID, Gabinete Africano
EUA

Nomajoni Ntombela
AED, Linkages
Zâmbia

Vinod Paul
All Institute of Medical Sciences,
Departamento de Pediatria e
Centro de Colaboração da OMS
Índia

Ellen Piwoz
AED, Centro para a Nutrição
EUA

Anayda Portela
OMS, Tornar a Gravidez mais
Segura
Switzerland

Fred Sai
Banco Mundial (reformado)
Gana

Hamadoun Sangho
CREDOS
Mali

Harshad Sanghvi
JHPIEGO, ACCESS
EUA

Jane Schaller
IPA
Canadá

Robert Scherpbier
OMS, Saúde Infantil e na
Adolescência
Switzerland

LaRue Seims
Save the Children-EUA, Saving
Newborn Lives
EUA

Eleonore Seumo
AED
EUA

Kenji Shibuya
OMS, Provas de Informação e
de Políticas
Switzerland

Rick Steketee
PATH
França

Eric Swedberg
Save the Children-EUA,
Gabinete de Saúde
EUA

Uzma Syed
Save the Children-EUA,
Saving Newborn Lives
EUA

Nancy Terreri
UNICEF, Unidade de Saúde
EUA

Shyam Thapa
Save the Children-EUA,
Saving Newborn Lives
EUA

Fatoumata Tony
Save the Children
Mali

Constanza Vallenias
OMS, Saúde Infantil e na
Adolescência
Switzerland

Juliana Yartey
OMS, Tornar a Gravidez
mais Segura
Switzerland

Aoua Zerbo
Mistério da Saúde
Burkina Faso

Jeremie Zoungrana
JHPIEGO
Burkina Faso

Jelka Zupan
OMS, Tornar a Gravidez
mais Segura
Switzerland

Os nossos agradecimentos aos revisores da tradução portuguesa:

Catarina Regina, Dr Leopoldina de Almeida, Bérengère de Negri, Beth Outterson, Dr. Francisco Songane

Autores

Tunde Adegboyega
OMS, Saúde Infantil e na Adolescência
Nigéria

Seipati Mothebesoane-Anoh
OMS, Tornar a Gravidez mais Segura
Congo

Eleonor ba-Nguz
OMS/AFRO, Unidade da Malária
Zimbabué

Rajiv Bahl
OMS, Saúde Infantil e na Adolescência
Switzerland

Genevieve Begkoyian
UNICEF, WCARO
Senegal

Inam Chitsike
OMS/AFRO, Divisão de Saúde Familiar e Reprodutiva
Congo

Mickey Chopra
Medical Research Council of South Africa, Unidade de Investigação de Sistemas de Saúde
África do Sul

Simon Cousens
London School of Hygiene and Tropical Medicine, Unidade Epidemiologia de Doenças Infecciosas
Reino Unido

Patricia Daly
Save the Children-EUA, ACCESS
EUA

Robert Davis
UNICEF, ESARO
Quênia

Joseph de Graft Johnson
Save the Children-EUA, ACCESS
EUA

Tedbab Degefie
Save the Children-EUA, Gabinete de Campo da Etiópia
Etiópia

Vincent Fauveau
UNFPA, Filial de Saúde Reprodutiva
Switzerland

Patricia Gomez
JHPIEGO, ACCESS
EUA

Agnes Guyon
AED, Linkages
Etiópia

Phanuel Habimana
OMS/AFRO, Saúde Infantil e na Adolescência
Zimbabué

Lily Kak
USAID, Saúde Materno-Infantil
EUA

Kate Kerber
BASICS
Save the Children-EUA, Saving Newborn Lives
África do Sul

Tigest Ketsela
OMS/AFRO, Saúde Infantil e na Adolescência
Zimbabué

Margareta Larsson
OMS, Tornar a Gravidez mais Segura
Switzerland

Joy Lawn
Save the Children-EUA, Saving Newborn Lives
África do Sul

Ornella Lincetto
OMS, Tornar a Gravidez mais Segura
Switzerland

Chewe Luo
UNICEF, HIV/SIDA e Saúde
EUA

Patricia MacDonald
USAID, Gabinete da População e Saúde Reprodutiva
EUA

Luann Martin
AED, Linkages
EUA

Jose Martines
OMS, Saúde Infantil e na Adolescência e Desenvolvimento
Switzerland

Andrew Mbewe
OMS/AFRO, Divisão de Saúde Familiar e Reprodutiva
Congo

Gezahegn Mengiste
UNICEF (reformado)

Pyande Mongi
OMS/AFRO, Saúde Infantil e na Adolescência
Congo

Stephen Munjanja
Hospital de Harare
Zimbabué

Winnifred Mwebesa
Save the Children-EUA, Gabinete de Saúde
EUA

Josephine Namboze
OMS/ICST/AFRO
Zimbabué

Indira Narayanan
BASICS
EUA

Hana Nekatebeb
AED, Linkages
Etiópia

Maureen Norton
USAID, Gabinete da População e Saúde Reprodutiva
EUA

Jesca Nsungwa Sabiiti
Uganda Ministério da Saúde
Uganda

Doyin Oluwole
AED/Africa 2010
EUA

Susan Otchere
Save the Children-EUA, Saving Newborn Lives
EUA

Luwei Pearson
UNICEF, ESARO
Quênia

Victoria Quinn
AED, Linkages (Agora Helen Keller International)
EUA

Melanie Renshaw
UNICEF
EUA

Magda Robalo
OMS/AFRO
Zimbabué

Khama Rogo
World Bank
EUA

Nigel Rollins
Universidade de KwaZulu-Natal, Departamento de Pediatria e Saúde Infantil
África do Sul

Charles Sagoe-Moses
OMS/AFRO
Gana

Antoine Serufulira
OMS/AFRO
Gabão

Fouzia Shafique
UNICEF
EUA

Rumishael Shoo
UNICEF, ESARO
Quênia

Judith Standley
UNICEF
EUA

Aboubacry Thiam
BASICS
Senegal

Anne Tinker
Save the Children-EUA, Saving Newborn Lives
EUA

Lalla Touré
UNICEF, WCARO
Senegal

Charlotte Warren
Population Council
Quênia

Abimbola Williams
UNICEF
Nigéria

Jos Vandelaer
UNICEF, Seção de Saúde e OMS, Vacinas e Produtos Biológicos
Switzerland

Ahmadu Yakubu
UNICEF, ESARO
Quênia

AGRADECIMENTOS

Equipa

Esta publicação foi escrita, revista e corrigida por uma equipa que inclui os parceiros seguintes (por ordem alfabética): ACCESS; Academy for Educational Development (AED); Africa's Health 2010; ACQUIRE/EngenderHealth, BASICS; International Pediatric Association (IPA); International Federation of Gynecology and Obstetrics (FIGO); Linkages; London School of Hygiene and Tropical Medicine (LSHTM); Maximizing Access and Quality (MAQ); Medical Research Council, South Africa; Partnership for Maternal Newborn and Child health (PSMNI); Population Council; Saving Newborn Lives (SNL) and Save the Children US; UNFPA; UNICEF; University of KwaZulu-Natal, South Africa; USAID; World Bank; and WHO.

Coordenadores editoriais e técnicos

Joy Lawn (Saving Newborn Lives/Save the Children US) and Kate Kerber (BASICS and Saving Newborn Lives/Save the Children US), Cape Town, South Africa.

Equipa editorial

Dinah Lord, Rachel Wake, Leslie Elder, Kristina Grear, Alicia Antayhua.

Autores

Os autores constam na lista da página 246.

Tradução

Mário César Borges Marques de Abreu

Revisores

Agradecemos muito reconhecidamente os contributos generosos de muitos revisores citados na página 245.

Equipa de dados

Kate Kerber and Joy Lawn com agradecimentos a Luwei Pearson, Nancy Terreri, Cynthia Boschi-Pinto, Kenji Shibuya, Mie Inoue e escritórios regionais e nacionais africanos da UNICEF. Simon Cousens, Gary Darmstadt, Zulfiqar Bhutta e Neff Walker contribuíram com as análises de custos e de impacto utilizadas nesta publicação. Os dados dos “ORC Macro Demographic and Health Surveys” foram preciosos para este livro.

Autores das fotografias

Os autores das fotografias constam na lista da página 243.

Coordenadores administrativos e financeiros

Tanja Englberger

Design

Language Innovations, Washington, DC, USA
Spirals, New Jersey, USA

Impressão

Mills Litho, Cape Town, South Africa

Apoio financeiro

A equipa editorial foi apoiada, através da organização “Saving Newborn Lives/Save the Children US”, por uma dádiva da “Bill & Melinda Gates Foundation” e, através da organização “BASICS”, por uma dádiva da USAID.

O apoio financeiro para a produção deste documento foi prestado pela USAID através do programa ACCESS e da “Maximizing Access and Quality Initiative”, assim como através do Escritório africano da USAID; pela “Saving Newborn Lives/Save the Children US”, através de uma dádiva da “Bill & Melinda Gates Foundation”; e do “Department of Child and Adolescent Health and Development”, OMS, Genebra, através de uma dádiva da “Bill & Melinda Gates Foundation”.

Declinação de responsabilidade

O conteúdo desta publicação e as opiniões nela expressas são da responsabilidade dos seus autores e não reflectem necessariamente as opiniões de agências ou organizações parceiras, ou das agências ou fundações financiadoras. Tomaram-se todas as precauções razoáveis para verificar as informações contidas nesta publicação. A responsabilidade pela interpretação e utilização deste material cabe ao leitor. Em nenhum caso a PSMNI ou os parceiros e autores deverão ser responsabilizados por prejuízos resultantes da sua utilização.

Os seguintes projectos da USAID contribuíram com o seu tempo e apoio para esta publicação:



Access to clinical and community
maternal, neonatal and women's health services



© 2006. Todos os direitos reservados.

O conteúdo desta publicação pode ser utilizado ou reproduzido para efeitos educativos ou não-comerciais desde que o material seja acompanhado por uma referência à fonte de onde foi extraído. Como referenciar o documento: Oportunidades para os Recém-Nascidos em África: dados práticos, políticas e apoio programático aos cuidados de saúde a prestar aos recém-nascidos africanos. Joy Lawn e Kate Kerber, editores. PMNCH, Cape Town, 2006.

ISBN-13: 978-0-620-37695-2. ISBN-10: 0-620-37695-3

Mais informações, pdfs e traduções obteneíveis de www.pmnch.org ou savingnewbornlives@savechildren.org



Porque foi escrito este livro?

Todos os anos morrem pelo menos 1,16 milhões de recém-nascidos em África. Até há pouco tempo, estas mortes não eram contadas. Cerca de dois terços destes bebés poderiam ter sido salvos se a cobertura de intervenções viáveis e baseadas em evidências tivesse já alcançado os 90%. Os países estão a reconhecer que tratar da saúde neonatal é uma actividade catalisadora para melhorar os cuidados de saúde materno-infantis já existentes e para os integrar noutros programas como os da malária e os do VIH.

A quem se dirige este livro?

Esta publicação foi criada por meio de uma parceria de agências da Organização das Nações Unidas (ONU), de doadores, de ONG, de organizações profissionais e de diversos colaboradores, para ser útil a todos os que estão empenhados em acelerar os progressos para salvar as vidas das mães, dos recém-nascidos e das crianças africanas.

Que informações contém este livro?

- Novas informações sobre os recém-nascidos africanos: onde, quando e porque morrem eles? Quantas vidas poderiam ser salvas?
- Um panorama dos cuidados continuados de saúde materna, neonatal e infantil
- Qual é a situação actual, as oportunidades existentes e as próximas medidas a tomar para melhorar e integrar a saúde do recém-nascido em nove pacotes e programas fundamentais interligados com os cuidados continuados de saúde?
- Princípios e ideias para fasear as intervenções destinadas à saúde dos recém-nascidos, com exemplos de diversos países
- Dados sobre o estado da saúde, os progressos e as políticas relativas a 46 países africanos

