

# REFERENCES

- Adjami AG, Toe L, Bissan Y, Bugri S, Yameogo L, Kone M, Katholi CR, Unnasch TR (2004). The current status of onchocerciasis in the forest/savannah transition zone of Cote d'Ivoire. *Parasitology*, 128(Pt 4):407–414.
- Alter MJ (1997). The epidemiology of acute and chronic hepatitis C. *Clinics in Liver Disease*, 1(3):559–568, vi–vii.
- André C, Platteau JP (1998). Land relations under unbearable stress: Rwanda caught in the Malthusian trap. *Journal of Economic Behavior and Organization*, 34(1):1–47.
- Anonymous (1994). HIV and STD prevalence among bus and truck drivers in Cameroon. *AIDS Analysis Africa*, 4(5):2.
- Anonymous (2004). Tuberculosis – the 3rd most frequent infectious disease for health care personnel. *Krankenflege Journal*, 42(1–2):15.
- Antunes JL, Waldman EA (2001). The impact of AIDS, immigration and housing overcrowding on tuberculosis deaths in Sao Paulo, Brazil, 1994–1998. *Social Science and Medicine*, 52(7):1071–1080.
- Appawu MA, Dadzie SK, Baffoe-Wilmot A, Wilson MD (2001). Lymphatic filariasis in Ghana: entomological investigation of transmission dynamics and intensity in communities served by irrigation systems in the upper east region of Ghana. *Tropical Medicine and International Health*, 6(7):511–516.
- Ault SK (1994). Environmental management: a re-emerging vector control strategy. *American Journal of Tropical Medicine and Hygiene*, 50: 35–49.
- Baldacci S, Viegi G (2002). Respiratory effects of environmental pollution: epidemiological data. *Monaldi Archives for Chest Disease*, 57(3–4):156–160.
- Belkic KL, Landsbergis PA, Schnall PL, Baker D (2004). Is job strain a major source of cardiovascular disease risk? *Scandinavian Journal of Work, Environment and Health*, 30(2):85–128.
- Benenson AS (1995). Control of communicable disease manual, 16th ed. Washington, DC, American Public Health Association.
- Bertolote J (1993). *Guidelines for the primary prevention of mental, neurological and psychosocial disorders: suicide*. Geneva, World Health Organization.
- Bhandari N, Bahl R, Taneja S, de Onis M, Bhan MK (2004). Growth performance of affluent Indian children is similar to that in developed countries. *Bulletin of the World Health Organization*, 80:189–195.
- Bhatnagar R, West KP Jr, Viatile S, Sommer A, Joshi S, Venkataswamy G (1991). Risk of cataract and history of severe diarrheal disease in southern India. *Archives of Ophthalmology*, 109(5):696–699.
- Bos R (1990). The importance of peridomestic environmental management for the control of vectors of Chagas disease. *Revista Argentina de Microbiología*, [Argentine Journal of Microbiology], 20(1):58–62.
- Bos R, Mills A (1987). Financial and economic aspects of environmental management for vector control. *Parasitology Today*, 3:160–163.
- Bosma H, Peter R, Siegrist J, Marmot M (1998). Two alternative job stress models and the risk of coronary heart disease. *American Journal of Public Health*, 88(1):68–74.
- Bowles J (1995). Suicide in Western Samoa: an example of a suicide prevention program in a developing country. In: Diekstra R, Gulbinat RW, De Leo D, Kienhorst I, eds. *Preventive strategies on suicide*. Leiden, Netherlands, Brill.

- Boxer PA, Burnett C, Swanson N (1995). Suicide and occupation: a review of the literature. *Journal of Occupational and Environmental Medicine*, 37(4):442–452.
- Boy E, Bruce N, Delgado H (2002). Birth weight and exposure to kitchen wood smoke during pregnancy in rural Guatemala. *Environmental Health Perspective*, 110(1):109–114.
- Brent DA, Perper JA, Allman CJ, Moritz GM, Wartella ME, Zelenak JP (1991). The presence and accessibility of firearms in the homes of adolescent suicides. A case-control study. *Journal of the American Medical Association*, 266(21):2989–2995.
- Brownson RC, Baker EA, Housemann RA, Brennan LK, Bacak SJ (2001). Environmental and policy determinants of physical activity in the United States. *American Journal of Public Health*, 91(12):1995–2003.
- Bucheton B, Kheir MM, El-Safi SH, Hammad A, Mergani A, Mary C, Abel L, Dessein A (2002). The interplay between environmental and host factors during an outbreak of visceral leishmaniasis in eastern Sudan. *Microbes and Infection*, 4(14):1449–1457.
- Bull FC, Armstrong TP, Dixon T, Ham S, Neiman A, Pratt M (2004). Physical inactivity. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL, eds. *Comparative quantification of health risks*. Geneva, World Health Organization.
- Bunn F, Collier T, Frost C, Roberts I, Wentz R (2003). Traffic Calming for the prevention of road traffic injuries: systematic review and meta analysis. *Injury Prevention*, 9: 200–204.
- Braun MM, Morse DL, Maguire B, Broaddus R (1987). Tuberculosis and the acquired immunodeficiency syndrome in prisoners. *Journal of the American Medical Association*, 257:1471–1472.
- Byrd Jr RP, Mehta JB, Roy TM (2002). Malnutrition and pulmonary tuberculosis. *Clinical Infectious Diseases*, 35:634–635.
- California Environmental Protection Agency (1997). *Health effects of exposure to environmental tobacco smoke*. Sacramento, CA, Office of Environmental Health Hazard Assessment.
- Camejo MI, Mata G, Diaz M (2003). Prevalencia de hepatitis B, hepatitis C y sífilis en trabajadoras sexuales de Venezuela. [Prevalence of hepatitis B, hepatitis C and syphilis in female sex workers in Venezuela]. *Revista de Salud Publica [Journal of Public Health]*, 37(3):339–344.
- Campbell-Lendrum D, Dujardin JP, Martinez E, Feliciangeli MD, Perez JE, Passerat de Silans LNM, Desjeux P (2001). Domestic and peridomestic transmission of American cutaneous leishmaniasis: changing epidemiological patterns present new control opportunities. *Memórias do Instituto Oswaldo Cruz, [Archives of the Oswaldo Cruz Institute]* 96(2):159–162.
- Carcavallo R, Galindez I, Jurberg J, Lent H (1997). *Atlas of Chagas disease vectors in the Americas*. Rio de Janeiro, Brasil, Editora Fiorcruz.
- Celis A (1991). Drowning in Jalisco: 1983–1989. Asfixia por inmersión en Jalisco: 1983–1989 *Salud Publica de Mexico, [Public Health of Mexico]*, 33(6):585–589.
- Centers for Disease Control and Prevention (2004). Nonfatal and fatal drownings in recreational water settings – United States, 2001–2002. *Morbidity and Mortality Weekly Report*, 53(21):447–452.
- Checkley W, Gilman RH, Black RE, Epstein LD, Cabrera L, Sterling CR, Moulton LH (2004). Effect of water and sanitation on childhood health in a poor Peruvian periurban community. *Lancet*, 363(9403):112–118.
- Chen L, Omaye ST (2001). Air pollution and health effects in northern Nevada. *Reviews on Environmental Health*, 16(2):133–149.
- Chung WSD, Leung CM (2001). Carbon monoxide poisoning as a new method of suicide in Hong Kong. *Psychiatric Services*, 52(6):836–838.
- Clark M, Riben P, Nowgesic E (2002). The association of housing density, isolation and tuberculosis in Canadian First Nations Communities. *International Journal of Epidemiology*, 31(5):940–945.
- Clarke R, Lester D (1987). Toxicity of car exhausts and opportunity for suicide: comparison between Britain and the United States. *Journal of Epidemiology and Community Health*, 41:114–120.

Cohen AJ, Anderson HR, Ostro B, Pandey KD, Krzyzanowski M, Künzli N, Gutschmidt K, Pope CA III, Romieu I, Samet JM, Smith KR (2004). Urban air pollution. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL, eds. *Comparative quantification of health risks*. Geneva, World Health Organization.

Collman GW, Shore DL, Shy CM, Checkoway H, Luria AS (1988). Sunlight and other risk factors for cataracts: an epidemiologic study. *American Journal of Public Health*, 78(11): p. 1459–62.

Committee on Health Risks of Exposure to Radon (Beir VI) (1999). *Health effects of exposure to radon*. National Research Institute, National Academic Press, Washington DC.

Concha-Barrientos M, Imel Nelson D, Driscoll T, Steenland NK, Punnett L, Fingerhut MA, Prüss-Üstün A, Leigh J, Tak SW, Corvalán C (2004). Selected occupational risk factors. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL, eds. *Comparative quantification of health risks*. Geneva, World Health Organization.

Corbett EL, Churchyard GJ, Clayton T, Herselman P, Williams B, Hayes R, Mulder D, De Cock KM (1999). Risk factors for pulmonary mycobacterial disease in South African gold miners. A case-control study. *American Journal of Respiratory and Critical Care Medicine*, 159:94–99.

Corbett EL, Churchyard GJ, Clayton TC, Williams BG, Mulder D, Hayes RJ, De Cock KM (2000). HIV infection and silicosis: the impact of two potent risk factors on the incidence of mycobacterial disease in South African miners. *AIDS*, 14:2759–2768.

Coura JR, Junqueira AC, Fernandes O, Valente SA, Miles MA (2002). Emerging Chagas disease in Amazonian Brazil. *Trends in Parasitology*, 18(4):171–176.

Craig CL, Brownson RC, Cragg SE, Dunn AL (2002). Exploring the effect of the environment on physical activity: a study examining walking to work. *American Journal of Preventive Medicine*, 23(2 Suppl.):36–43.

Cryer C (2001). What works to prevent accidental injury amongst older people. *Report to the Health Development Agency (HAD)*, London. Canterbury, UK, University of Kent, Centre for Health Services.

Czeizel AE, Elek C, Gundy S, Metneki J, Nemes E, Reis A, Sperling K, Timar L, Tusnady G, Viragh Z (1993). Environmental trichlorfon and cluster of congenital abnormalities. *Lancet*, 341(8844):539–542.

Davies JCA, Williams BG, Debeila MA, Davies DA (2001). Asbestos-related lung disease among women in the Northern Province of South Africa. *South African Journal of Science*, 97:87–92.

Davis FA (1989). *Tabler's cyclopedic medical dictionary*. Philadelphia, PA, FA Davis Company.

De Bourdeaudhuij I, Sallis JF, Saelens BE (2003). Environmental correlates of physical activity in a sample of Belgian adults. *American Journal of Health Promotion*, 18(1):83–92.

Desai MA, Mehta S, Smith KR (2004). *Indoor smoke from solid fuels: Assessing the environmental burden of disease at national and local levels*. Geneva, World Health Organization (WHO Environmental Burden of Disease Series, No. 4).

Desjeux P (2001). The increase in risk factors for leishmaniasis worldwide. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 95(3):239–243.

Dietrich KN, Ris MD, Succop PA, Berger OG, Bornschein RL (2001). Early exposure to lead and juvenile delinquency. *Neurotoxicology and Teratology*, 23(6):511–518.

Elvik R (2001). Area-wide urban traffic calming schemes: a meta-analysis of safety effects. *Accident, Analysis and Prevention*, 33:327–336.

Emerson PM, Lindsay SW, Walraven GE, Faal H, Bogh C, Lowe K, Bailey RL (1999). Effect of fly control on trachoma and diarrhoea. *Lancet*, 353: 1401–1403.

Emerson PM, Cairncross S, Bailey RL, Mabey DC (2000). Review of the evidence base for the 'F' and 'E' components of the SAFE strategy for trachoma control. *Tropical Medicine and International Health*, 5(8):515–527.

Erlanger TE, Keiser J, Caldas de Castro M, Bos R, Singer BH, Tanner M, Utzinger J (2005). Effect of water resource development and management on lymphatic filariasis, and estimates of populations at risk. *American Journal of Tropical Medicine and Hygiene* (in press).

- Esrey SA (1996). Water, waste, and well-being: a multicountry study. *American Journal of Epidemiology*, 143(6):608–623.
- Esrey SA, Habicht JP, Casella G (1992). The complementary effect of latrines and increased water usage on the growth of infants in rural Lesotho. *American Journal of Epidemiology*, 135(6):659–666.
- Esrey SA, Potash JB, Roberts L, Shiff C (1991). Effects of improved water supply and sanitation on ascariasis, diarrhoea, dracunculiasis, hookworm infection, schistosomiasis, and trachoma. *Bulletin of the World Health Organization*, 69(5):609–621.
- Etzel RA (2003). How environmental exposures influence the development and exacerbation of asthma. *Pediatrics*, 112(1 Pt. 2):233–239.
- Etzel RA, Pattishall EN, Haley NJ, Fletcher RH, Henderson FW (1992). Passive smoking and middle ear effusion among children in day care. *Pediatrics*, 90(2 Pt. 1):228–232.
- Evian C, Fox M, MacLeod W, Slotow SJ, Rosen S (2004). Prevalence of HIV in workforces in southern Africa, 2000–2001. *South African Medical Journal*, 94(2):125–130.
- Ewing R (2005). Can the physical environment determine physical activity levels? *Exercise and Sport Sciences Reviews*, 33(2):69–75.
- Eyler AA, Brownson RC, Bacak SJ, Housemann RA (2003). The epidemiology of walking for physical activity in the United States. *Medicine and Science in Sports and Exercise*, 35(9):1529–1536.
- Eyob G, Gebeyhu M, Goshu S, Girma M, Lemma E, Fontanett A (2002). Increase in tuberculosis incidence among the staff working at the Tuberculosis Demonstration and Training Centre in Addis Ababa, Ethiopia: a retrospective cohort study (1989–1998). *International Journal of Tuberculosis and Lung Disease*, 6:85–88.
- Farmer R, Rohde J (1980). Effects of availability and acceptability of lethal instruments on suicide mortality. *ACTA Psychiatrica Scandinavica (Copenhagen)*, 62:436–446.
- Fishman SM, Caulfield LE, de Onis M, Blössner M, Hydner AA, Mullany L, Black RE (2004). Childhood and maternal underweight. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL eds. *Comparative quantification of health risks*, Volume 1. Geneva, World Health Organization.
- Forastiere F, Lo Presti E, Agabiti N, Rapiti E, Perucci CA (2002). Impatto sanitario dell'esposizione al fumo di sigaretta in Italia. [Health impact of exposure to environmental tobacco smoke in Italy]. *Epidemiologia e Prevenzione [Epidemiology and Prevention]*, 26(1):18–29.
- Forjuoh SN, Li G (1996). A review of successful transport and home injury interventions to guide developing countries. *Social Science and Medicine*, 43(11):1551–1560.
- Frank L, Andresen, M, Schmid T (2004). Obesity relationships with community design, physical activity, and time spent in cars. *American Journal of Preventive Medicine*, 27: 87–96.
- Franssen AEM, Kwekkeboom JMI (2003). Effecten van geluid door wegverkeer op de slaap. Een systematische review van studies in de woonomgeving. [Effects from road traffic noise on sleep. A systematic review of field studies]. Bilthoven: Report 715120010.
- Gauderman WJ, Avol E, Gililand F, Vora DH, Thomas D, Berhane K, McConnell R, Kuenzli N, Lurman F, Rappaport E, Margolis H, Bates D, Peters J (2004). The effect of air pollution on lung development from 10 to 18 years of age. *The New England Journal of Medicine*, 351(11):1057–1067.
- Gawande AV, Vasudeo ND, Zodpey SP, Khandait DW (2000). Sexually transmitted infections in long distance truck drivers. *Journal of Communicable Diseases*, 32(3):212–215.
- Gesch B (2005). The potential of nutrition to promote physical and behavioural well-being. In: Huppert FA, Baylis N, Keverne B, eds. *The science of well-being*. Oxford, Oxford University Press.
- Gesch CB, Hammond SM, Hampson SE, Eves A, Crowder MJ (2002). Influence of supplementary vitamins, minerals and essential fatty acids on the antisocial behaviour of young adult prisoners. *British Journal of Psychiatry*, 181:22–28.
- Gillespie LD, Gillespie WJ, Robertson MC, Lamb SE, Cumming RG, Rowe BH (2003). Interventions for preventing falls in elderly people. *Cochrane Database of Systematic Reviews*, 4:CD000340.

- Giustini M, Ade P, Taggi F, Funari E (2003). Incidenti nelle aree di balneazione. [Accidents in recreational waters]. *Annali dell'Istituto Superiore di Sanita, [Annals of the Superior Sanitary Institute]*, 39(1):69–76.
- Greenland S (1984). Bias in methods for deriving standardized morbidity ratio in and attributable fraction estimates. *Statistics in Medicine*, 3:131–141.
- Grosse SD, Matte TD, Schwartz J, Jackson RJ (2002). Economic gains resulting from the reduction in children's exposure to lead in the United States. *Environmental Health Perspectives*, 110(6):563–569.
- Gunnell D, Eddleston M (2003). Suicide by ingestion of pesticide: a continuing tragedy in developing countries. *International Journal of Epidemiology*, 32(6):902–909.
- Habicht JP, Martorell R, Yarbrough C, Malina RM, Klein RE (1974). Height and weight standards for preschool children: How relevant are ethnic differences in growth potential? *Lancet*, 1(7858):611–614.
- Hemenway D, Miller M (2000). Firearm availability and homicide rates across 26 high-income countries. *Journal of Trauma*, 49(6):985–988.
- Heukelbach J, de Oliveira FA, Kerr-Pontes LR, Feldmeier H (2001). Risk factors associated with an outbreak of dengue fever in a favela in Fortaleza, north-east Brazil. *Tropical Medicine and International Health*, 6(8):635–642.
- Hibbeln JR (2001). Seafood consumption and homicide mortality. A cross-national ecological analysis. *World Review of Nutrition and Dietetics*, 88:41–46.
- Hollows F, Moran D (1981). Cataract – the ultraviolet risk factor. *Lancet*, 2(8258):1249–1250.
- Huang Z, de la Fuente-Fernandez R, Stroessl AJ (2003). Etiology of Parkinson's disease. *Canadian Journal of Neurological Sciences*, 30(Suppl. 1):S10–18.
- Huston SL, Evenson KR, Bors P, Gizlice Z (2003). Neighborhood environment, access to places for activity, and leisure-time physical activity in a diverse North Carolina population. *American Journal of Health Promotion*, 18(1):58–69.
- IARC (1990). *Cancer: Causes, occurrence and control*. Lyon, France WHO International Agency for Research on Cancer (IARC Scientific Publication No. 100).
- IARC (2004). *Tobacco smoke and involuntary smoking*. Lyon, France WHO International Agency for Research on Cancer (IARC Monographs on the evaluation of carcinogenic risks to humans, Volume 83).
- Ishi K, Suzuku F, Saito A, Yoshimoto S, Kubota T (2001). Prevalence of human immunodeficiency virus, hepatitis B and hepatitis C virus antibodies and hepatitis B antigen among commercial sex workers in Japan. *Infectious Diseases in Obstetrics and Gynecology*, 9(4):215–219.
- Jelip J, Mathew GG, Yusin T, Dony JF, Singh N, Ashaari M, Lajanin N, Shanmuga Ratnam C, Yusof Ibrahim M, Gopinath D (2004). Risk factors of tuberculosis among health-care workers in Sabah, Malaysia. *Tuberculosis*, 84(1–2):19–23.
- Johnson JV, Hall EM, Theorell T (1989). Combined effects of job strain and social isolation on cardiovascular disease morbidity and mortality in a random sample of the Swedish male working population. *Scandinavian Journal of Work, Environment and Health*, 15(4):271–279.
- Karasek RA, Theorell T, Schwartz JE, Schnall PL, Pieper CF, Michela JL (1988). Job characteristics in relation to the prevalence of myocardial infarction in the US Health Examination Survey (HES) and the Health and Nutrition Examination Survey (HANES). *American Journal of Public Health*, 78(8):910–918.
- Kaur S, Cohen A, Dolor R, Coffman CJ, Bastian LA (2004). The impact of environmental tobacco smoke on women's risk of dying from heart disease: a meta-analysis. *Journal of Women's Health (Larchmont)*, 13(8):888–897.
- Keiser J, Maltese MF, Erlanger TE, Bos R, Tanner M, Singer BH, Utzinger J (2005). Effect of irrigated rice agriculture on Japanese encephalitis, including challenges and opportunities for integrated vector management. *Acta Tropica*, (in press).
- Kellermann AL, Rivara FP, Somes G, Reay DT, Francisco J, Gillentine Banton J, Prodzinski J, Fligner C, Hackman BB (1992). Suicide in the home in relationship to gun ownership. *The New England Journal of Medicine*, 327(7):467–472.

- Khuder SA, Peshimam AZ, Agraharam S (2002). Environmental risk factors for rheumatoid arthritis. *Reviews on Environmental Health*, 17(4):307–315.
- King G, Tomz M, Wittenberg J (2000). Making the most of statistical analyses: Improving interpretation and presentation. *American Journal of Political Science*, 44(2):341–355.
- Kirkhorn S, Greenlee RT, Reeser JC (2003). The epidemiology of agriculture-related osteoarthritis and its impact on occupational disability. *WMJ:State Medical Society of Wisconsin*, 102(7):38–44.
- Kirkwood BR, Gove S, Rogers S, Lob-Levyt J, Arthur P, Campbell H (1995). Potential interventions for the prevention of childhood pneumonia in developing countries: a systematic review. *Bulletin of the World Health Organization*, 73(6):793–798.
- Koenig JQ (1999). Air pollution and asthma. *Journal of Allergy and Clinical Immunology*, 104(4 Pt. 1):717–722.
- Kreitman N (1976). The coal gas story. *British Journal of Preventive and Social Medicine*, 30:86–93.
- Last JM (2001). *A dictionary of epidemiology*, 4th ed. New York, Oxford University Press, International Epidemiological Association.
- Leenaars A, Cantor C, Connolly J, EchoHawk M, Gailiene D, He ZX, Kokorina N, Lester D, Lopatin AA, Rodriguez M, Schlebusch L, Takahashi Y, Vijayakumar L, Wenckstern S (2000). Controlling the environment to prevent suicide: international perspectives. *Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie*, 45(7):639–644.
- Lester D, Murrell ME (1980). The influence of gun control laws on suicidal behaviour. *American Journal of Psychiatry*, 137(1):121–122.
- Lienhardt C (2001). From exposure to disease: the role of environmental factors in susceptibility to and development of tuberculosis. *Epidemiological Reviews*, 23(2):288–300.
- Lieverse A, Bierma-Zeinstra S, Verhagen A, Verhaar J, Koes B (2001). Influence of work on the development of osteoarthritis of the hip: a systematic review. *Journal of Rheumatology*, 28(11):2520–2528.
- Liu J, Raine A, Venables PH, Mednick SA (2004). Malnutrition at age 3 years and externalizing behavior problems at ages 8, 11, and 17 years. *American Journal of Psychiatry*, 161(11):2005–2013.
- Longnecker MP, Klebanoff MA, Zhou H, Brock JW (2001). Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *Lancet*, 358(9276):110–114.
- Lubin JH, Boice JD Jr (1997). Lung cancer risk from residential radon: meta-analysis of eight epidemiologic studies. *Journal of the National Cancer Institute*, 89(1):49–57.
- Lucas R (2006). *The global burden of disease from exposure to UV radiation*. Geneva, World Health Organization, (in press).
- Maetzel A, Makela M, Hawker G, Bombardier C (1997). Osteoarthritis of the hip and knee and mechanical occupational exposure – a systematic overview of the evidence. *Journal of Rheumatology*, 24(8):1599–1607.
- Maisonet M, Correa A, Misra D, Jaakkola JJ (2004). A review of the literature on the effects of ambient air pollution on fetal growth. *Environmental Research*, 95(1):106–115.
- Mak R, Traen A, Claeysens M, Van Renterghem L, Leroux-Roels G, Van Damme P (2003). Hepatitis B vaccination for sex workers: do outreach programmes perform better? *Sexually Transmitted Infections*, 79(2):157–159.
- Martorell R, Mendoza F, Castillo R (1988). Poverty and stature in children. In: Waterlow JC, ed. *Linear growth retardation in less developed countries*. New York, Raven Press (Nestle Nutrition Workshop Series volume 14, pp. 57–73.)
- Mayor of London - Transport for London (2004). *Congestion charging: Impacts monitoring. Second annual report April 2004*. London, Transport for London ([http://www.tfl.gov.uk/tfl/cc\\_london/cc\\_monitoring-2nd-report.shtml](http://www.tfl.gov.uk/tfl/cc_london/cc_monitoring-2nd-report.shtml), accessed October 2004).
- McCarty CA, Nanjan MB, Taylor HR (2000). Attributable risk estimates for cataract to prioritize medical and public health action. *Investigative Ophthalmology and Visual Science*, 41(12):3720–3725.
- McGuigan MA (1999). Common culprits in childhood poisoning: epidemiology, treatment and parental advice for prevention. *Paediatric Drugs*, 1(4):313–324.

McMichael AJ, Campbell-Lendrum D, Wilkinson P, Wilson T, Nicholls R, Hales S, Tanser F, Le Sueur D, Schlesinger M, Andronova N (2004). Global climate change. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL, eds. *Comparative quantification of health risks*. Geneva, World Health Organization.

Melse JM, de Hollander AEM (2001). *Environment and health within the OECD region: lost health, lost money*. Background document to the OECD Environmental Outlook. Bilthoven, RIVM (National Institute of Public Health and the Environment), (<http://www.rivm.nl/bibliotheek/rapporten/402101001.pdf>, accessed August 2005).

Meyrowitsch DW, Nguyen DT, Hoang TH, Nguyen TD, Michael E (1998). A review of the present status of lymphatic filariasis in Vietnam. *Acta Tropica*, 70(3):335–347.

Michigan State University (2005). *The dictionary of epidemiology*. East Lansing, Michigan (<http://www.msu.edu/~borsenag/dictionary.htm>, accessed May 2005).

Miettinen OS (1974). Proportion of disease caused or prevented by a given exposure, trait or intervention. *American Journal of Epidemiology*, 99:325–332.

Millward L, Morgan A, Kelly M (2003). *Prevention and reduction of accidental injury in children and older people*. UK, Health Development Agency.

Minassian DC, Mehra V, Jones BR (1984). Dehydrational crises from severe diarrhoea or heatstroke and risk of cataract. *Lancet*, 1(8380):751–753.

Minassian DC, Mehra V, Verrey JD (1989). Dehydrational crises: a major risk factor in blinding cataract. *British Journal of Ophthalmology*, 73(2):100–105.

Mishra VK, Retherford RD, Smith KR (1999). Biomass cooking fuels and prevalence of tuberculosis in India. *International Journal of Infectious Diseases*, 3(3):119–129.

Mohamed N, Ng'ang'a L, Odhiambo J, Nyamwaya J, Menzies R (1995). Home environment and asthma in Kenyan schoolchildren: a case-control study. *Thorax*, 50(1):74–78.

Mohan D (2004). *The road ahead - traffic injuries and fatalities in India*. Delhi, Indian Institute of Technology.

Mohan M, Sperduto RD, Angra SK, Milton RC, Mathur RL, Underwood BA, Jaffery N, Pandya CB, Chhabra VK, Vajpayee RB, Kalra VK, Sharma YR (1989). India-US case-control study of age-related cataracts. India-US case-control study group. *Archives of Ophthalmology*, 107(5):670–676. [Published erratum appears in *ibid* 107(9):1288].

Moreira ED Jr, de Souza VM, Sreenivasan M, Lopes NL, Barreto RB, de Carvalho LP (2003). Peridomestic risk factors for canine leishmaniasis in urban dwellings: new findings from a prospective study in Brazil. *American Journal of Tropical Medicine and Hygiene*, 69(4):393–397.

Motarjemi Y, Kaferstein F, Moy G, Quevedo F (1993). Contaminated weaning food: a major risk factor for diarrhoea and associated malnutrition. *Bulletin of the World Health Organization*, 71(1):79–92.

Muir DA (1988). Anopheline mosquitoes: vector reproduction, life cycle and biotope. In: Wernsdorfer WH, McGregor I., eds. *Malaria. Principles and practices of malariology*. New York, Churchill Livingstone.

National Heart, Lung and Blood Institute (2005). *COPD*. Bethesda, MD ([http://www.nhlbi.nih.gov/health/dci/Diseases/Copd/Copd\\_Causes.html](http://www.nhlbi.nih.gov/health/dci/Diseases/Copd/Copd_Causes.html), accessed March 2005).

Needleman HL, McFarland C, Ness RB, Fienberg SE, Tobin MJ (2002). Bone lead levels in adjudicated delinquents. A case-control study. *Neurotoxicology and Teratology*, 24(6):711–717.

Needleman HL, Riess JA, Tobin MJ, Biesecker GE, Greenhouse JB (1996). Bone lead levels and delinquent behaviour. *Journal of the American Medical Association*, 275(5): 363–369.

Nessa K, Waris SA, Alam A, Huq M, Nahar S, Chawdhury FA, Monira S, Badal MU, Sultana J, Mahmud KF, Das J, Mitra DK, Sultan Z, Hossain N, Rahman M (2005). Sexually transmitted infections among brothel-based sex workers in Bangladesh: high prevalence of asymptomatic infection. *Sexually Transmitted Diseases*, 32(1):13–19.

- Neumayr G, Propst A, Schwaighofer H, Judmaier G, Vogel W (1999). Lack of evidence for the heterosexual transmission of hepatitis C. *Quarterly Journal of Medicine*, 92(9):505–508.
- Nevin R (2000). How lead exposure relates to temporal changes in IQ, violent crime, and unwed pregnancy. *Environmental Research*, 83(1):1–22.
- Norris B, Wilson JR (2003). Preventing drowning through design – the contribution of human factors. *Injury Control and Safety Promotion*, 10(4):217–226.
- Nurminen M, Karjalainen A (2001). Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scandinavian Journal of Work and Environmental Health*, 27:161–213.
- Nurminen T (1995). Maternal pesticide exposure and pregnancy outcome. *Journal of Occupational and Environmental Medicine*, 37(8):935–940.
- Odense Municipality (Odense Kommune) (2004). Evaluering af Odense – Danmarks Nationale Cykleby. [*Evaluating Odense - Denmark's National Cycle City.*] Odense, Odense Municipality.
- Olsen O, Kristensen TS (1991). Impact of work environment on cardiovascular diseases in Denmark. *Journal of Epidemiology and Community Health*, 45:4–9.
- Olsson AR, Skogh T, Axelson O, Wingren G (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occupational and Environmental Medicine*, 61(3):233–238.
- Passchier-Vermeer W, Passchier WF (2000). Noise exposure and public health. *Environmental Health Perspectives*, 108(Suppl. 1):123–131.
- Pavia M, Bianco A, Pileggi C, Angelillo IF (2003). Meta-analysis of residential exposure to radon gas and lung cancer. *Bulletin of the World Health Organization*, 81(10):732–738.
- Peden M, Scurfield R, Sleet D, Mohan D, Hyder AA, Jarawan E, Mathers C (2004). *World report on road traffic injury prevention*. World Health Organization, Geneva.
- Pelletier DL (1994). The relationship between child anthropometry and mortality in developing countries: implications for policy, programs and future research. *Journal of Nutrition*, 124:S2047–2081.
- Pope CA III, Burnett RT, Thun MJ, Calle E, Krewski D, Ito K, Thurston GD (2002). Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particle air pollution. *Journal of the American Medical Association*, 287:1132–1141.
- Prüss A, Mariotti SP (2000). Preventing trachoma through environmental sanitation: a review of the evidence base. *Bulletin of the World Health Organization*, 78(2):258–266.
- Prüss-Üstün A, Rapiti E, Hutin Y (2003). *Sharps injuries: Global burden of disease from sharps injuries to health-care workers*. Geneva, World Health Organization (Environmental burden of disease series No. 3. Also available online at [http://www.who.int/quantifying\\_ehimpacts/publications/9241562463/en/](http://www.who.int/quantifying_ehimpacts/publications/9241562463/en/)).
- Prüss-Üstün A, Kay D, Fewtrell L, Bartram J (2004a). Unsafe water, sanitation and hygiene. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL eds. *Comparative quantification of health risks*. Geneva, World Health Organization.
- Prüss-Üstün A, Fewtrell LJ, Landrigan P, Ayuso-Mateos JL (2004b). Lead exposure. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL eds. *Comparative quantification of health risks*. Geneva, World Health Organization.
- Qin HL, Zhao XC, Zhou JH, Qiu J, Yang ZL, Jiang ZQ, Zhu BZ (2004). Effect of environment on extremely severe road traffic crashes: retrospective epidemic analysis during 2000–2001. *Chinese Journal of Traumatology*, 7(6): 323–329.
- Racioppi F, Eriksson L, Tingvall C, Villaveces A (2004). *Preventing road traffic injury: a public health perspective for Europe*. Copenhagen, WHO Regional Office for Europe.
- Ramsey JM, Cruz-Celis A, Salgado L, Espinosa L, Ordonez R, Lopez R, Schofield CJ, (2003). Efficacy of pyrethroid insecticides against domestic and peridomestic populations of *Triatoma pallidipennis* and *Triatoma barberi* (Reduviidae:Triatominae) vectors of Chagas disease in Mexico. *Journal of Medical Entomology*, 40(6):912–920.

- Reznik BI, Minkov IP, Prudkii VI, Krivenkaia MN, Kildysheva AN, Grinfeld BN (1992). Environmental pollution and congenital abnormalities. *Gigiena i Sanitariya, [Hygiene and Sanitation,]* 7–8:6–9.
- Riedner G, Rusizoka M, Hoffmann O, Nichombe F, Lyamuya E, Mmbando D, Maboko L, Hay P, Todd J, Hayes R, Hoelscher M, Grosskurth H (2003). Baseline survey of sexually transmitted infections in a cohort of female bar workers in Mbeya Region, Tanzania. *Sexually Transmitted Infections*, 79(5):382–387.
- Ritz B, Yu F (1999). The effect of ambient carbon monoxide on low birth weight among children born in southern California between 1989 and 1993. *Environmental Health Perspectives*, 107(1):17–25.
- Ritz B, Yu F, Fruin S, Chapa G, Shaw GM, Harris JA (2002). Ambient air pollution and risk of birth defects in Southern California. *American Journal of Epidemiology*, 155(1):17–25.
- Rojas-De-Arias A (2001). Chagas disease prevention through improved housing using an ecosystem approach to health. *Cadernos de Saude Publica, [Reports in Public Health]*, 17(Suppl.):89–97.
- Rom WN, Garay SM (2003). *Tuberculosis*. Philadelphia, Lippincott, Williams and Wilkins.
- Rosengren A, Hawken S, Ounpuu S, Sliwa K, Zubaid M, Almahmeed WA, Blackett KN, Sitthi-amorn C, Sato H, Yusuf S (2004). Association of psychosocial risk factors with risk of acute myocardial infarction in 11 119 cases and 13 648 controls from 52 countries (the INTERHEART study): case-control study. *Lancet*, 11;364(9438):953–962.
- Rossignol M, Leclerc A, Hilliquin P, Allaert FA, Rozenberg S, Valat JP, Avouac B, Coste P, Savarieau B, Fautrel B (2003). Primary osteoarthritis and occupations: a national cross sectional survey of 10 412 symptomatic patients. *Occupational and Environmental Medicine*, 60(11):882–886.
- Rozendaal JA (1997). *Vector control. Methods for use by individuals and communities*. Geneva, World Health Organization.
- Schoenthaler SI, Amos S, Doraz W, Kelly MA, Muedeking G, Wakefield J Jr (1997). The effects of randomized vitamin-mineral supplementation on violent and non-violent antisocial behavior among incarcerated juveniles. *Journal of Nutritional and Environmental Medicine*, 7: 343–352.
- Schrauzer GN (2002). Lithium: occurrence, dietary intakes, nutritional essentiality. *Journal of the American College of Nutrition (New York, NY)*, 21(1):14–21.
- Schroeder DG, Brown KH (1994). Nutritional status as a predictor of child survival: summarizing the association and quantifying its global impact. *Bulletin of the World Health Organization*, 72:569–579.
- Schwartz J (1995). Lead, blood pressure, and cardiovascular disease in men. *Archives of Environmental Health*, 50(1):31–37.
- Segarra-Obiol F, Lopez-Ibanez P, Perez Nicolas J (1983). Asbestosis and tuberculosis. *American Journal of Industrial Medicine*, 1983,4:755–757.
- Seidler A, Raum E, Arabin B, Hellenbrand W, Walter U, Schwartz FW (1999). Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *American Journal of Industrial Medicine*, 36(1):213–222.
- Siemiatycki J, Richardson L, Straif K, Latreille B, Lakhani R, Campbell S, Rousseau MC, Boffetta P (2004). Listing occupational carcinogens. *Environmental Health Perspectives*, 112:1447–1459.
- Slovak K (2002). Gun violence and children: factors related to exposure and trauma. *Health and Social Work*, 27(2):104–112.
- Smith KR, Corvalán FC, Kjellström T (1999). How much ill health is attributable to environmental factors? *Epidemiology*, 10(5):573–584. Also available online at [http://www.who.int/quantifying\\_ehimpacts/methods/en/smith.pdf](http://www.who.int/quantifying_ehimpacts/methods/en/smith.pdf), accessed March 2005.
- Smith KR, Mehta S, Maeusezahl-Feuz M (2004). Indoor air pollution from solid household fuels. In: Ezzati M, Lopez AD, Rodgers A, Murray CJL, eds. *Comparative quantification of health risks*. Geneva, World Health Organization.
- Smith KR, Samet JM, Romieu I, Bruce N (2000). Indoor air pollution in developing countries and acute lower respiratory infections in children. *Thorax*, 55(6):518–532.
- Steenland K, Burnett C, Lalic N, Ward E, Hurrell J (2003). Dying for work: The magnitude of US mortality from selected causes of death associated with occupation. *American Journal of Industrial Medicine*, 43(5):461–482.

- Stenstrom R, Bernard PA, Ben-Simhon H (1993). Exposure to environmental tobacco smoke as a risk factor for recurrent acute otitis media in children under the age of five years. *International Journal of Pediatric Otorhinolaryngology*, 27(2):127–136.
- Stretesky PB, Lynch MJ (2001). The relationship between lead exposure and homicide. *Archives of Pediatrics and Adolescent Medicine*, 155(5):579–582.
- Stretesky PB, Lynch MJ (2004). The relationship between lead and crime. *Journal of Health and Social Behavior*, 45(2):214–229.
- Sugihantono A, Slidell M, Syaifudin A, Pratjojo H, Utami IM, Sadjimin T, Mayer KH (2003). Syphilis and HIV prevalence among commercial sex workers in Central Java, Indonesia: risk-taking behavior and attitudes that may potentiate a wider epidemic. *AIDS Patient Care STDS*, 17(11):595–600.
- Sutter EE, Ballard RC (1983). Community participation in the control of trachoma in Gazankulu. *Social Science and Medicine*, 17:1813–1817.
- Takeda E, Robazzi ML, Lavrador MA (2001). Ocupacional de adquirir Tuberculose entre trabalhadores de enfermagem hospitalar. [Occupational risk of acquiring tuberculosis among hospital nursing personnel.] *Revista Brasileira de Enfermagem*, [Brazilian Journal of Nursing,] 54(3):456–465.
- Taha TE, Gray RH (1993). Agricultural pesticide exposure and perinatal mortality in central Sudan. *Bulletin of the World Health Organization*, 71(3-4):317–21.
- Tan XH, Wang SM, Xue NQ, Teng WT, Feng YQ (2004). Study on the risk factors and its interaction on Parkinson disease. *Chung-Hua Liu Hsing Ping Hsueh Tsa Chih*, [Chinese Journal of Epidemiology], 25(6):527–530.
- Tatum AJ, Shapiro GG (2005). The effects of outdoor air pollution and tobacco smoke on asthma. *Immunology and Allergy Clinics of North America*, 25(1):15–30.
- Taylor HR, West SK, Rosenthal FS, Munoz B, Newland HS, Abbey H, Emmett EA (1988). Effect of ultraviolet radiation on cataract formation. *New England Journal of Medicine*, 319(22):1429–1433.
- Taylor R, Cumming R, Woodward A, Black M (2001). Passive smoking and lung cancer: a cumulative meta-analysis. *Australian and New Zealand Journal of Public Health*, 25(3):203–211.
- Tennant C (2001). Work-related stress and depressive disorders. *Journal of Psychosomatic Research*, 51(5):697–704.
- Transport Research Board (2005). *Does the built environment influence physical activity? Examining the evidence. Report 282*. Washington, DC (www.trb.org, accessed March 2005).
- Trapido AS, Mqoqi NP, Williams BG, White NW, Solomon A, Goode RH, Macheke CM, Davies AJ, Panter C (1998). Prevalence of occupational lung disease in a random sample of former mineworkers, Libode District, Eastern Cape Province, South Africa. *American Journal of Industrial Medicine*, 34:305–313.
- UNAIDS, WHO (2004). *AIDS epidemic update - December 2004*. Geneva, Joint United Nations Programme on HIV/AIDS.
- US Census Bureau, UNAIDS (2004). *HIV/AIDS surveillance data base*. Washington DC, US Census Bureau.
- Utzinger J, Tozan Y, Singer BH (2001). Efficacy and cost-effectiveness of environmental management for malaria control. *Tropical Medicine and International Health*, 6: 677–687.
- Valent F, Little D, Bertollini R, Nemer L, Barbone F, Tembulini G (2004). Burden of disease attributable to selected environmental factors and injury among children and adolescents in Europe. *Lancet* 363: 2032-2039.
- Vandelli C, Renzo F, Romano L, Tisminetzky S, De Palma M, Stroffolini T, Ventura E, Zanetti A (2004). Lack of evidence of sexual transmission of hepatitis C among monogamous couples: results of a 10-year prospective follow-up study. *American Journal of Gastroenterology*; 99(5):855–859.
- Vineis P, Airoidi L, Veglia P, Olgiati L, Pastorelli R, Autrup H, Dunning A, Garte S, Gormally E, Hainaut P, Malaveille C, Matullo G, Peluso M, Overvad K, Tjonneland A, Clavel-Chapelon F, Boeing H, Krogh V, Palli D, Panico S, Tumino R, Bueno-De-Mesquita B, Peeters P, Berglund G, Hallmans G, Saracci R, Riboli E (2005). Environmental tobacco smoke and risk of respiratory cancer and chronic obstructive pulmonary disease in former smokers and never smokers in the EPIC prospective study. *British Medical Journal*, 5:330(7486):265–266.

- Welsh BC, Farrington DP (2004). Surveillance for crime prevention in public space: results and policy choices in Britain and America. *Criminology and Public Policy*, 3(3):497–526.
- West S (1992). Does smoke get in your eyes? *Journal of the American Academy of Medicine*, 268:1025–1026.
- West SK, Duncan DD, Munoz B, Rubin GS, Fried LP, Bandeen-Roche K, Schein OD (1998). Sunlight exposure and risk of lens opacities in a population-based study: the Salisbury Eye Evaluation project. *Journal of the American Medical Association*, 280(8):714–718.
- WHO (1982). *Manual on environmental management for mosquito control*. Geneva, World Health Organization.
- WHO (1992). *ICD-10 - International statistical classification of diseases and related health problems*, Tenth revision, Volume 1. Geneva, World Health Organization.
- WHO (1995). *Physical Status: The use and interpretation of anthropometry. Report of a WHO Expert Committee (Technical Report Series 854)*, Geneva, World Health Organization, pp. 161–262.
- WHO (1997). *Health and environment in sustainable development*. Geneva, World Health Organization.
- WHO (2000). Growth patterns of breastfed infants in seven countries. *Acta Paediatrica*, 89:215–222.
- WHO (2002). *World Health Report 2002 - Reducing risks, promoting healthy life*. Geneva, World Health Organization (<http://www.who.int/whr/2002/>, accessed March 2005).
- WHO (2003). *Guidelines for safe recreational water environments. Volume 1: Coastal and freshwaters*. Geneva, World Health Organization.
- WHO (2004a). *World Health Report 2004 - changing history*. Geneva, World Health Organization.
- WHO (2004b). *Evaluation of the costs and benefits of water and sanitation improvements at the global level*. Geneva, World Health Organization.
- WHO (2005a). *Water-related diseases: Malnutrition*. Geneva, World Health Organization ([http://www.who.int/water\\_sanitation\\_health/diseases/malnutrition/en/](http://www.who.int/water_sanitation_health/diseases/malnutrition/en/), accessed June 2005).
- WHO (2005b). *Ecosystems and human health - health synthesis*. Geneva, World Health Organization.
- WHO (2006a). *Nutrients in drinking water: Potential health consequences of long-term consumption of demineralized, remineralized and altered mineral content drinking water*. Report of an expert meeting. Geneva, World Health Organization (in press).
- WHO (2006b). *Fuel for life, household energy and health*. Geneva, World Health Organization (in press).
- WHO Regional Office for Europe (2004). *How can injuries in children and older people be prevented?* Geneva, World Health Organization, Health Evidence Network (<http://www.who.dk/Document/E84938.pdf>, accessed April 2004).
- WHO, UNICEF (2004). *Meeting the MDG drinking water and sanitation target: A mid-term assessment of progress*. Geneva, World Health Organization.
- WHO, UNICEF (2005). *Water for life. Making it happen*. Geneva, World Health Organization.
- Wilhelm K, Kovess V, Rios-Seidel C, Finch A (2004). Work and mental health. *Social Psychiatry and Psychiatric Epidemiology*, 39(11):866–873.
- Wilkinson D, Gunnell D (2000). Comparison of trends in method-specific suicide rates in Australia and England and Wales, 1968–97. *Australian and New Zealand Journal of Public Health (Canberra)*, 24(2):153–157.
- Williams BG, Campbell CM, Mqoqi NP, Kleinschmidt I (1998). Occupational health, occupational illness: tuberculosis, silicosis and HIV on the South African mines. In: Parker JE, ed. *Occupational lung disease: An international perspective*. London, Chapman and Hall Medical, pp. 95–103.
- Williams MD, Sandler AB (2001). The epidemiology of lung cancer. *Cancer Treatment and Research*, 105:31–52.

Wilson MD, Cheke RA, Flasse SP, Grist S, Osei-Ateweneboana MY, Tetteh-Kumah A, Fiasorgbor GK, Jolliffe FR, Boakye DA, Hougard JM, Yameogo L, Post RJ (2002). Deforestation and the spatio-temporal distribution of savannah and forest members of the *Simulium damnosum* complex in southern Ghana and south-western Togo. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 96(6):632–639.

Xu X, Niu T, Christian D (1996). Occupational and environmental risk factors for asthma in rural communities in China. *International Journal of Occupational and Environmental Health*, 2:172–176.

Xueref S, Holianjavony J, Daniel R, Kerouedan D, Fabry J, Vanhems P (2003). The absence of HIV seropositivity contrasts with a high prevalence of markers of sexually transmitted infections among registered female sex workers in Toliary, Madagascar. *Tropical Medicine and International Health*, 8(1):60–66.

Yadon ZE, Rodrigues LC, Davies CR, Quigley MA (2003). Indoor and peridomestic transmission of American cutaneous leishmaniasis in north-western Argentina: a retrospective case-control study. *American Journal of Tropical Medicine and Hygiene*, 68(5):519–526.

Yoshimura N, Nishioka S, Kinoshita H, Hori N, Nishioka T, Ryujin M, Mantani Y, Miyake M, Coggon D, Cooper C (2004). Risk factors for knee osteoarthritis in Japanese women: heavy weight, previous joint injuries, and occupational activities. *Journal of Rheumatology*, 31(1):157–162.

Zachariah R, Spielmann MP, Harries AD, Salaniponi FM (2002). Moderate to severe malnutrition in patients with tuberculosis is a risk factor associated with early death. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 96:291–294.

Zhang J, Cai WW, Lee DJ (1992). Occupational hazards and pregnancy outcomes. *American Journal of Industrial Medicine*, 21(3):397–408.

Zodpey SP, Ughade SN (1999). Exposure to cheaper cooking fuels and risk of age-related cataract in women. *Indian Journal of Occupational and Environmental Medicine*, 3(4):159–161.