

---

## References

- <sup>1</sup> WHO Framework Convention on Tobacco Control. Geneva, World Health Organization, 2003.
- <sup>2</sup> Conference of the Parties to the WHO Framework Convention on Tobacco Control. Guidelines for implementation of Article 11 of the WHO Framework Convention on Tobacco Control (Packaging and labelling of tobacco products) ([http://www.who.int/fctc/guidelines/article\\_11.pdf](http://www.who.int/fctc/guidelines/article_11.pdf), accessed 6 April 2009).
- <sup>3</sup> WHO report on the global tobacco epidemic, 2008: the MPOWER package. Geneva, World Health Organization, 2008.
- <sup>4</sup> Peto R et al. Mortality from smoking worldwide. *British Medical Bulletin*, 1996, 52(1):12-21.
- <sup>5</sup> Wakefield M et al. The cigarette pack as image: new evidence from tobacco industry documents. *Tobacco Control*, 2002, 11, Suppl.1:173-180.
- <sup>6</sup> Slade J. The pack as advertisement. *Tobacco Control*, 1997, 6:169-170.
- <sup>7</sup> See, for example, Cour de Cassation, Chambre Criminelle, Paris, 3 May 2006 (CNCT c/ BAT, VLEX-25225565) (<http://vlex.fr/vid/chambre-criminelle-mai-publieu-bulletin-25225565>, accessed 3 April 2009) and Tribunal de Grande Instance de Paris, Ordonnance de refere, 28 July 2006, (CNCT c/ SEITA & A.F.S.).
- <sup>8</sup> Brown D. Testimony in *ITL & RJR-Macdonald v. Attorney General of Canada*, 28 September 1989:661 ([http://www.idrc.ca/en/ev-28825-201-1-DO\\_TOPIC.html](http://www.idrc.ca/en/ev-28825-201-1-DO_TOPIC.html), accessed 3 April 2009).
- <sup>9</sup> Pollay R. How cigarette advertising works: Rich imagery and poor information (expert report prepared for JTI-Macdonald Corp., Imperial Tobacco Canada Ltd. and Rothmans, Benson & Hedges Inc. v. Attorney General of Canada and Canadian Cancer Society (intervenor). Supreme Court, Province of Quebec, District of Montreal, Oct. 20, 2000.). Toronto, Ontario Tobacco Research Unit Special Report Series, June 2002 (<http://www.smoke-free.ca/defacto/D057-Pollay-HowCigaretteAdvertisingWorks.pdf>, accessed 6 April 2009).
- <sup>10</sup> Koten J. Tobacco marketer's success formula: make cigarettes in smoker's own image. *Wall Street Journal*, 29 February 1980:22.
- <sup>11</sup> International Tobacco Control Policy Evaluation Project. ITC China Summary, February 2009 (<http://www.itcproject.org/keyfindi/itcchina4p~5>, accessed 6 April 2009).
- <sup>12</sup> Jiang Y et al. Chinese physicians and their smoking knowledge, attitudes, and practices. *American Journal of Preventive Medicine*, 2007, 33(1):15-22.
- <sup>13</sup> Parwal AB, Mukherjee S. Gutkha and tobacco consumption and awareness of their health hazards among school & college students in Gujarat. *Indian Journal of Community Medicine*, 2004, 29(3):38.

- <sup>14</sup> Rajan G, Ramesh S, Sankaralingam S. Areca nut use in rural Tamil Nadu: a growing threat. *Indian Journal of Medical Science*, 2007, 61(6):332-337.
- <sup>15</sup> Varsano S et al. Water-pipe smoking among school children in Israel: frequencies, habits, and attitudes [article in Hebrew]. *Harefuah*, 2003, 142(11):736-41, 807.
- <sup>16</sup> Reddy P, Meyer-Weitz A, Yach D. Smoking status, knowledge of health effects and attitudes towards tobacco control in South Africa. *South African Medical Journal*, 1996, 86(11):1389-93.
- <sup>17</sup> Maziak W et al. Beliefs and attitudes related to narghile (waterpipe) smoking among university students in Syria. *Annals of Epidemiology*, 2004, 14(9):646-654.
- <sup>18</sup> Datafolha Instituto de Pesquisas. Opinião pública: Campanha contra o fumo [Public opinion: Campaign against smoking]. Internet summary of findings, April 21, 2002 ([http://datafolha.folha.uol.com.br/po/ver\\_po.php?session=625](http://datafolha.folha.uol.com.br/po/ver_po.php?session=625), accessed 7 April 2009).
- <sup>19</sup> Canadian Cancer Society. Evaluation of new warnings on cigarette packages. Prepared by: Environics, Focus Canada 2001-3; 2001. See: <http://www.cancer.ca>, accessed 6 April 2009.
- <sup>20</sup> Health Promotion Board. Graphic health warnings on tobacco packaging inspire smokers to quit the habit [press release] ([http://www.hpb.gov.sg/hpb/default.asp?pg\\_id=2982](http://www.hpb.gov.sg/hpb/default.asp?pg_id=2982), accessed 29 January 2009).
- <sup>21</sup> International Tobacco Control Policy Evaluation Project. Wave 2 Data, Thailand, 2007 (see <http://www.itcproject.org/projects/thailand>, accessed 7 April 2009).
- <sup>22</sup> Cavalcante T. Labelling and packaging in Brazil (WHO Tobacco Free Initiative Toolkit Series). Geneva, World Health Organization, 2003 ([http://www.who.int/tobacco/training/success\\_stories/en/best\\_practices\\_brazil\\_labelling.pdf](http://www.who.int/tobacco/training/success_stories/en/best_practices_brazil_labelling.pdf), accessed 6 April 2009).
- <sup>23</sup> Li J, Grigg M. New Zealand: new graphic warnings encourage registrations with the quitline. *Tobacco Control*, 2009, 18(1):72.
- <sup>24</sup> Thrasher JF et al. Estimating the impact of different cigarette package warning label policies: The auction method. *Addictive Behavior*, 2007, 32(12):2916-25.
- <sup>25</sup> West R. Warnings on cigarettes 'destroying brand value'. *Daily Telegraph* (online edition), 28 September 2004 (<http://www.telegraph.co.uk/finance/2895983/Warnings-on-cigarettes-destroying-brand-value.html>, accessed 29 January 2009).
- <sup>26</sup> White V, Webster B, Wakefield M. Do graphic health warning labels have an impact on adolescents' smoking-related beliefs and behaviours? *Addiction*, 2008, 103(9):1562-71.
- <sup>27</sup> Fong GT. Evaluating FCTC policies and whether they are closing the equity gap: findings from the ITC Project [presentation at the 14th World Conference on Tobacco or Health, Mumbai, March 2009].

- <sup>28</sup> Les Études de Marché Créatec+. Final Report: Qualitative testing of health warnings messages. Prepared for Tobacco Control Programme, Health Canada, June 2006.
- <sup>29</sup> Elliott & Shanahan Research. Developmental research for new Australian health warnings on tobacco products. Stage 2. Prepared for Australian Population Health Division, Department of Health and Ageing, August 2003.
- <sup>30</sup> BRC Marketing & Social Research. Smoking health warnings Stage 1: The effectiveness of different (pictorial) health warnings in helping people consider their smoking-related behaviour. Prepared for New Zealand Ministry of Health, May 2004.
- <sup>31</sup> Liefeld J. The relative importance of the size, content and pictures on cigarette package warnings messages. Department of Consumer Studies, University of Guelph. Prepared for Health Canada, 1999.
- <sup>32</sup> Hammond D et al. Graphic Canadian warning labels and adverse outcomes: evidence from Canadian smokers. *American Journal of Public Health*, 2004, 94(8):1442-45.
- <sup>33</sup> Borland R et al. How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four Country Survey. *Addiction*, 2009, 104(4):669-675.
- <sup>34</sup> Nascimento BEM et al. Avoidance of smoking: the impact of warning labels in Brazil. *Tobacco Control*, 2008;17:405-409.
- <sup>35</sup> Brazil: Health warnings on tobacco products – 2009. Rio de Janeiro, National Cancer Institute, Ministry of Health, 2008.
- <sup>36</sup> United Kingdom Department of Health. Consultation on the introduction of picture warnings on tobacco packs. Report on consultation. August 2007 ([www.dh.gov.uk/en/Consultations/Responsestoconsultations/DH\\_077960](http://www.dh.gov.uk/en/Consultations/Responsestoconsultations/DH_077960), accessed 6 April 2009).
- <sup>37</sup> Health warnings on cigarette and tobacco packs: report on research to inform European standardization. London, Health Education Authority, 1990.
- <sup>38</sup> Strahan EJ et al. Enhancing the effectiveness of tobacco package warning labels: a social psychological perspective. *Tobacco Control*, 2002, 11(3):183-190.
- <sup>39</sup> Les Études de Marché Créatec+. Effects of increasing the area occupied by health warnings on cigarette packages. Prepared for Health Canada, September 1999.
- <sup>40</sup> Les Études de Marché Créatec+. Quantitative study of Canadian adult smokers. Effects of modified packaging through increasing the size of warnings on cigarette packages. Prepared for Health Canada, April 2008.
- <sup>41</sup> Les Études de Marché Créatec+. Quantitative study of Canadian youth smokers and vulnerable non-smokers. Effects of modified packaging through increasing the size of warnings on cigarette packages. Prepared for Health Canada, April 2008.

- <sup>42</sup>Tobacco Control Research Group, American University of Beirut. Advocacy brief. Act now, narghile, dangerous, unregulated. Beirut, American University of Beirut, 2008.
- <sup>43</sup>Chapman S, Carter SM. "Avoid health warnings on all tobacco products for just as long as we can": a history of Australian tobacco industry efforts to avoid, delay and dilute health warnings on cigarettes. *Tobacco Control*, 2003, 12:13-22.
- <sup>44</sup>Hammond D. Chapter 1, Evidence summary. In: Tobacco labelling toolkit. Paris, International Union Against Tuberculosis and Lung Disease, 2009 (<http://www.tobaccolabels.ca/tobaccolab/uatldtool>, accessed 8 April 2009).
- <sup>45</sup>Applied Economics. Cost-benefit analysis of proposed new health warnings on tobacco products. Report prepared for the Commonwealth Department of Health and Ageing, Australia, December 2003 ([http://www.treasury.gov.au/documents/836/PDF/Cost\\_Benefit\\_Analysis.pdf](http://www.treasury.gov.au/documents/836/PDF/Cost_Benefit_Analysis.pdf), accessed 6 April 2009).
- <sup>46</sup>Tobacco Products Information Regulations. Regulatory impact analysis statement. Canada Gazette Part I, April 1, 2000.
- <sup>47</sup>United Kingdom Department of Health. The introduction of picture warnings on tobacco packs. Final regulatory impact assessment. 23 August 2007 ([http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsLegislation/DH\\_077961](http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsLegislation/DH_077961), accessed 6 April 2009).
- <sup>48</sup>Supreme Court of Canada. Canada (Attorney General) v. JTI-Macdonald Corp., 2007 SCC 30. 28 June 2007.
- <sup>49</sup>Chitanondh H. Pictorial health warnings on packages of tobacco products. Bangkok, Thailand Health Promotion Institute, 2007 [original in Thai].
- <sup>50</sup>Singh V et al. Tobacco consumption and awareness of their health hazards amongst lower income group school children in National Capital Territory of Delhi. *Indian Pediatrics*, 2007, 44:293-295.

## Acknowledgements

This document would not have been possible without the contributions of many people. The World Health Organization (WHO) would like to thank Heather Selin for preparing the document, and its colleagues in the WHO Regional Offices and the global tobacco control community for their valuable input and reviews. We are grateful that Geoffrey Fong permitted us to use as-yet unpublished data from the International Tobacco Control Evaluation Project. The WHO would also like to thank the many people who have contributed to the achievement of pictorial health warnings in numerous countries.

Design and layout: Fabrica, Treviso, Italy

## **WHO Library Cataloguing-in-Publication Data**

World No Tobacco Day 2009: pictorial health warnings on tobacco packaging.

1.Smoking-prevention and control. 2.Tobacco-derived products labeling. 3.Tobacco-derived products packing. 4.Smoking cessation. 5.Tobacco control campaigns. 6.Anniversaries and special events I.World Health Organization. II.WHO Tobacco Free Initiative.

ISBN 978 92 4 159804 0

(NLM classification: QV 137)

### **© World Health Organization 2009**

All rights reserved. Publications of the World Health Organization can be obtained from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel. +41.22.791.3264 / fax +41.22.791.4857 / e-mail: [bookorders@who.int](mailto:bookorders@who.int)). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to WHO Press, at the above address (fax +41.22.791.4806 / e-mail: [permissions@who.int](mailto:permissions@who.int)).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in Switzerland.





**World Health  
Organization**

---

**Tobacco Free Initiative (TFI)**

20, Avenue Appia  
1211 Geneva 27  
Switzerland

Telephone: +41.22.791.4426

Fax: +41.22.791.4832

E-mail: [tfi@who.int](mailto:tfi@who.int)

**[www.who.int/tobacco](http://www.who.int/tobacco)**



9 789241 598040