The Atlas of human African trypanosomiasis (2000-2009): Lobaye (Central African Republic)

Version: 1/11/2010. Optimized for printing in A3 format

World Health Organization

HAT cases

(T. b. gambiense)

1

10

50

Active screening

(T. b. gambiense)

no case detected

17°30'E 17°45'E 18°E 18°15'E 18°30'E

4°15'N 4°N 3°45'N 3°30'N

OMBELLA-MPOKO

Bimbo

LOBAYE

Mbaiki

Cbomboro

Lessé

D.R.C.

Ndolobo Scerie

Bagandou école

Mongo 1 et 2

Mongoumba

Bakota

Moloukou

Kenga

Safa Mouscou 2

Safa Mouscou 1

Paris Congo 1

Paris Congo 2

Poto Poto 1

Poto Poto 2

Q. Scad VI et VII

Mbata école Mokinda

CEG de Mbata

Batalimo 1-2

Ecole Batalimo 1

Libo Libo (2)

Bomoloto

Moslet

Zomea

Q. Scad I et II

Lougouza

Loko Centre

Scad/Loko Ndolobo

Bangouma

Q. Scad III, IV et V

Bomuelé

Scad/Loko Scierie

Collège d'enseignement générale Mokinkovo

Mongoumba - Quartier Campagnie

Motonga 1 et 2

Molabaye

Sakabo

Ikoumba

Sabourou

CONGO

Mongoumba - Quartier Yenguèla

Geographic Projection

© World Health Organization/Food and Agriculture Organization of the United Nations

The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of WHO and FAO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

Citation: Simarro *et al.* (2010). The Atlas of human African trypanosomiasis: a contribution to global mapping of neglected tropical diseases. *Int J Health Geogr*, 9:57

0 3 6 Kilometres