

**BARBADOS**

Last Updated: 2007-03-02

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes				
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line
						70	100	110	115	120	130						
N	1981	NPW	F	15.00-NS	193					27.5			800	*			
		Men	M	15.00-NS	131					19.1							
		Pre-SAC	B	NS	NS			31.3									
		SAC by sex	B	NS	NS					41.8							
		SAC by sex	B	NS	NS					52.5							
N	1969	Women	F	16.00-NS	121				19.0				3486	*	1		
		Men	M	16.00-NS	43					2.3	142	13					
		Pre-SAC	B	NS- 5.99	107												2
		Children	B	5.00- 15.99	162												3

## NOTES

### BARBADOS

---

**Reference No:** 800

**General Notes:** *Only parts of report available.*

**Reference No:** 3486

**General Notes:** *Hb cut-off level women and children not according to WHO recommendations (please see 'Key to the data tables').*

**Line note 1** Women include 12 PW or LW.

**Line note 2** Prevalence of anaemia 32.7% (Hb <105 g/L).

**Line note 3** Prevalence of anaemia 9.3% (Hb <110 g/L females, Hb <115 g/L males).

## REFERENCES

### BARBADOS

---

- Reference 800** Ramsey F, Demas N, Trotter P. The National Health and Nutrition Survey of Barbados, 1981. Ministry of Health, WHO Pan American Health Organization, Caribbean Food and Nutrition Institute, 1986.
- Reference 3486** WHO Pan American Health Organization. The National Food and Nutrition Survey of Barbados. Washington, DC, World Health Organization, Pan American Health Organization, 1972