

CENTRAL AFRICAN REPUBLIC (THE)

Last Updated: 2006-02-14

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Mean	SD	Method	Reference	Notes	
						Proportion (%) of population with haemoglobin below:										General	Line
						70	100	110	115	120	130						
N	1999	Women: Total	F	15.00- 49.99	2726							117	4	B	1722	*	1
		Pre-SAC: Total	B	0.50- 2.99	1055			84.2				92	6				
		Women by physiological status: NPW	F	15.00- 49.99	2396					49.8		119	4				
		Women by physiological status: PW	F	15.00- 49.99	330			54.8				108	9				
		NPW by region: 1	F	15.00- 49.99	NS					47.6		120	12				
		NPW by region: 2	F	15.00- 49.99	NS					58.4		115	13				
		NPW by region: 3	F	15.00- 49.99	NS					36.2		123	12				
		NPW by region: 4	F	15.00- 49.99	NS					39.7		123	7				
		NPW by region: 5	F	15.00- 49.99	NS					67.8		113	9				
		NPW by region: Bangui	F	15.00- 49.99	NS					44.3		120	10				
		PW by region: 1	F	15.00- 49.99	NS			45.9				111	25				
		PW by region: 2	F	15.00- 49.99	NS			65.5				105	18				
		PW by region: 3	F	15.00- 49.99	NS			49.0				109	30				
		PW by region: 4	F	15.00- 49.99	NS			45.7				110	17				
		PW by region: 5	F	15.00- 49.99	NS			65.7				104	21				
		PW by region: Bangui	F	15.00- 49.99	NS			51.0				111	20				
		Pre-SAC by age	B	0.50- 0.99	NS			93.9				83	12				
		Pre-SAC by age	B	1.00- 1.99	NS			86.9				89	9				
		Pre-SAC by age	B	2.00- 2.99	NS			76.6				98	9				
		Pre-SAC by region: 1	B	0.50- 2.99	NS			86.7				90	16				
		Pre-SAC by region: 2	B	0.50- 2.99	NS			93.6				87	14				
		Pre-SAC by region: 3	B	0.50- 2.99	NS			83.9				93	17				
		Pre-SAC by region: 4	B	0.50- 2.99	NS			75.3				97	14				
Pre-SAC by region: 5	B	0.50- 2.99	NS			92.6				86	13						
Pre-SAC by region: Bangui	B	0.50- 2.99	NS			71.0				98	16						
L	1981 -1982	Bangui: PW	F	14.00- 40.99	101		33.0						D	2363	*	2	

NOTES

CENTRAL AFRICAN REPUBLIC (THE)

Reference No: 1722

General Notes: *Divisions of country in 5 sanitary regions and Bangui.*

Line note 1 Prevalence of anaemia 50.4% (Hb <110 g/L PW, Hb <120 g/L NPW).

Reference No: 2363

General Notes: *Facility based study (health center); method: Hycel counter 33.*

Line note 2 Prevalence of anaemia circa 50.0% (Hb <105 g/L).

REFERENCES

CENTRAL AFRICAN REPUBLIC (THE)

- Reference 1722** Ministère Delegue a l'Economie au Plan et a la Cooperation Internationale, Ministère de la Sante et de la Population, UNICEF. Enquête nationale sur l'avitaminose A, la carence en fer et la consommation du sel iode [rapport final]. Republique Centrafricaine, 2000.
- Reference 2363** Ndoyo J, Mbiye K. Perturbations hématologiques chez les femmes enceintes dans un centre de santé de Bangui [Hematologic disorders in pregnant women in a health center in Bangui]. Revue Française de Gynécologie et d'Obstétrique, 1985, 80 :651-652.