

**GAMBIA (THE)**

Last Updated: 2006-11-24

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes					
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line	
						70	100	110	115	120	130							
N	1999	PW: Total	F	15.00- 49.99	401	6.7		75.1									1	
		LW: Total	F	15.00- 49.99	572	1.7				59.1								2
		Pre-SAC: Total	B	1.00- 5.99	1111	16.2		79.4										3
		Pre-SAC by sex	F	1.00- 5.99	540	15.2		77.2										
		Pre-SAC by sex	M	1.00- 5.99	571	17.2		81.4										

## NOTES

### GAMBIA (THE)

---

**Reference No:** 2806

**Line note 1** Disaggregated data by region.

**Line note 2** Disaggregated data by region.

**Line note 3** Not clear if children 5 yrs included; disaggregated data by region, age.

## REFERENCES

### GAMBIA (THE)

---

**Reference 2806** Bah A, Semega-Janneh I, Prentice A, Bates C. Nationwide survey on the prevalence of vitamin A and iron deficiency in women and children in the Gambia. Banjul, National Nutrition Agency, 2001.

## ADDITIONAL REFERENCES

### GAMBIA (THE)

---

- Reference 867 Powers HJ, Bates CJ, Downes R, Brubacher D, Sutcliffe V, Thurnhill A. Running performance in Gambian children: effects of water-soluble vitamins or iron. *European Journal of Clinical Nutrition*, 1988, 42 :895-902.
- Reference 1748 McGregor A, Rahman AK, Thomson AM, Billewicz WZ, Thompson B. The health of young children in West African (Gambia) village. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1970, 64 :48-77.
- Reference 1767 Smith AW, Hendrickse RG, Harrison C, Hayes RJ, Greenwood BM. Iron-deficiency anaemia and its response to oral iron: report of a study in rural Gambian children treated at home by their mothers. *Annals of Tropical Paediatrics*, 1989, 9 :6-16.
- Reference 2215 Gosling R, Walraven G, Manneh F, Bailey R, Lewis SM. Training health workers to assess anaemia with the WHO haemoglobin colour scale. *Tropical Medicine & International Health*, 2000, 5 :214-221.
- Reference 2216 Menendez C, Todd J, Alonso PL, Francis N, Lulat S, Ceesay S, M'Boge B, Greenwood BM. The effects of iron supplementation during pregnancy, given by traditional birth attendants, on the prevalence of anaemia and malaria. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1994, 88 :590-593.
- Reference 2217 Powers HJ, Bates CJ. Micronutrient deficiencies in the aetiology of anaemia in a rural area in The Gambia. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1987, 81 :421-425.
- Reference 2218 Martin KW, Howells DP. Haematological values in an adult rural Gambian population. *West African Medical Journal and Nigerian Medical & Dental Practitioner*, 1972, 21 :159-160.
- Reference 2219 Topley E. Common anaemia in rural Gambia, II: iron deficiency anaemia among women. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1968, 62 :595-601.
- Reference 2220 McGregor IA, Williams K, Billewicz WZ, Thomson AM. Haemoglobin concentration and anaemia in young West African (Gambian) children. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1966, 60 :650-667.
- Reference 2559 Foord F. Evaluation of the mobile maternal health care Service in West Kiang, The Gambia. Keneba, Medical research Council (MRC), Dunn Nutrition Unit (DNU), 1993.
- Reference 3487 Scherf C, Morison L, Fiander A, Ekpo G, Walraven G. Epidemiology of pelvic organ prolapse in rural Gambia, West Africa. *BJOG: an International Journal of Obstetrics and Gynaecology*, 2002, 109 :431-436.
- Reference 3624 bij de Vaate A, Coleman R, Manneh H, Walraven G. Knowledge, attitudes and practices of trained traditional birth attendants in the Gambia in the prevention, recognition and management of postpartum haemorrhage. *Midwifery*, 2002, 18 :3-11.
- Reference 4037 Powers HJ, Bates CJ, Lamb WH. Haematological response to supplements of iron and riboflavin to pregnant and lactating women in rural Gambia. *Human Nutrition. Clinical Nutrition*, 1985, 39C :117-129.
- Reference 4075 Snow RW, Byass P, Shenton FC, Greenwood BM. The relationship between anthropometric measurements and measurements of iron status and susceptibility to malaria in Gambian children. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1991, 85 :584-589.
- Reference 4076 Bates CJ, Powers HJ, Lamb WH, Gelman W, Webb E. Effect of supplementary vitamins and iron on malaria indices in rural Gambian children. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1987, 81 :286-291.

## ADDITIONAL REFERENCES

### GAMBIA (THE)

---

Reference 5552      Atkinson SH, Rockett K, Sirugo G, Bejon PA, Fulford A, O'Connell MA, Bailey R, Kwiatkowski DP, Prentice AM. Seasonal childhood anaemia in West Africa is associated with the haptoglobin 2-2 genotype. *PLoS Medicine*, 2006, 3 :e172. Epub.