

ISRAEL

Last Updated: 2005-08-11

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes				
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line
						70	100	110	115	120	130						
D	1995	Akko Subdistrict: Infants: Total	B	1.00- 2.99	5589			30.6				114	10	NS	3940	*	
		Akko Subdistrict: Infants by sex	F	1.00- 2.99	2717			30.0									
		Akko Subdistrict: Infants by sex	M	1.00- 2.99	2818			31.7									
		Akko Subdistrict: Infants by ethnicity: Jews	B	1.00- 2.99	54			11.6									
		Akko Subdistrict: Infants by ethnicity: Druze	B	1.00- 2.99	1130			28.1									
		Akko Subdistrict: Infants by ethnicity: Arabs	B	1.00- 2.99	4405			31.6									

NOTES

ISRAEL

Reference No: 3940

General Notes: Facility based study (68 "Mother and Child" clinics); sampling: in 1995, 7920 children were born in the Akko Subdistrict, recommendations for prophylactic doses of iron preparation were given to all infants aged 4-12 months screened by the clinic's team, a routine Hb test for each child at the age of 12 months were procedures at the clinic; Hb determination only for subsample n=5703 (72%); disaggregated data by birth weight, nutritional status at birth, maternal age, maternal education, marital status, number of children in family, health care services, locality; same study as reference No. 3629.

REFERENCES

ISRAEL

Reference 3940 Shehab S, Nutenker K, Ron M, Salahov E, Tulchinsky TH. Hemoglobin levels among Arab and Druze children aged 1-2 years in Akko subdistrict. Public Health Reviews, 2000, 28 :75-81.

ADDITIONAL REFERENCES

ISRAEL

- Reference 272 Nitzan Kaluski D, Tulchinsky TH, Haviv A, Averbuch Y, Lowe S. Micronutrient deficiencies in Israel: a bibliography of resources. *Public Health Reviews*, 2000, 28 :231-244.
- Reference 979 Hershko C, Gaziel Y, Bar-Or D, Izak G, Naparstek E, Grossowicz N, Kaufman N, Konijn AM. Anemia among Druze children in the Golan Heights. *Israel Journal of Medical Sciences*, 1980, 16 :384-388.
- Reference 980 Hershko C, Bar-Or D, Gaziel Y, Naparstek E, Konijn AM, Grossowicz N, Kaufman N, Izak G. Diagnosis of iron deficiency anemia in a rural population of children: relative usefulness of serum ferritin, red cell protoporphyrin, red cell indices, and transferrin saturation determinations. *American Journal of Clinical Nutrition*, 1981, 34 :1600-1610.
- Reference 985 Lavon B, Tulchinsky TH, Preger M, Said R, Kaufman S. Iron deficiency anemia among Jewish and Arab infants at 6 and 12 months of age in Hadera, Israel. *Journal of Pediatrics*, 1985, 21 :107-112.
- Reference 988 Yodfat Y. Iron deficiency anemia in children in a new immigrant town in Jerusalem. *Israel Journal of Medical Sciences*, 1967, 3 :890-893.
- Reference 1535 Kaluski DN, Leventhal A, Averbuch Y, Rishpon S, Cohen-Dar M, Habib S, Bellmaker I, Rubin L, Rachmiel S, Amitai Y, Palti H. Five decades of trends in anemia in Israeli infants: implications for food fortification policy. *European Journal of Clinical Nutrition*, 2001, 55 :82-87.
- Reference 1638 Golz A, Netzer A, Goldenberg D, Westerman ST, Westerman LM, Joachims HZ. The association between iron-deficiency anemia and recurrent acute otitis media. *American Journal of Otolaryngology*, 2001, 22 :391-394.
- Reference 1641 Levy S, Rachmilewitz M, Grossowicz N, Reshef Y, Izak G. Nutritional survey in an iron- and folate-deficient population. *American Journal of Clinical Nutrition*, 1975, 28 :1454-1457.
- Reference 1861 Ballin A, Berar M, Rubinstein U, Kleter Y, Hershkovitz A, Meytes D. Iron state in female adolescents. *American Journal of Diseases of Children*, 1992, 146 :803-805.
- Reference 1945 Matzner Y, Levy S, Grossowicz N, Izak G, Hershko C. Prevalence and causes of anemia in the elderly. *Israel Journal of Medical Sciences*, 1978, 14 :1165-1169.
- Reference 2292 Isaacs PC. Growth parameters and blood values in Arabic children. *Pediatric Nursing*, 1989, 15 :579-583.
- Reference 2412 Levy S, Hershko C, Grossowicz N, Rachmilewitz M, Izak G. Prevalence and causes of anemia in children in Kiryat Shmoneh, Israel. *American Journal of Clinical Nutrition*, 1970, 23 :1364-1369.
- Reference 2463 Mates M, Heyd J, Souroujon M, Ben Sasson A, Manny N, Hershko C. The haematologist as watchdog of community health by full blood count. *Quarterly Journal of Medicine*, 1995, 88 :333-339.
- Reference 2464 Hershko C, Levy S, Matzner Y, Grossowicz N, Izak G. Prevalence and causes of anemia in the elderly in Kiryat Shmoneh, Israel. *Gerontology*, 1979, 25 :42-48.
- Reference 2465 Rubin L, Rishpon S. Changing prevalence of iron deficiency anemia in infants of the Haifa subdistrict. *Israel Journal of Medical Sciences*, 1993, 29 :210-212.
- Reference 2466 Anour E, Hasin M, Yodfat Y. Anemia in Jerusalem children aged 3-6 years [in Hebrew]. *Harefuah*, 1992, 123 :373-376, 437.
- Reference 2467 Sofer S, Dagan R, Hundt G, Saltz-Rennert H, Kaplan H, Moses SW. Anemia among Jewish and Bedouin infants in Beer-Sheba and the Negev [in Hebrew]. *Harefuah*, 1986, 111 :217-219.
- Reference 2468 Rachmilewitz EA, Blank D, Rohash Z, Polliack A. Thalassemia minor and iron deficiency anemia among Israeli soldiers [in Hebrew]. *Harefuah*, 1986, 110 :437-441.

ADDITIONAL REFERENCES

ISRAEL

- Reference 2469 Rishpon S. Prevalence rate of anemia among 12-month-old children in the Hadera subdistrict, Israel, 1984-85. *Israel Journal of Medical Sciences*, 1986, 22 :412-413.
- Reference 2627 Kitai E, Kaplan B, Raick Y, Cohen Y, Neri A, Friedman J. Community screening to reveal iron deficiency in healthy menstruating women in Israelian suburbs. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, 1996, 67 :21-25.
- Reference 2719 Barda G, Arbel-Alon S, Bernstein D, Zakut H, Menczer J. Pregnancy and delivery in a group of Israeli teenagers: a case-controlled study. *Clinical and Experimental Obstetrics & Gynecology*, 1998, 25 :32-35.
- Reference 2873 Rachmilewitz M, Nitzkin J, Levy S, Salomonowitz A, Grossowicz N, Izak G. Anemia of pregnancy in a rural community of Upper Galilee. *Israel Journal of Medical Sciences*, 1966, 2 :472-479.
- Reference 3344 Palti H, Adler B, Reshef A. A semilongitudinal study of food intake, anemia rate and body measurements of 6 to 24-month-old children in a Jerusalem community. *American Journal of Clinical Nutrition*, 1977, 30 :268-274.
- Reference 3345 Nordan U, Winter S, Lucian M. Anemia among Haifa infants [in Hebrew]. *Harefuah*, 1980, 98 :388-390.
- Reference 3629 Shehab S, Nutenko K, Koren A, Ron M, Salahov E, Tulchinsky T. Hemoglobin level among infants in Akko sub-district [in Hebrew]. *Harefuah*, 2001, 140 :1002-1005, 1120.
- Reference 3638 Eliakim A, Nemet D, Constantini N. Screening blood tests in members of the Israeli National Olympic team. *Journal of Sports Medicine and Physical Fitness*, 2002, 42 :250-255.
- Reference 3714 Fromm P, Benbassat J, Kiwelowicz A, Erel J, Davidson B, Ribak J. Significance of low hematocrit levels in asymptomatic young adults: results of 15 years follow-up. *Aviation, Space, and Environmental Medicine*, 1999, 70 :983-986.
- Reference 3938 Fraser D, Shahar D, Shai I, Vardi H, Bilenko N. Negev nutritional studies: nutritional deficiencies in young and elderly populations. *Public Health Reviews*, 2000, 28 :31-46.
- Reference 4001 Beverley D, Henderson C. A cross-sectional survey of the growth and nutrition of the Bedouin of the South Sinai Peninsula. *Annals of Tropical Paediatrics*, 2003, 23 :209-214.
- Reference 4010 Assali AR. "Low normal" hemoglobin concentration in black Arabs. *Israel Journal of Medical Sciences*, 1993, 29 :46-48.
- Reference 4011 Levy S, Rachmilewitz EA, Izak G, Salomonowitz A, Rachmilewitz M. A therapeutic trial in anemia of pregnancy. *Israel Journal of Medical Sciences*, 1968, 4 :218-222.
- Reference 4012 Palti H, Adler B, Wolf N. An epidemiological study of haemoglobin levels in infancy in Jerusalem: the effect of social factors and the relation to physical growth. *Acta Paediatrica Scandinavica*, 1977, 66 :513-517.
- Reference 4015 Havivi E, Manny N, Dacosta-Stupp Y, Reshef A. Nutritional status of a population assessed on the basis of a group of blood donors. *Israel Journal of Medical Sciences*, 1985, 21 :499-503.
- Reference 4016 Palgi A, Levi S, Reshef A. Anemia of pregnancy: evaluation of the effectiveness of routine dietary supplementation program in an Israeli community. *American Journal of Public Health*, 1981, 71 :736-739.
- Reference 4017 Palgi A. Ethnic differences in hemoglobin distribution of Asian and European Jewish women in Israel, both pregnant and nonpregnant. *American Journal of Public Health*, 1981, 71 :847-851.
- Reference 4018 Palti H, Tulchinsky TH. Anemia as a public health problem in Israel. *Public Health Reviews*, 1988, 16 :215-250.

ADDITIONAL REFERENCES

ISRAEL

- Reference 4058 Palti H. Anemia in infancy. *Public Health Reviews*, 2000, 28 :89-92.
- Reference 4059 Lev B. Prevention of micronutrient deficiency conditions: the Israeli approach. *Public Health Reviews*, 2000, 28 :13-21.
- Reference 4062 Edet EE. Prevalence of anaemia among pregnant women in a Jewish community in Jerusalem according to selected socio-demographic characteristics. *Public Health*, 1990, 104 :457-463.
- Reference 4066 Kark SL. Change and variation in the incidence of anemia in pregnancy in Jerusalem. *Israel Journal of Medical Sciences*, 1966, 2 :480-493.
- Reference 4087 Noskovski H, Havivi E, Habot B, Reshef A. Nutritional status of the institutionalized elderly. *Israel Journal of Medical Sciences*, 1985, 21 :260-263.
- Reference 4100 Pinhas-Hamiel O, Newfield RS, Koren I, Agmon A, Lilos P, Phillip. Greater prevalence of iron deficiency in overweight and obese children and adolescents. *International Journal of Obesity*, 2003, 27 :416-418.
- Reference 4137 Chernetsky A, Sofer O, Rafael C, Ben-Israel J. Prevalence and etiology of anemia in an institutionalized geriatric population [in Hebrew]. 2002.
- Reference 4222 Havivi E, Levin N, Reshef A. Nutritional status in elderly population in kibbutzim. *International Journal for Vitamin and Nutrition Research*, 1985, 55 :351-355.
- Reference 4270 Tulchinsky TH, Tamir D, Seban AJ. Changing patterns of anemia among Jerusalem infants between 1977 and 1987. *Early Child Development and Care*, 1991, 66 :75-83.
- Reference 4410 Gofin R, Palti H, Adler B. Time trends of haemoglobin levels and anaemia prevalence in infancy in a total community. *Public Health*, 1992, 106 :11-18.
- Reference 4556 Palti H, Zloto R, Gampel B. Infection rate and anemia in infancy in a Jerusalem community. *Israel Journal of Medical Sciences*, 1979, 15 :165-167.
- Reference 4617 Dubnov G, Constantini NW. Prevalence of iron depletion and anemia in top-level basketball players. *International Journal of Sport Nutrition and Exercise Metabolism*, 2004, 14 :30-37.
- Reference 5196 Winter S. Prevalence of anemia among Israel infants [letter, in Hebrew]. *Harefuah*, 1988, 114 :525.
- Reference 5197 Urkin J, Shoham I, Goldfarb D. Anemia in children: hemoglobin changes in mild, acute infections [in Hebrew]. *Harefuah*, 1991, 120 :651-653.
- Reference 5198 Tamir D, Gitlin M, Mansur R. A community program for the prevention of anemia in infants [in Hebrew]. *Harefuah*, 1983, 104 :411-413.
- Reference 5199 Nordan U, Egoz N, Winter S, Lucian M. Prevention of iron-deficiency anemia in infants in family health centers [in Hebrew]. *Harefuah*, 1982, 102 :509-511.
- Reference 5743 Meyerovitch J, Sherf M, Antebi F, Barhoum-Noufi M, Horev Z, Jaber L, Weiss D, Koren A. The incidence of anemia in an Israeli population: a population analysis for anemia in 34,512 Israeli infants aged 9 to 18 months. *Pediatrics*, 2006, 118 :e1055-1060.