

MAURITIUS

Last Updated: 2006-11-02

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Mean	SD	Method	Reference	Notes	
						Proportion (%) of population with haemoglobin below:										General	Line
						70	100	110	115	120	130						
N	1995	Mauritius Island: PW	F	NS	500	0.2		39.2				112	11	A	395	*	1
		Mauritius Island: NPW	F	25.00- 50.99	128	0.0				14.0		136	17				
		Mauritius Island: Men	M	25.00- 50.99	93	0.0					3.3	158	17				
		Mauritius Island: Children	B	3.00- 6.99	243	0.0		5.3				128	10				
		Rodrigues Island: PW	F	NS	164	0.0		32.3				115	12				
		Rodrigues Island: Children	B	3.00- 6.99	280	0.0		26.8				117	11				
N	1985	Mauritius: Pre-SAC	B	NS- 4.99	104			51.0			107	16	NS	3144	*		
		Rodrigues: Pre-SAC	B	NS- 4.99	46			65.0			103	15					

NOTES

MAURITIUS

Reference No: 395

General Notes: *Hb determination only for subsample.*

Line note 1 PW Hb values from antenatal care cards.

Line note 2 PW Hb values from antenatal care cards.

Reference No: 3144

General Notes: *Clinical signs for total sample (N=2402), Hb determination only for subsample (circa 6%): sample not nationally representative.*

REFERENCES

MAURITIUS

- Reference 395** Ministry of Health [Mauritius]. A survey of nutrition in Mauritius and Rodrigues (1995) [final report]. Port Louis, Ministry of Health, 1995.
- Reference 3144** Ministry of Health, UNICEF. Survey on the nutritional status of preschool children in Mauritius -1985. 1985.

ADDITIONAL REFERENCES

MAURITIUS

Reference 2878 Stott G. Hookworm infection and anaemia in Mauritius. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1960, 55 :20-25.