

NETHERLANDS (THE)

Last Updated: 2005-05-03

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes				
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line
						70	100	110	115	120	130						
L	1988 -1989	Culemborg: Elderly: Total	B	70.00- 75.99	203												
		Culemborg: Elderly by sex	F	70.00- 75.99	105					4.8		139	12	A	3342	*	1
		Culemborg: Elderly by sex	M	70.00- 75.99	98						1.0	153	12				
L	1981	Ede: School-age boys	M	7.58- 10.24	117						134	6	A	3341	*	2	

NOTES

NETHERLANDS (THE)

Reference No: 3342

General Notes: *Euronut SENECA study (Survey in Europe on Nutrition and the Elderly, a Concerted Action) conducted in 19 towns (these were chosen for having a stable population of 10 000 to 20 000 and a socioeconomic structure comparable to that of the region or the country as a whole) situated in 12 European countries; sampling: random sample stratified by sex and age, 238 out of 644 selected subjects were enrolled; inclusion only of elderly subjects born in 1913-1918; participation in blood sampling was not mandatory; Hb determination only for subsample; values for other Hb cut-off levels.*

Line note 1 Prevalence value calculated; prevalence of anaemia 3.0% (Hb <120 g/L females, Hb <130 g/L males).

Reference No: 3341

General Notes: *Facility based study (at least 4 schools); sampling: boys were selected through the schools, strict random samples were considered unnecessary; only mean Hb values.*

Line note 2 Mean (SD) age 9.1 (0.5) yrs.

REFERENCES

NETHERLANDS (THE)

- Reference 3341** Knuiman JT, Westenbrink S, van der Heyden L, West CE, Burema J, De Boer J, Hautvast JGAJ, Räsänen L, Virkkunen L, Viikari J, Lokko P, Pobee JOM, Ferro-Luzzi A, Ferrini AM, Scaccini C, Sette S, Villavieja GM, Bulatao-Jayme J. Determinants of total and high density lipoprotein cholesterol in boys from Finland, the Netherlands, Italy, the Philippines and Ghana with special reference to diet. Human Nutrition. Clinical Nutrition, 1983, 37C :237-254.
- Reference 3342** Dirren H, Decarli B, Lesourd B, Schlienger JL, Deslypere JP, Kiepuski A, Euronut SENECA investigators. Nutritional status: haematology and albumin. European Journal of Clinical Nutrition, 1991, 45 (Suppl 3):43-52.

ADDITIONAL REFERENCES

NETHERLANDS (THE)

- Reference 991 De Wijn JF, Pikaar NA. Hemoglobin, serum iron and iron binding capacity during growth from age 9-17: semi-longitudinal study of boys and girls. *Nutrition and Metabolism*, 1971, 13 :44-53.
- Reference 993 de Wijn JF, Pikaar NA. Haemoglobin, serum iron and iron binding capacity during growth from age 9 to 17: semi-longitudinal study of boys and girls. *Maandschrift voor Kindergeneeskunde*, 1970, 38 :29-36.
- Reference 996 De Wijn JF, Pikaar NA, Postmus S. Somatic growth hemoglobin, serum Iron and iron binding capacity at schoolage and early adolescence: follow-up examinations in the Netherlands with comparison between northern and southern areas, related to family size. *Zeitschrift für Arztliche Fortbildung*, 1968, 62 :1015-1019.
- Reference 2694 Van Poppel G, Schneijder P, Löwik MRH, Schrijver J, Kok FJ. Nutritional status and food consumption in 10-11 year old Dutch boys (Dutch Nutrition Surveillance System). *British Journal of Nutrition*, 1991, 66 :161-169.
- Reference 3246 Spanjersberg MQI, Jansen EHJM. Iron deficiency and overload in relation to nutrition. Bilthoven, National Institute of Public Health and the Environment, 2000
- Reference 4229 Schrijver J, van Veelen BWC, Schreurs WHP. Biochemical evaluation of the vitamin and iron status of an apparently healthy Dutch free-living elderly population: comparison with younger adults. *International Journal for Vitamin and Nutrition Research*, 1985, 55 :337-349.
- Reference 4299 Van Eijk HG, Kroos MJ, Hoogendoorn GA, Wallenburg HCS. Serum ferritin and iron stores during pregnancy. *Clinica Chimica Acta*, 1978, 83 :81-91.
- Reference 4307 van Asperen IA, Feskens EJM, Bowles CH, Kromhout D. Body iron stores and mortality due to cancer and ischaemic heart disease: a 17-year follow-up study of elderly men and women. *International Journal of Epidemiology*, 1995, 24 :665-670.
- Reference 4353 Knottnerus JA, Delgado LR, Knipschild PG, Essed GGM, Smits F. Haematologic parameters and pregnancy outcome: a prospective cohort study in the third trimester. *Journal of Clinical Epidemiology*, 1990, 43 :461-466.
- Reference 4369 Brussaard JH, Brants HAM, Bouman M, Löwik MRH. Iron intake and iron status among adults in the Netherlands. *European Journal of Clinical Nutrition*, 1997, 51 (Suppl 3):S51-S58.