

SOMALIA

Last Updated: 2005-02-14

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes				
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line
						70	100	110	115	120	130						
R	2001	Somaliland: Pre-SAC: Total	B	0.50- 4.99	784	8.0		58.9									
		Somaliland: Pre-SAC by sex	F	0.50- 4.99	401	6.5		58.9							*		
		Somaliland: Pre-SAC by sex	M	0.50- 4.99	383	9.7		59.0									
		Somaliland: Pre-SAC by age	B	0.50- 1.99	211	11.4		72.0									
		Somaliland: Pre-SAC by age	B	2.00- 2.99	315	8.9		64.7									
		Somaliland: Pre-SAC by age	B	3.00- 4.99	258	4.3		41.1									
L	1989	3 villages Shabelle Region: Women	F	15.00- 45.99	280	4.5			72.2		105		B	2290		1	

NOTES

SOMALIA

Reference No: 3213

General Notes: *Study in 14 urban and rural locations in Somaliland.*

Reference No: 2290

Line note 1 Prevalence of anaemia 12.7% (Hb <85 g/L); Hb cut-off level not according to WHO recommendations (please see 'Key to the data tables'), no differentiation between NPW and PW.

REFERENCES

SOMALIA

- Reference 2290** Omar MM, Hogberg U, Bergstrom B. Maternal health and child survival in relation to socioeconomic factors. *Gynecologic and Obstetric Investigation*, 1994, 38 :107-112.
- Reference 3213** UNICEF. Anemia survey in Somaliland [report]. 2001.

ADDITIONAL REFERENCES

SOMALIA

- Reference 813 FAO. ESN - Somalian nutrition country profile. Rome, Food and Agriculture Organization, 1989.
- Reference 814 Farah B, Ali-Salad A, Gove S, Yip R, Douglas C, Walter J, Slutkin G. Anaemia and scurvy survey. Conducted in December 1986 in Northwest and Lugh refugee camps and January 1987 in Qorioley camp II [preliminary report]. Somalia, Ministry of Health, 1987.
- Reference 960 Yip R, Gove S, Farah BH, Mursal HM. Rapid assessment of hematological status of refugees in Somalia: the potential value of hemoglobin distribution curves in assessing iron nutrition status. Colloque INSERM, 1990, 197 :193-196.
- Reference 1838 Omar MM, Tarsitani G. Italian title [The prevalence of anemia in women of reproductive age belonging to rural Somali communities]. *Annali di Igiene: Medicina Preventiva e di Comunità*, 1994, 6 :571-575.
- Reference 1839 Greenham R. Scurvy and anaemia in refugees [letter]. *Lancet*, 1989, 2 :170.
- Reference 1840 Seaman J, Rivers JP. Scurvy and anaemia in refugees [letter]. *Lancet*, 1989, 1 :1204.
- Reference 1841 Ahmed NE, Abdalla L. Some physical measurements and haematological studies in the Sudanese newborn baby. *Journal of Tropical Medicine and Hygiene*, 1967, 70 :271-274.
- Reference 2812 WHO Regional Office for the Eastern Mediterranean. Epidemiological surveillance of communicable diseases in Somali Democratic Republic. National Morbidity Survey 1980/82. 1984.