

SEYCHELLES

Last Updated: 2005-02-14

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Reference	Notes						
						Proportion (%) of population with haemoglobin below:							Mean	SD	Method	General	Line		
						70	100	110	115	120	130								
N	1961 P	3 Islands: All	B	NS	2376														
		Mahé: All	B	NS	1715														
		Praslin: All	B	NS	396														
		La Digue: All	B	NS	265														
		Women	F	NS	490														
		Men	M	NS	938														
		SAC by sex	F	NS	209														
		SAC by sex	M	NS	395														
		Children	B	NS	344														

NOTES

SEYCHELLES

Reference No: 2844

General Notes: *3 largest islands; Hb cut-off level not according to WHO recommendations (please see 'Key to the data tables').*

Line note 1 Prevalence of anaemia 2.1% (Hb <80 g/L).

Line note 2 Prevalence of anaemia 1.1% (Hb <80 g/L).

Line note 3 Prevalence of anaemia 0.8% (Hb <80 g/L).

Line note 4 Prevalence of anaemia 4.5% (Hb <80 g/L).

Line note 5 Prevalence of anaemia 3.1% (Hb <80 g/L).

Line note 6 Prevalence of anaemia 0.9% (Hb <80 g/L).

Line note 7 Prevalence of anaemia 0.5% (Hb <80 g/L).

Line note 8 Prevalence of anaemia 0.5% (Hb <80 g/L).

Line note 9 Prevalence of anaemia 3.4% (Hb <80 g/L); children not attending school.

REFERENCES

SEYCHELLES

- Reference 2844** Foy H, Kondi A. Report on incidence, aetiology, treatment and prophylaxis of the anaemias in the Seychelles: a study in iron-deficiency anaemias and ancylostomiasis in the tropics. *Annals of Tropical Medicine and Parasitology*, 1961, 55 :25-45.