

TAJIKISTAN

Last Updated: 2006-12-05

Level	Date	Region and sample descriptor	Sex	Age (years)	Sample size	Haemoglobin (g/L)						Mean	SD	Method	Reference	Notes						
						Proportion (%) of population with haemoglobin below:										General	Line					
						70	100	110	115	120	130											
N	2003	NPW: Total	F	15.00- 49.99	2042	1.2					41.2		122	18	B	4182	*	1				
		Pre-SAC: Total	B	0.50- 4.99	1910	0.9		37.7					112	16							2	
		NPW by oblast: RRS	F	15.00- 49.99	500	1.2					29.0		126	18								3
		NPW by oblast: Katlon	F	15.00- 49.99	518	1.4					63.0		115	16								4
		NPW by oblast: Sughd	F	15.00- 49.99	506	1.0					33.0		125	18								5
		NPW by oblast: GBAO	F	15.00- 49.99	519	1.9					36.4		123	17								6
		Pre-SAC by age	B	0.50- 1.07	NS				58.3													7
		Pre-SAC by age	B	1.08- 2.07	NS				65.2													8
		Pre-SAC by age	B	2.08- 3.07	NS				43.1													9
		Pre-SAC by age	B	3.08- 4.07	NS				33.9													10
		Pre-SAC by age	B	4.08- 4.99	NS				24.3													11
		Pre-SAC by oblast: RRS	B	0.50- 4.99	467	0.6			30.8				115	14								12
		Pre-SAC by oblast: Katlon	B	0.50- 4.99	465	0.9			51.6				108	13								13
		Pre-SAC by oblast: Sughd	B	0.50- 4.99	477	0.8			30.6				117	16								14
		Pre-SAC by oblast: GBAO	B	0.50- 4.99	501	3.0			55.0				106	16								15

NOTES

TAJIKISTAN

Reference No: 4182

General Notes: *Sampling: two-stage cluster sampling with probability proportional to size; 20 clusters selected in each oblast (RRS, Katlon, Sughd, GBAO); adjustment for altitude.*

- Line note 1** Weighted prevalence value.
- Line note 2** Weighted prevalence value.
- Line note 3** Weighted prevalence value.
- Line note 4** Weighted prevalence value.
- Line note 5** Weighted prevalence value.
- Line note 6** Weighted prevalence value.
- Line note 7** Weighted prevalence value.
- Line note 8** Weighted prevalence value.
- Line note 9** Weighted prevalence value.
- Line note 10** Weighted prevalence value.
- Line note 11** Weighted prevalence value.
- Line note 12** Weighted prevalence value.
- Line note 13** Weighted prevalence value.
- Line note 14** Weighted prevalence value.
- Line note 15** Weighted prevalence value.

REFERENCES

TAJIKISTAN

Reference 4182 Branca F, Ferrari M, Rossi L. Micro-nutrient status survey in Tajikistan. Rome, National Institute for Research on Food and Nutrition, Kazakh Academy of Nutrition, 2004.

ADDITIONAL REFERENCES

TAJKISTAN

Reference 2678 Voronina LN, Miterev YG, Tokarev YN, Kolodey SV. Incidence of iron-deficiency anemia in some regions of the Tajik SSR [in Russian]. Problemy Gematologii i Perelivaniia Krovi, 1979, 24 :8-10.