

Index

Note: page numbers in *italics* refer to figures, those in **bold** refer to tables.

- 16SrRNA gene sequencing 67–8
- abscesses 107
 - see also Mycobacterium abscessus*
- Acanthamoeba* 42
- adenitis *see* cervical adenitis
- aerosols
 - M. avium* 31–2
 - MAP infection from animals 82–3
 - pulmonary infections 12, 116
- Africa 10, 110–11
- AIDS patients
 - antiretroviral therapy 10
 - disseminated infection 6, 95–6, 97
 - skin infections 108–9
- amoebae 16, 32–3, 42, 165
- analytical detection methods 55–73
 - analysis process 58–72, 58
 - detection 63–72
 - method summary **59**
 - sampling 60–2
 - whole genome sequencing projects 56–7
- animals
 - faeces 7, 11, 178
 - M. avium* and MAC infections 16–17
 - MAP infection 75–8, 88
 - MAP transmission to humans 80–3
- antibiotics *see* drug therapies
- antiretroviral therapy 10, 96, 98, 109
- assimilable organic carbon (AOC) 160–1, **161–2**
- avian infections 17
- azithromycin 123

- bacterial physiology 48–50
- bathing water 173–4
- BCG vaccination 7, 10–11, 100
- biodegradable organic matter (BDOC) 160–1, **161–2**
- biofilms
 - device-related infections 139
 - distribution systems 60, 162–4
 - M. avium* 29, 35, 36
 - biotechnology advances 56
 - bird infections 17
 - bone infections *see* skin, bone and soft tissue infections
 - bronchoscopic contamination 6, 133
 - Buruli ulcer (BU) 104
 - see also Mycobacterium ulcerans*
 - epidemiology 112
 - incidence 8, 10, 110–11
 - risk factors 113
- Canada, Crohn disease 86
- Cardiff, Crohn disease 83
- catabolism, MAC 50
- cattle infections 75–8, 88
- CD *see* Crohn disease
- cell envelope 48
- cervical adenitis 99–102
 - children 2, 5, 88
 - epidemiology and risk factors 100–1
 - incidence and mortality 101
 - prevention and treatment 101–2
 - species shift 22–3
- cetyl pyridinium chloride (CPC) 62
- CF *see* cystic fibrosis
- children
 - Buruli ulcer 112
 - cervical adenitis 2, 5, 22–3, 88, 100–1
- chloramine disinfection 150, 153, 156
- chlorine dioxide disinfection 150, 157
- chlorine disinfection 150, **151–2**, 155
- cigarettes 6, 33
- ciprofloxacin 93
- clarithromycin
 - disseminated MAC infections 98
 - MAP infections 89, 92–3
 - pulmonary infections 123–4, 125
 - skin infections 106, 107, 109
- clofazimine 92
- coagulation treatment 145–9
- cold water systems *see* drinking waters;
- swimming pools
- colonization 132, **133**
- commercial tests 69
- contact materials 162–4
- contact times for disinfection 156–9
- contamination
 - see also* decontamination
 - equipment 131–42
 - recontamination 166–7, 177
 - water **3–4**
- control measures 12, 170–2
 - see also* public health protection
- cooling tower water 175
- cosmetic industry infections 136–7
- cows, MAP infection 75–8
- CPC *see* cetyl pyridinium chloride
- Crohn disease (CD)
 - anti-MAP drugs 92–3
 - causes 11
 - child MAP infection 88–9
 - epidemiology and susceptibility 85–7
 - Iceland 87–8
 - MAP in inflamed gut 89–91
 - pathogenic mechanisms 93–4
 - recognition of MAP proteins 91–2
 - symptoms and treatment 84–5
 - transmission from water supply 82–3
- cryosectioning technique 60–1
- Cryptosporidium* control 153, 154
- culture enrichment 63–5
- cystic fibrosis (CF) 121–2

- decontamination
 - M. avium* 27–8
 - methodology 61–2
- detection methods
 - analysis process 58–72, **58**
 - cultural enrichment 63–5
 - direct DNA detection 65–6
 - genus and species 66–70
 - ISH 66
 - PCR screening 65–6
 - primary isolation 63–6
 - recovery media 64
 - sub-species discrimination 70–2
- developed countries 97
- developing countries 7, 10, 97, 110–11
- device-related infections 131–42
 - causality 141–2
 - cosmetic industry 136–7
 - dialysis-related 135
 - incidence and epidemiology 140–1
 - injection abscesses 136
 - microbial factors 138–40
 - mycobacterial species **134**
 - risk factors 141
 - surgical procedures 137–8
 - vascular devices 135
- diagnostic tests in animals 77–8
- dialysis-related infections 135
- diarrhoea 76, 84
- direct DNA detection methods 65–6, 67
- disease 5–7
 - see also* infections
- disinfection
 - chloramine 150, 153, 156
 - chlorine dioxide 150, 157
 - contact times **156–9**
 - drinking waters 149–59
 - free chlorine 150, **151–2**, 155
 - M. avium* 27
 - resistance 139
 - selection of mycobacteria 23
 - ultraviolet light 153, **154**, 159
- disseminated MAC infection 2, 5, 95–9
 - epidemiology and risk factors 96–8
 - microbiology 96
 - prevention and treatment 98–9
- distribution of infection *see* epidemiology;
- incidence
- distribution systems (water) 166–7, 177
- diversity 41–2, 53
- DNA
 - direct detection 65–6, 67
 - fingerprinting methods 21–2
 - random amplified polymorphic 71–2
 - sequencing 56, 67–72
- drinking waters 11
 - coagulation and filtration 145–9
 - contact materials 162–4
 - disinfection 23, 149–59
 - free living amoebae 165
 - HACCP approach **144**
 - M. avium* 20, 28–9, **147**, 150, 153, 161
 - management 173–4
 - MAP transmission from animals 82
 - regrowth of mycobacteria 160–4
 - sampling 60
 - system recontamination 166–7, 177
 - temperature control 164–5
- drug therapies
 - cervical adenitis 101–2
 - Crohn disease 88–9, 92–3
 - disseminated MAC infections 98–9
 - pulmonary infections 123–4
 - skin infections 106, 107, 109
- ecology
 - M. avium* 20–1
 - natural environment 16–17
- effluent water mycobacteria occurrence **148**
- ejected droplets 31–2
- elderly people's infections 128
- enteric neuritis 76, 94

- environment
 - Crohn disease incidence 87
 - MAC 41
 - MAP 80
 - overlap of human and *M. avium* 37
 - sources 26–38
- environmental mycobacteria 1–2
 - coagulation and filtration 145–9
 - disinfection 149–59
 - ecology 16–17
 - epidemiology 5–6
 - exposure routes 35–6
 - rapidly growing 39, 64, 99, 107–8, **148**
 - slowly growing 39, 64, 99, **148**
 - waterborne outbreaks 9
- epidemiology 5–6
 - Buruli ulcer 112
 - cervical adenitis 100–1
 - Crohn disease 85–7
 - device-related infections 141
 - disseminated MAC infection 96–8
 - M. ulcerans* 57
 - pulmonary infections 118–19, 127
 - skin infections 112
- equipment-related infections 131–42
- erythromycin 92
- ethambutol
 - pulmonary infections 123
 - skin infections 102, 106, 109, 110
- Europe, Crohn disease 85, 86
- evolution 41–2, 54
- fatty acids 50
- filtration
 - drinking waters 145–9
 - mycobacteria occurrence **147**
 - pore sizes 146
- fingerprinting methods 21–2
- fish infections 17, 50
- fish tanks 105
- flocculation 145
- foods 6, 33, 80–1
 - see also* milk
- foot baths 107, 135–6
- free chlorine disinfection 150, **151–2**, 155
- freezing treatment 165
- genes
 - detection methods 66, 67
 - MAA 51–2
 - MAP 53
 - sequencing, 16SrRNA 67–8
- genomes 12, 43–7
 - analysis 54
 - M. ulcerans* and *M. marinum* 47
 - MAA 43–4, 45
 - MAP 46–7
 - sequencing projects **13**, 56–7
- genus and species identification 67–70
 - commercial tests 69
 - pathogen-specific PCR tests 69, **70**
- Giardia* cysts **151**
- global distribution of disease 8–11
- glycopeptidolipids (GPLs) 48
- growth
 - intracellular 32–3
 - M. avium* characteristics 18
 - MAC 50
 - MAP 74–5
 - rapid growers 39, 64, 99, 107–8, **148**
 - regrowth in drinking water 160–4
 - slow growers 39, 64, 99, **148**
- HAART *see* highly active antiretroviral therapy
- Hazard Analysis Critical Control Point (HACCP)
 - drinking waters **144**
 - hazards and preventative measures **177**
 - management 176–8
 - public health protection 169–70
- hazards **177**

- heat treatment 164, 165
- helminths 16
- heterogeneity 21–2, 42
- high incidence environments 34–5
- high risk groups 176
- highly active antiretroviral therapy (HAART) 7, 96, 98, 109
- HIV patients 10
- HIV-associated MAC infection 2, 5, 7, 96, 97–8
- hospital water systems 5, 35, 97, 139, 175
- host environments 51–4
 - entry and survival 51
 - MAA genes 51–2
 - MAP genes 53
- hot tub waters
 - see also* spa waters
 - hypersensitivity pneumonitis 122, 123
 - M. avium* 20, 29, 34
 - MAC infection 5
 - management 174
 - skin infections 107
- hot water systems
 - disseminated MAC infections 97–8
 - Legionella pneumophila* 171–2, 174, 175
 - M. avium* 8, 34–5, 36
 - MAC infections 83
- hsp65* gene 68
- human MAP infection from animals 80–3, 88
- hydrophobicity of *M. avium* 19, 20–1
- hypersensitivity pneumonitis 122–3

- Iceland, Crohn disease 87–8
- identification *see* detection methods
- ileostomy 85
- immunomagnetic separation (IMS) 62, 63
- in situ hybridization (ISH) 66, 90–1
- incidence
 - Buruli ulcer 110–11
 - cervical adenitis 101
 - Crohn disease 85–7, 86
 - disseminated MAC infection 98
 - global burden 8–11
 - Johne disease 77–8
 - pulmonary infections 126
 - skin infections 110–11
- industrial exposure 174–5
- infections 1–2, 5–7
 - disseminated 95–9
 - equipment-related 131–42
 - MAC 95–103
 - MAP in livestock 75–8
 - MAP in wildlife 79
 - pseudo-infections 132–3
 - pulmonary 115–30
 - skin, bone and soft tissue 104–14
 - true infections 132, **134**
- inflammation of intestines 2, 75–7, 83–5, 89–91
- ingestion of *M. avium* 35
- inhalation of *M. avium* 35
- inherited susceptibility (Crohn disease) 87
- injection abscesses 136
- insects 16
- insertion sequences (IS) 22, 43, 45, 47, 56–7, 70–1
- institutions
 - exposure 175–6
 - genome sequencing **13**
- inter-insertion sequence polymerase chain reaction (inter-IS PCR) 71
- intestinal inflammation 2, 75–7, 83–5, 89–91
- intracellular life
 - M. avium* 32–3
 - MAA genes 51–2
 - MAP genes 53
- invasive procedures *see* device-related
- infections
 - IS *see* insertion sequences
 - IS900 PCR 81, 89, 90, 91
 - ISH *see* in situ hybridization

- isolation
see also detection methods
 aerosols and ejected droplets 31–2
 methodology 56, 63–6
 soils 30
 water 27–8
- Johne disease (JD) 11, 75–8, 88
- Lady Windermere's syndrome 119
- laser vision correction surgery 137–8
- Legionella pneumophila* 171–2, 173–4, 175
- lesions *see* skin, bone and soft tissue
- infections
- livestock
see also animals
 infections 16–17
 Johne disease 11, 75–8, 88
 MAP infection 32, 75–8, 88
- lung diseases *see* pulmonary infections
- lymph node excision 101–2
- lymphadenitis *see* cervical adenitis
- MAA (*Mycobacterium avium* subsp. *avium*)
 5, 40
 AIDS patients 3–4, 5
 bird faeces 42
 entry and survival 51
 genes in intracellular life 51–2
 strain 104 genome 43–4, 45
- MAC (*Mycobacterium avium* complex) 2, 40
 animals 17
 cell envelope 48
 disseminated infection 2, 5, 95–9
 drinking waters 143–68
 epidemiology 96–8
 evolution and diversity 41–2
 metabolism and catabolism 50
 morphotypic switches 48–50
 pulmonary diseases 115–30
 skin and soft tissue infections 108–9
- macrolide 101
- MAIS (*Mycobacterium avium-intracellulare-scrofulaceum*) 2
- mammals *see* animals; livestock
- MAP (*Mycobacterium avium* subsp. *paratuberculosis*) 2, 40
 animal infections to humans 80–3
 Crohn disease 88–94
 different strains 78–9
 genomes 46–7
 growth pattern 74–5
 intracellular life 53
 IS900 53, 57, 69
 Johne disease 75–8
 livestock infections 42, 75–8, 88
 pathogenic mechanisms 93–4
 protein recognition in Crohn disease 91–2
 wildlife and environment 79–80
- media for recovery 64
- meningitis 103
- metabolism 20, 50
- metronidazole 93
- MGIT medium 90
- microarrays 44, 54
- microbiology
 disseminated MAC infection 96
 pulmonary infections 125–6
- milk
 MAC infection 6
 MAP infection 11, 80–1, 89
- MLST *see* multi-locus sequence typing
- molecular markers of virulence 54
- morphotype switches 48–50
- mortality 8
 cervical adenitis 101
Legionella pneumophila 171
- multi-locus sequence typing (MLST) 69, 72
- municipal water management 173–6
- Mycobacterium*
see also MAA; MAC; MAIS; MAP; species
 evidence in water 3–4

- M. abscessus* 107–8, 117, 121, 125, 126, 136
M. avium
aerosols, ejected droplets and dust 31–2
animal and bird infections 16–17
child infections 5, 22–3
disinfection **150, 151**
distribution system biofilms 162
drinking water 20, 28–9, **147**, 150, 153, 161
heterogeneity 21–2
high incidence environments 34–5
hot water systems 8, 34–5, 36
occurrence changes 22–3
phagocytic protozoa and amoebae 32–3
physiologic characteristics 18–20
physiologic ecology 20–1
routes of exposure 35–8
selection by disinfectants 23
in soils 30
in water 27–9
M. bovis 80, 89
M. chelonae 107, 152, 161
M. fortuitum 39, 50, 107, **151**, 152
M. genavense 17
M. goodii 149, 150, 152
M. haemophilum 109, 111, 112
M. intracellulare
animals 16, 42
biofilms 29, 162
exposure routes 35–6
immunocompetent people 5
physiology 18–20
M. kansasii 8, 69, 117, 125, 126
M. leprae 40
M. malmoense 100, 127
M. marinum
fish disease 40–1
genome 47
MLST 72
skin infections 8, 105–6, 111, 112
M. peregrinum 149
M. scrofulaceum 22–3, 100
M. simiae 127
M. smegmatis 107, 136
M. terrae 110
M. tuberculosis 7, 40, 43
M. ulcerans
genome 47, 57
MLST 72
skin lesions 40–1, 104, 110, 111
transmission 112
M. xenopi 8, 126
natural waters 28
nodular bronchiectasis 118, 119–20, 126
nomenclature 2
non-tuberculous mycobacteria (NTM) 99–102, 135
nosocomial infections 103, **134**, 140
NTM *see* non-tuberculous mycobacteria
occurrence 22–3
see also epidemiology; incidence
osteomyelitis 102, 108
otitis media 137
oxygen response 19
ozone disinfection 158
pacemakers 135
pancreatic infection 103
pasteurization 81
pathogenic mechanisms 93–4
PCR *see* polymerase chain reaction
peat 30
peritonitis 135
PFGE *see* pulsed-field gel electrophoresis
pH 19
phagocytic protozoa 32–3
physiology
M. avium 18–21
MAC complex 48–50
pipes
biofilm growth 60, 162–4
recontamination 166–7
plastic surgery infections 107, 138

- point of exposure 177–8
- polymerase chain reaction (PCR) 66, 67
 - genus and species identification 69, **70**
 - IS900 81, 89, 90, 91
 - screening 65
- pore size of filters 146
- preventative measures 177
- primary PEM pulmonary disease 118–20
- protozoa 16
- pseudo-infections 132–3, **133**
- public health protection
 - HACCP approach 169–70, 176–8
 - management options 173–6
 - response 170–2
- pulmonary infections 115–30
 - asymptomatic disease 128–9
 - causality 127
 - diagnosis 117
 - distribution 126–7
 - epidemiology 118–19, 127
 - hypersensitivity pneumonitis 122–3
 - incidence 126
 - microbiology 125–6
 - primary PEM 118–20
 - risk factors 128–9
 - secondary PEM 120–2
 - treatment issues 123–5
- pulsed-field gel electrophoresis (PFGE) 71, 79

- random amplified polymorphic DNA (RAPD) 71–2
- rapidly growing mycobacteria (RGM) 39, 64, 99, 107–8, **148**
- recontamination of drinking water 166–7, 177
- recreational water management 174
 - see also* hot tub waters; spa waters;
- swimming pools
- regrowth of mycobacteria 160–4
- research issues
 - biology 53–4
 - detection and disinfection 23–4, 38
 - device-related infections 142
 - drinking water contamination 167–8
 - genome sequencing 73
 - recovery methods 37–8
 - vaccination 14
- respiratory infections 2
- restriction fragment length polymorphism (RFLP) 79
- RGM *see* rapidly growing mycobacteria
- rifabutin 89, 92–3, 123
- rifampicin 92
- rifampin
 - pulmonary infections 123, 124
 - skin infections 106, 109, 110
- risk factors 7
 - cervical adenitis 100–1
 - device-related infections 141
 - disseminated MAC infection 96–8
 - pulmonary infections 128–9
 - skin infections 113
- risk management 169–79
 - see also* public health protection
- routes of exposure, *M. avium* 35–8

- salinity, *M. avium* 19–20
- samples
 - collection 60–1
 - preparation 61–2
 - storage 61
- saprophytes 1
- sarcoidosis 103
- SCOTS analysis 51–2, 54
- secondary PEM pulmonary disease 120–2
- septic arthritis 102
- serovar-specific glycopeptidolipids (ssGPL) 48
- sheep 78, 88
- showers 36
- skin, bone and soft tissue infections 104–14
 - causality 113
 - epidemiology 112

- incidence and distribution 110–11
 - M. haemophilum* 109
 - M. marinum* 105–6
 - M. ulcerans* 110
- MAC infections 108–9
- rapidly growing mycobacteria 107–8
- risk factors 113
- slowly growing mycobacteria 39, 64, 99, **148**
- smoking 118, 120–1
- soft tissues *see* skin, bone and soft tissue
- infections
- soils 30
- source control 177
- spa waters 5, 20, 29, 34
- species
 - effluent samples occurrence **148**
 - identification 67–70
 - nosocomial infections **134**
 - occurrence 22–3
 - skin infections **113**
- spinal infections 137
- sputum production 116–17
- ssGPL *see* serovar-specific
- glycopeptidolipids
- stress in Crohn disease 84
- sub-species discrimination 70–2
- supermarket foods 6
- surgical treatments 101, 125
- surgically-caused infections 106, 137–8
- swimming pools 5, 29, 122, 174
- switches, morphotypes 48–50

- taxonomy 39–41, 54
- TB *see* tuberculosis
- temperatures
 - drinking waters 164–5
 - M. avium* 19
 - piped water systems 140
- tenosynovitis 102, 108
- trauma 36
- treatments *see* drug therapies; surgical
- treatments
- true infections 132, **133**, **134**
- tuberculosis (TB) 100
 - see also Mycobacterium tuberculosis*
- typing 2

- ulcers *see* Buruli ulcer; skin, bone and soft
- tissue infections
- ultraviolet light disinfection 153, **154**, 159
- unidentified mycobacterial isolates 33–4
- United States 10

- variants *see* morphotype switches
- vascular device infections 135

- water supply systems
 - see also* drinking waters; hospital water
- systems; hot water systems
 - human infections 7–8
 - infection from animals 82–3
 - recontamination 166–7, 177
- water temperatures 140, 164–5
- water treatment processes 145–59
 - coagulation and filtration 145–9
 - disinfection 149–59
 - mycobacteria growth 148–9
- water types
 - contamination evidence **3–4**, **9**
 - industrial water 174–5
 - M. avium* 27–9
 - natural waters 28
- waterborne transmission 7–8, **9**
- wildlife 79